


Box 509 A

JCS32 U.S. PTO
11/14/97

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

"EXPRESS MAIL" MAILING LABEL NUMBER EM298403673US
DATE OF DEPOSIT November 14, 1997
I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE "EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE UNDER 37 CFR 1.10 ON THE DATE INDICATED ABOVE AND IS ADDRESSED TO: THE ASSISTANT COMMISSIONER OF PATENTS, WASHINGTON, DC 20231.

By, Richard Aron Osman, Ph.D.



EM298403673US

Assistant Commissioner of Patents
Washington, DC 20231

Commissioner:

Transmitted herewith for filing is the continuing patent application entitled *Robo: A Novel Family of Polypeptides and Nucleic Acids* under 37 CFR 1.78(a) of copending provisional application Serial No. 60/062,921 filed October 20, 1997, entitled *Robo: A Novel Family of Genes and Proteins*, both having the inventors: Corey S. Goodman, Thomas Kidd, Kevin J. Mitchell and Guy Tear, all of Berkeley, CA; 74 pages (including 2 Figures), 9 claims (2 independent); Paper copy of Sequence Listing(33p); CRF of Sequence Listing; return postcard. Atty Docket No: **B98-006**

In adherence with 37 CFR 1.821-1.825, this application is accompanied by a diskette containing SEQ ID NOS 01- 12 in computer readable form and a paper copy of the sequence information. The computer readable sequence listing was prepared through the use of the software program "PatentIn" provided by the Patent and Trademark Office. The paper copy and computer readable copy of the sequence listing are the same. The sequence data of the Sequence Listing are all contained in the Specification filed herewith.

Please send correspondence re this application c/o:
Richard Aron Osman, Ph.D.
Science & Technology Law Group
75 Denise Drive.
Hillsborough, CA 94010

Tel (650) 343-4341
Fax (650) 343-4342

Respectfully submitted,



Richard Aron Osman, Ph.D., Reg No. 36,627

08971172-111497

Robo: A Novel Family of Polypeptides and Nucleic Acids

Inventors: Corey S. Goodman, Thomas Kidd, Kevin J. Mitchell and Guy Tear

This application claims priority to US Provisional Application No. 60/062921 filed Oct 20, 1997 by Corey S. Goodman, Thomas Kidd, Kevin J. Mitchell, and Guy Tear and entitled *Robo: A Novel Family of Genes and Proteins*.

The research carried out in the subject application was supported in part by NIH grant NS18366. The government may have rights in any patent issuing on this application.

INTRODUCTION

Field of the Invention

The field of this invention is proteins involved in nerve cell guidance.

Background

Bilaterally symmetric nervous systems, such as those found in insects and vertebrates, have special midline structures that establish a partition between the two mirror image halves. Axons that link the two sides of the nervous system project toward and across the midline, forming axon commissures. These commissural axons project toward the midline, at least in part, by responding to long-range chemoattractants emanating from the midline. One important class of midline chemoattractants are the netrins (Serafini et al., 1994; Kennedy et al., 1994), guidance signals whose structure, function, and midline expression is evolutionarily conserved from nematodes and fruit flies to vertebrates (Hedgecock et al., 1990; Wadsworth et al., 1996; Mitchell et al., 1996; Harris et al., 1996). The attractive actions of netrins appear to be mediated by growth cone receptors of the DCC subfamily of the immunoglobulin (Ig) superfamily (Keino-Masu et al., 1996; Chan et al., 1996; Kolodziej et al., 1996).

The midline also provides important short-range guidance signals. This is best illustrated by considering the different classes of axon projections in the spinal cord of vertebrates or the nerve cord of insects. Although some growth cones extend away from the midline, most extend towards or along the midline during some segment of their trajectory. Certain classes of growth cones either extend towards the midline or longitudinally along it

and yet never cross it. Most growth cones (~90% in the *Drosophila* CNS), however, do cross the midline. After crossing, the majority of these growth cones turn to project longitudinally, growing along or near the midline. Interestingly, these axons never cross the midline again, despite navigating in the vicinity of other axons that continue to cross.

What midline signals and growth cone receptors control whether growth cones do or do not cross the midline? After crossing once, what mechanism prevents these growth cones from crossing again? Studies in the chick (Stoeckli and Landmesser, 1995; Stoeckli et al., 1997) and grasshopper (Myers and Bastiani, 1993) embryos have led to the suggestion that the midline contains a contact-mediated repellent, and that commissural growth cones must overcome this repellent to cross the midline. For example, this notion that the midline can be repulsive even to growth cones that cross it is supported by time-lapse imaging of the first commissural growth cone in the grasshopper embryo. On contacting the midline, this growth cone often abruptly retracts, although ultimately it overcomes the repulsion and crosses the midline.

One approach to find the genes encoding the components of such a midline guidance system is to screen for mutations in which either too many or too few axons cross the midline. Such a large-scale mutant screen was previously conducted in *Drosophila* and led to the identification of two key mutations: *commissureless* (*comm*) and *roundabout* (*robo*) (Seeger et al., 1993; reviewed by Tear et al., 1993). In *comm* mutant embryos, commissural growth cones initially orient toward the midline but then fail to cross it and instead recoil and extend on their own side. *comm* encodes a novel surface protein expressed on midline cells. As commissural growth cones contact and traverse the CNS midline, Comm protein is apparently transferred from midline cells to commissural axons (Tear et al., 1996). In *robo* mutant embryos, many growth cones that normally extend only on their own side instead now project across the midline, and axons that normally cross the midline only once instead appear to cross and recross multiple times (Seeger et al., 1993; Kidd et al., 1997). Double mutants of *comm* and *robo* display a *robo*-like phenotype.

Here we disclose the characterization of *robo* across animal species. *robo* encodes a new class of guidance receptor with 5 Ig domains, 3 fibronectin (FN) type III domains, a transmembrane domain, and a long cytoplasmic domain. Robo defines a new subfamily of Ig superfamily proteins that is highly conserved from fruit flies to mammals. The results of protein expression and transgenic rescue experiments indicate that Robo functions as the

gatekeeper controlling midline crossing and that Robo responds to an unknown midline repellent.

SUMMARY OF THE INVENTION

The invention provides methods and compositions relating to Robo1 and Robo2, collectively Robo) polypeptides, related nucleic acids, polypeptide domains thereof having Robo-specific structure and activity, and modulators of Robo function. Robo polypeptides can regulate cell, especially nerve cell, function and morphology. The polypeptides may be produced recombinantly from transformed host cells from the subject Robo polypeptide encoding nucleic acids or purified from mammalian cells. The invention provides isolated Robo hybridization probes and primers capable of specifically hybridizing with natural Robo genes, Robo-specific binding agents such as specific antibodies, and methods of making and using the subject compositions in diagnosis (e.g. genetic hybridization screens for Robo transcripts), therapy (e.g. Robo inhibitors to promote nerve cell growth) and in the biopharmaceutical industry (e.g. as immunogens, reagents for isolating Robo genes and polypeptides, reagents for screening chemical libraries for lead pharmacological agents, etc.).

BRIEF DESCRIPTION OF THE FIGURES

Figure 1 Organization of the roundabout Genomic Locus

(A) Cosmid chromosome walk through the 58F/59A region of the 2nd chromosome. The position of deficiency breakpoints within the cosmids used are shown in the top two rows. Identified transcripts from the walk are shown below the cosmids. The 12-1 transcript corresponds to the *robo* gene; the direction of transcription is distal to proximal. The location of the 16kb XbaI genomic rescue fragment is indicated below.

(B) Position and size of introns within the *robo* transcript. Coding sequence is indicated by the thicker part of the line. Introns are represented by gaps. The transcript is shown 3'-5' to reflect its orientation in (A).

Figure 2 Structure of Robo Protein

Schematic of the structure of Drosophila Robo protein. The position of the Immunoglobulin (Ig), fibronectin (FN) and transmembrane (TM) domains and the amino acid substitution in *robo*⁶ are shown. Percent amino acid identity between Drosophila Robo 1 and Human Robo 1

is indicated for each domain.

DETAILED DESCRIPTION OF THE INVENTION

The nucleotide sequences of exemplary natural cDNAs encoding *drosophila* 1, *drosophila* 2, *C. elegans*, human 1, human 2 and mouse 1 Robo polypeptides are shown as SEQ ID NOS:1, 3, 5, 7, 9 and 11, respectively, and the full conceptual translates are shown as SEQ ID NOS:2, 4, 6, 8, 10 and 12. The Robo polypeptides of the invention include incomplete translates of SEQ ID NOS:1, 3, 5, 7, 9 and 11 and deletion mutants of SEQ ID NOS:2, 4, 6, 8, 10 and 12, which translates and deletion mutants have Robo-specific amino acid sequence, binding specificity or function. Preferred translates/deletion mutants comprise at least a 6, preferably at least an 8, more preferably at least a 32, most preferably at least a 64 residue domain of the translates. In a particular embodiment, the deletion mutants comprise one or more structural/functional Robo immunoglobulin, fibronectin or cytoplasmic motif domains described herein. For example, soluble forms of the disclosed Robo polypeptides which comprise one or more Robo IG domains, and especially fusions of two or more Robo IG domains, particularly fusions of IG#1 and #2, provide competitive inhibitors of Robo-mediated signaling. Exemplary such deletion mutants and recombined deletion mutant fusions include human Robo 1 (SEQ ID NO:8) residues 1-67; 68-167; 168-259; 260-350; 351-451; 1-167; 1-259; 1-350; 1-451; 68-259; 1-67 joined to 168-259; and 1-67 joined to 260-451.

Other deletion mutants provide Robo-specific antigens and/or immunogens, especially when coupled to carrier proteins as described below. Generic Robo-specific peptides are readily apparent as conserved regions in the aligned Robo polypeptide sequences of Table 1.

Table 1. Sequence Alignment of Robo Family Members: The complete amino acid alignment of the predicted Robo proteins encoded by *drosophila robo 1* (D1, SEQ ID NO:2) and Human *robo 1* (H1, SEQ ID NO:8) are shown. The extracellular domain of *C.elegans robo* (CE, SEQ ID NO:6; Sax-3; Zallen et al., 1997), the extracellular domain of *Drosophila robo 2* (D2, SEQ ID NO:4), and partial sequence of Human *robo 2* (H2, SEQ ID NO:10) are also aligned. The D2 sequence was predicted by the gene-finder program Grail. The position of immunoglobulin domains (Ig), fibronectin domains (FN), the transmembrane domain (TM), and conserved cytoplasmic motifs are indicated. The extracellular domain of rat *robo 1* is nearly identical to H1.

mH.....PMHpENHAIaRSTSTTNPSrsRSSRMWLLpAWLLLLVLVASNGLP 47 D1
 m.FNRKTLlCTi.llVlQA.....vIrsFCEDASnIA..... 30 CE
 mKWKHVPPFlVMisllSlSpNHLFLaQLIPDPEDvErG.NDHGTPIpTSDNDDNSLGYTGS 59 H1

>IG #1

AVrGQYQSpriiehpTdlvvKknepatlnckVegKpEptiewfkdggepvStn..EKKshR 105 D1
 GENpriiehpMdTTvPknDpFtFncQaegNptptiQwfkdgRELKt...dTGshR D2
pViiehpIdVvvsRgSpatlnckGaK.PStAKiTwykdgQpvItnkEQVNshR 81 CE
 RLrQEDFPpriVehpSdlIvskgepatlnckaegRptptiewykGgeRvEtDkDdPRshR 119 H1

>IG #2

VQFKDgAlffYrimQgkQ..dGgEywcvaknRVgQavsrHaslqIavlrdfrvepKd 163 D1
 iMlpAgGlfflkvIhSrReS..dagTywcEakneFgVaRsrnaTlqvavlrdEfrLepAN D2
 iVlDTgslfLlkvNSgkNGKDSdagAyYcvaSneHgeVKsNEGslKLAMlrEdfrvRpRT 141 CE
 MLlpSgslfflriVhgrkSRP.dEGVyVcvaRnYLgeavsHnaslEvaIlrdfrQNpSd 178 H1

trvaKgeTallecgppKgIpeptLIwIkdgVplddLKAmSFGASSrVrivdggnlLiSNv 223 D1
 trvaQgeValmecgAprgSpegQiswrkNgQTlNL.....VGnKrividggnlAiQEA D2
 vQALGgeMavlecSpprgFpepVvswrkdDKElRI.QDmP.....rYTLHSDgnliiDPv 195 CE
 vMvaVgePavmecQpprgHpeptiswKkdgSpldd.....KDEri.TIRggKlMiTYT 230 H1

>IG #3

EPIdEgNyKcIaQnLvgtressYaKlIvQvKpYfMkepKdqVMLYgQTaTfHcSvvgdpP 283 D1
 rQsdDgRyqcvVKnVvgtresATaFlKvHvrpFLIRGpQnqtAVvgSsvVfQcrIggdpL D2
 DRsdSgTyqcvaNnmvgerVsNPaRlSvFekpKfEQepkdMtvDvgAAvLfDcrvTgdpQ 255 CE
 rKsdAgKyVcvGTnmvgeresEVaElTvLerpSfVkrpSnLAvTvDDsaEfKcEARgdpV 290 H1

pKvlwkk..EEgnIpsrA.....RiLHdEKslEiSNitpTdegTyvceaHnNvg 331 D1
 pDvlwrrTASGgnmpLRKFSWLHSASGRVHVl.EdrslkLDDvtLEdmgeytceaDnAvg D2
 pQITwkr..KNEPmpvTra.....YiAKdNrGlRiERvQpSdegeyvcYaRnPAg 303 CE
 pTvRwrk..DDgELpKsrY.....Ei.RddHTlkiRKvtAGdmgSytcVaEnMvg 337 H1

>IG #4

QiSaRaSlIvhappNfTKrpSnKKvGlNgVvQLPcMaSgnpPpSvfwTkegVSTlMfpn. 388 D1
 GiTaTGiltvhappKfvIrpKnqLvEIgDEvLfecQaNghRpRptLYwsVegNSSllLpGy D2
 TLeasaHlRvqappSfQTkpAdqSvPAggtAtfecTLVgQpSpaYfwskegQqDlIfpsy 363 CE
 KAeasaTltvqEppHfvVkpRdqVvalgrtvtfQceaTgnpqpaiFwRRegsqnllf.sy 396 H1

qIvaQgrtvtfPceTKgnpqpavfwQkegsqnllfnp. H2

...SsHGrQYvAAdgtlQitDvrqededegyyv.cSaFSvvDssTVrVFlQvSS..vD.... 440 D1
RDGRMEVTLTPEGRSVLSiARFaredSgKVvTcNalnAvgsVSsrTVVSvDt..QF.... D2
VSADGRTK..vsptgtltiEEvrqVdegAyv.cAGMnSagsslskaAlKvttKAvTGNTP 420 CE
qpPQsSsrFsvsQtgdltitnvqrsdVgyyi.cqTlnvagsiITkaYlevtd..vIA... 450 H1
qpQQPNsrCsvsptgdltitnIqrsdAgyyi.cqaltvagsilAkaQlevtd..vLT... H2

>IG #5

erpppiiQIgpAnqtlpKgsVaTlpcratgNpSpRiKwFHDghAVQA.GNRYSi.iqG.. 496 D1
eLpppiieqgpvnqtlpvKsIVvlpqrTLgTpvpQVswYLdgIpidVqEHERRNLsDA.. D2
AKpppTieHgHQnqtlMvgssAILpcQaSgKpTpGiswlRdgLpidITd..sri.sqHST 477 CE
drpppViRqgpvnqtVavdgtFvlScVatgSpvpTiLwRkdgVLvSTqd..sriK.qLeN 507 H1
drpppiiLqgpAnqtlavdgtALcKcKatgDpLpViswlkEgFTFPGRd..PrATiq.eQ H2

>FN #1

SslRVDdlq.lsdSgtytciasGeRgeTswAaTltveKpgs..TSLHraAdpstypAppg 553 D1
gAlTiSdlqrHEdEgLytcvasnRNgKsswsGylRLDTptNpNiKfFrapElstypgppg D2
gslHiAdl.kKPdtgVytciaKneDgestwsaSlteDHtsN.AqfVrMpdpsNFpsSpT 535 CE
gvlqiR.YAkIGdtgRytciasTPsgeatwsayIEvQeFgVp.VqPPrPTdpNLlpsAps 565 H1
gTlqiKNl.rIsdtgtytcvaTSSSgeaswsaVlDvTeSgAT.i..SKNYdlsDLpgpps H2

TpKvLnvsrtsISlRwAKSgEKPGAVgpIi.gyTVeyfspdlQTgwIVAAHrvGDtQVti 612 D1
kpqMvEKGEnsvtlsw...TRSNKVggSSLVgyVieMfGKNETDgwVAVGTrvQNttFtQ D2
QpIIvvnvtDtEvElHw...NAPSTsgaGpitgyiiQyYspdlgQTWfNIPDYvASTEyRi 592 CE
kpEvdvsrnTvtlsw...qpNLNsgaTp.tSyiieafshASgSswqtvaENvktEtSAi 621 H1
kpqvtdvtKnsvtlsw...qpGTPGTLPa.SAyieafsQSVSNswqtvaNHvktLyTV H2

>FN #2

SglTpgtsyVflvraenTQgisvpsGLsNViktIEA...DfDAASANDlsAarT.llTg 667 D1
TglLpgVNYffliraenSHgLSLpsPMsEpitVGTR....YfNS..gLdlsEarASllsg D2
kgkpsSHsyMfViraenEkgiGTpsVSSALvttsKPAAQVALSDKNKMDMAIaEKRLTsE 652 CE
kgkpnAiylflvraAnAYgisDpsqIsDpvktQDV.....lPTSQgVdHKQVQRE.lGN 675 H1
RglRpntiylfMvraInPkV.svT.q H2

KSvelIDasAinAsavrleWMLHvSADEkyvegLRiHyK..DaSVPSAQYHSITvMDAsa 725 D1
DvvelSnasvVDstsMKlTwQI...INGkyvegFyVYArQLpNPLNTKyRMLTILNGGga D2
QLIKLEEVTinstavrleFwKKR..KLEELiDgyyiKwRGpPRTNDNQyVN...vTSpsT 707 CE

AvLHlHnPTvLSsssiEVHwT...vDQQSQyiQgyKiLyrPSGaNHGESDWLVFEvRTpAK 733 H1

>FN #3

esFvvGnlKkytKyeffLTpf...fETiegQpsnskTaltYedvpsappDNIQiGmYn.. 780 D1
SsCTiTGLVQytLyeffIVpf...YKsVegKpsnsRIaRtledvpsEApYgMEALLn.. D2
eNYvvSnlMPFtnyeffvIpyHSGVHsiHgapsnsMDVltAeAPpsLppEDvRiRmlnL. 766 CE
NsVviPDlRkGVnyeIKARpf...fNEFQgaDsElkFaKtleEApsappQgvTVSKNDGN 790 H1

QtaGWvRwTpppSQHHngNlygykieVSAgntM.....KVlAnMtLnaTtTsvLlNnlTt 835 D1
SSaVFLKwkapELKDRHgVlLNyH.vivRgIDtAHNFSRIlTnVtIdaASPTLVlAnltE D2
.tTLRIswkapKAdGIngIlKgFQiviv.gQAPNNNR.....nItTnERAAsvTlFHLVt 819 CE
GtaILvswQpppEdTQngMVQEyKv.WCLgnEtR.....YHInKtVdGStFsvvIPFlVP 844 H1

<

gAVysvrLNSftKagDgpysKpISlFMdpTHHVHPpRAHPsGTHDGRHEGqDLTYHNNgN 895 D1
gVMYtvGvaaGNnagvgpyCVpATlRldpITKRLDpFINQRDHVND..... D2
gMTyKIrvAARsnGvgv.....ShgTSEVIMNqDTlEKHL.AAQqENESFLYgL 868 CE
gIRysvEvaasTgagSgvKsEpQFIQldAhgNPVSpEDqVslAQQI..... 890 H1

>

TM

<

iPPGDINPTTHKKTTdYlSGpwLMViVCiVlLvlVisAAIsM.vyFkrkhQmTKELGHLS 954 D1
.....vLTqpwFIiilGailavlMLs..fGAMvFVkrkhMm..MkQsAL D2
iNK.....SHVpVIViVaILiIFvViiIAY.CYwRNS.rNSD...gkDRSF 909 CE
.....SdvVKqp..AFiagiGAaCWiiLMvfsIwLyRHrkKR..NglTstY 932 H1

VVSDNEIT.....AlniNSKESL.WIDHHRGwRTADTDKD.. 988 D1
AGIRKVPSTFTTPTVTYQRGGEAVSSGGRPGLlniSEPAAQPwLAD..TwPNTGNNHNDC 990 H1

.....SgLSesKlLSHVNSSQ..SnynnS.....DGGtDyAEvd....TRNL 1024 D1
SISCCTAGNgNsDsNlTTYSRPADCIAnyndLDNKQTNLMLPEstVyGDvdLSNKINEM 1050 H1

CYTOPLASMIC MOTIF #1

TtfYNCR.....KSPDNptpyattMIIGTS.....sSETCTkT.TSISADkDSGT 1068 D1
KtfnSPNLKDGFRVNPSPGQptpyattQLiQSNLSNNMNNGSGDSGEkHWKPLGQqkQEVA 1110 H1

HSPyS.....DAFAGQVPAVpVV..KSnyLqYPVEP..... 1097 D1
PVQyNIVEQNKLNKDYRANDTVPPtTIPYNQSyDqNTGGSYNSSDRGSSTSGSQGHKKGAR 1170 H1

CYTOPLASMIC MOTIF #2

.....InwSEFlppppEhppp...sSTy.....GyAqGSp..... 1124 D1
 TPKVPKQGGMnwADLlppppAhpppHSNsEEyNISVDESyDqEMpCPVPPARMYLQQDEL 1230 H1

 ..eSSRKSSKSAGSgISTNQSILNAsIHsSSSGGFsAWGVSPQYAVAcP..... 1171 D1
 EEeEDERGPTPPVRgAASSPAAVSYsHQsTATLTPsPQEELQPMLQDcpEETGHMQHQPD 1290 H1

pENVy...sNpl.....SAVAGGTQNRyQITPTNQHPPQl.... 1203 D1
 RRRQPVSPPPPRPISpPHTyGYIsGplVSDMDTDAPEEEEEDEADMEVAKMQTRRlLLRG 1350 H1

paY.....FATTGPGGAVPPNHLp.....faTQRHaa 1230 D1
 LEQTpaSSVGDLSSVTGSMINGWGSASEEDNISSGRSSVSSSDGSFFTDADfaQAVAAa 1410 H1

 SeyQaglNAar.....cAQSRACNsCdALATPSPmq..... 1261 D1
 Aey.aglKVarRQMqDAAGRRHFHASQcPRPTSPVsTdSNMSAAVmQKTRPAKKLKHQPG 1469 H1

CYTOPLASMIC MOTIF #3

.....ppppvpVpEGWYQPVHPNSH.PMHpTS.SNHQIYQCSSECsDHSRSsQS 1307 D1
 HLRRETYTDDLppppvpPpAIKSPTAQSKTQLEVRpVVVPKLPSMDARTDRsSDRKGsSY 1529 H1

 HKrQL.....QLeEHGSSAkQrgGHHRRrA.pVVQPCMESeN.....ENM D1
 KGrEVLdGRQVVD MRTNP GDPREAQeQQNDGkGrgNKA AKrDLpPAKTHLIQeDILPYCRPTF H1

 LAEYEQrQYTsDCCNsSrEGDTC.....SCSeGSCl..yAeAgePAPRQMTAKNT 1395 D1
 PTSNNPrDPSsSSSMsSrGSGSRQREQANVGRRNIAeMQVlGGy.eRgeDNNEELEETES 1651 H1

Exemplary such Robo specific immunogenic and/or antigenic peptides are shown in Table 2.

Table 2. Immunogenic Robo polypeptides eliciting Robo-specific rabbit polyclonal antibody: Robo polypeptide-KLH conjugates immunized per protocol described below.

<u>Robo Polypeptide, Sequence</u>	<u>Immunogenicity</u>
SEQ ID NO:2, residues 68-77	+++
SEQ ID NO:2, residues 79-94	+++
SEQ ID NO:2, residues 95-103	+++
SEQ ID NO:2, residues 122-129	+++
SEQ ID NO:2, residues 165-176	+++

SEQ ID NO:2, residues 181-191	+++
SEQ ID NO:2, residues 193-204	+++
SEQ ID NO:2, residues 244-251	+++
SEQ ID NO:2, residues 274-290	+++
SEQ ID NO:2, residues 322-331	+++
SEQ ID NO:2, residues 339-347	+++
SEQ ID NO:2, residues 407-417	+++
SEQ ID NO:2, residues 441-451	+++
SEQ ID NO:2, residues 453-474	+++
SEQ ID NO:2, residues 502-516	+++
SEQ ID NO:2, residues 541-553	+++
SEQ ID NO:2, residues 617-629	+++

In addition, species-specific antigenic and/or immunogenic peptides are readily apparent as diverged extracellular or cytosolic regions in Table 1. Exemplary such human specific peptides are shown in Table 3.

Table 3. Immunogenic Robo polypeptides eliciting human Robo-specific rabbit polyclonal antibody: Robo polypeptide-KLH conjugates immunized per protocol described below (some antibodies show cross-reactivity with corresponding mouse/rat Robo polypeptides).

<u>Robo Polypeptide, Sequence</u>	<u>Immunogenicity</u>
SEQ ID NO:8, residues 1-12	+++
SEQ ID NO:8, residues 18-28	+++
SEQ ID NO:8, residues 31-40	+++
SEQ ID NO:8, residues 45-65	+++
SEQ ID NO:8, residues 106-116	+++
SEQ ID NO:8, residues 137-145	+++
SEQ ID NO:8, residues 174-184	+++
SEQ ID NO:8, residues 214-230	+++
SEQ ID NO:8, residues 274-286	+++
SEQ ID NO:8, residues 314-324	+++
SEQ ID NO:8, residues 399-412	+++

SEQ ID NO:8, residues 496-507	+++
SEQ ID NO:8, residues 548-565	+++
SEQ ID NO:8, residues 599-611	+++
SEQ ID NO:8, residues 660-671	+++
SEQ ID NO:8, residues 717-730	+++
SEQ ID NO:8, residues 780-791	+++
SEQ ID NO:8, residues 835-847	+++
SEQ ID NO:8, residues 877-891	+++
SEQ ID NO:8, residues 930-942	+++
SEQ ID NO:8, residues 981-998	+++
SEQ ID NO:8, residues 1040-1051	+++
SEQ ID NO:8, residues 1080-1090	+++
SEQ ID NO:8, residues 1154-1168	+++
SEQ ID NO:8, residues 1215-1231	+++
SEQ ID NO:8, residues 1278-1302	+++
SEQ ID NO:8, residues 1378-1400	+++
SEQ ID NO:8, residues 1460-1469	+++
SEQ ID NO:8, residues 1497-1519	+++
SEQ ID NO:8, residues 1606-1626	+++
SEQ ID NO:8, residues 1639-1651	+++
SEQ ID NO:10, residues 5-16	+++
SEQ ID NO:10, residues 38-47	+++
SEQ ID NO:10, residues 83-94	+++
SEQ ID NO:10, residues 112-125	+++
SEQ ID NO:10, residues 168-180	+++
SEQ ID NO:10, residues 195-209	+++
SEQ ID NO:10, residues 222-235	+++
SEQ ID NO:10, residues 241-254	+++

In a particular embodiment, expressed sequence tags EST;yu23d11, Accession #H77734 and EST;yq76e12, Accession #H52936, as well as peptides conceptually encoded thereby, are not within the scope of the present invention (Tables 4 and 5). In a particular

embodiment, the subject Robo polypeptides exclude the corresponding regions of the disclosed natural human Robo I polypeptide, i.e. SEQ ID NO:8, residues 168-217 and SEQ ID NO:8, residues 1316-1485.

Table 4 EST:yu23d11 sequences compared to H-Robo1. yu23d11 refers to the fragment of DNA which was sequenced. The fragment was sequenced from both ends generating the following two sequences: H77734 and H77733. yu23d11 is an unspliced cDNA. Only bases 59-215 match the coding sequence of H-Robo1 (502-651). The remaining bases are intronic. No bases of H77733 match the coding sequence of H-Robo1.

LRDDFRQNPSDVMVAVGEPAVMECQPPRGHPEPTISWKKDGSPLDDKDER	H-Robo1
LRDDFRQKPSDVMVAVGEPAVMECQPPRGHPEPTISWKKDGSPLDDKDER	EST H77734

There is an error in the sequence, a T to G change which results in the amino acid N being replaced by K. The sequence is shown below and has been reversed for clarity:

TACTTCGGGATGACTTCAGACAAAAACCTTCGGATGTCATGGTTGCAGTA	H-Robo1
TACTTCGGGATGACTTCAGACAAAAACCTTCGGATGTCATGGTTGCAGTA	EST H77734
<div style="text-align: center;"> L R D D F R Q K P S D V M V A V N </div>	

Table 5 EST:yq76e12 sequences compared to H-Robo1. yq76e12 refers to the fragment of DNA which was sequenced. The fragment was sequenced from both ends generating the following two sequences: H52936 and H52937 (the latter has been reversed for clarity). The sequences can be seen to overlap in the middle. A gap indicates a frameshift error. Note that errors only occur in one sequence at any one position.

GPLVSDMDTDAPEEEEEDEADMEVAKMQTRRLLLRGLAQTPASSV	H-Robo1
GPLVSDMDTDAPEEEEEDEADMEVAKMQT.RLLLRGLAQTPASSV	EST H52936
GDLESSVTGSMINGWGSASEEDNISSGRSSVSSSDGSFFTDADF	H-Robo1
GDLESSVTGSMINGWGSASEEDNISSGRSSVSSSDGSFFTDADF	EST H52936

AQAVAAA AEYAGLKVARRQMQDA AGR RHFH AS QC PRPT	H-Robo1
AQAVAAA AEYAGLKVARRQMQDA AGR RHFH AF QC PRPT	EST H52936
?AAT A?YAGLKVARRQMRDA AGR RHFH AS QC PRPT	EST H52937
SPVSTDSNMSAAVMQKTRPAKCLKHQPGHLRRETYTDDLPPPPV	H-Robo1
SPVFTDSNM	EST H52936
SPVSTDSNMSAAVMQKTRPAKCLKHQPGHLRRETYTDDLPPPPV	EST H52937
PPPAIKSPTAQSKTQLEVRPVVVPKLPSMDARTDK	H-Robo1
PPPAIKSPTAQSKTQLEVRPVVVPKLPSMDARTDK	EST H52937

The subject domains provide Robo domain specific activity or function, such as Robo-specific cell, especially neuron modulating or modulating inhibitory activity, Robo-ligand-binding or binding inhibitory activity. Robo-specific activity or function may be determined by convenient *in vitro*, cell-based, or *in vivo* assays: e.g. *in vitro* binding assays, cell culture assays, in animals (e.g. gene therapy, transgenics, etc.), etc. Binding assays encompass any assay where the molecular interaction of a Robo polypeptide with a binding target is evaluated. The binding target may be a natural intracellular binding target, a Robo regulating protein or other regulator that directly modulates Robo activity or its localization; or non-natural binding target such as a specific immune protein such as an antibody, or a Robo specific agent such as those identified in screening assays such as described below. Robo-binding specificity may be assayed by binding equilibrium constants (usually at least about $10^7 M^{-1}$, preferably at least about $10^8 M^{-1}$, more preferably at least about $10^9 M^{-1}$), by the ability of the subject polypeptide to function as negative mutants in Robo-expressing cells, to elicit Robo specific antibody in a heterologous host (e.g a rodent or rabbit), etc.

The claimed Robo polypeptides are isolated or pure: an "isolated" polypeptide is unaccompanied by at least some of the material with which it is associated in its natural state, preferably constituting at least about 0.5%, and more preferably at least about 5% by weight of the total polypeptide in a given sample and a pure polypeptide constitutes at least about 90%, and preferably at least about 99% by weight of the total polypeptide in a given sample. A polypeptide, as used herein, is a polymer of amino acids, generally at least 6 residues, preferably at least about 10 residues, more preferably at least about 25 residues, most

preferably at least about 50 residues in length. The Robo polypeptides and polypeptide domains may be synthesized, produced by recombinant technology, or purified from mammalian, preferably human cells. A wide variety of molecular and biochemical methods are available for biochemical synthesis, molecular expression and purification of the subject compositions, see e.g. Molecular Cloning, A Laboratory Manual (Sambrook, *et al.* Cold Spring Harbor Laboratory), Current Protocols in Molecular Biology (Eds. Ausubel, *et al.*, Greene Publ. Assoc., Wiley-Interscience, NY) or that are otherwise known in the art.

The invention provides binding agents specific to the claimed Robo polypeptides, including natural intracellular binding targets, etc., methods of identifying and making such agents, and their use in diagnosis, therapy and pharmaceutical development. For example, specific binding agents are useful in a variety of diagnostic and therapeutic applications, especially where pathology, wound repair incompetency or prognosis is associated with improper or undesirable axon outgrowth, orientation or inhibition thereof. Novel Robo-specific binding agents include Robo-specific receptors, such as somatically recombined polypeptide receptors like specific antibodies or T-cell antigen receptors (see, e.g. Harlow and Lane (1988) Antibodies, A Laboratory Manual, Cold Spring Harbor Laboratory), natural intracellular binding agents identified with assays such as one-, two- and three-hybrid screens, non-natural intracellular binding agents identified in screens of chemical libraries such as described below, etc. Agents of particular interest modulate Robo function.

In a particular embodiment, the subject polypeptides are used to generate Robo- or human Robo-specific antibodies. For example, the Robo- and human Robo-specific peptides described above are covalently coupled to keyhole limpet antigen (KLH) and the conjugate is emulsified in Freund's complete adjuvant. Laboratory rabbits are immunized according to conventional protocol and bled. The presence of Robo-specific antibodies is assayed by solid phase immunosorbant assays using immobilized Robo polypeptides of SEQ ID NO:2, 4, 6, 8, 10 or 12. Human Robo-specific antibodies are characterized as uncross-reactive with non-human Robo polypeptides (SEQ ID NOS:2, 4, 6 and 12).

Accordingly, the invention provides methods for modulating cell function comprising the step of modulating Robo activity, e.g. by contacting the cell with a Robo inhibitor, e.g. inhibitory Robo deletion mutants, Robo-specific antibodies, etc. (*supra*). The target cell may reside in culture or *in situ*, i.e. within the natural host. The inhibitor may be provided in any convenient way, including by (i) intracellular expression from a recombinant nucleic acid or

(ii) exogenous contacting of the cell. For many in situ applications, the compositions are added to a retained physiological fluid such as blood or synovial fluid. For CNS administration, a variety of techniques are available for promoting transfer of the therapeutic across the blood brain barrier including disruption by surgery or injection, drugs which transiently open adhesion contact between CNS vasculature endothelial cells, and compounds which facilitate translocation through such cells. Robo polypeptide inhibitors may also be amenable to direct injection or infusion, topical, intratracheal/nasal administration e.g. through aerosol, intraocularly, or within/on implants e.g. fibers e.g. collagen, osmotic pumps, grafts comprising appropriately transformed cells, etc. A particular method of administration involves coating, embedding or derivatizing fibers, such as collagen fibers, protein polymers, etc. with therapeutic proteins. Other useful approaches are described in Otto et al. (1989) *J Neuroscience Research* 22, 83-91 and Otto and Unsicker (1990) *J Neuroscience* 10, 1912-1921. Generally, the amount administered will be empirically determined, typically in the range of about 10 to 1000 $\mu\text{g/kg}$ of the recipient and the concentration will generally be in the range of about 50 to 500 $\mu\text{g/ml}$ in the dose administered. Other additives may be included, such as stabilizers, bactericides, etc. will be present in conventional amounts. For diagnostic uses, the inhibitors or other Robo binding agents are frequently labeled, such as with fluorescent, radioactive, chemiluminescent, or other easily detectable molecules, either conjugated directly to the binding agent or conjugated to a probe specific for the binding agent.

The amino acid sequences of the disclosed Robo polypeptides are used to back-translate Robo polypeptide-encoding nucleic acids optimized for selected expression systems (Holler et al. (1993) *Gene* 136, 323-328; Martin et al. (1995) *Gene* 154, 150-166) or used to generate degenerate oligonucleotide primers and probes for use in the isolation of natural Robo-encoding nucleic acid sequences ("GCG" software, Genetics Computer Group, Inc, Madison WI). Robo-encoding nucleic acids used in Robo-expression vectors and incorporated into recombinant host cells, e.g. for expression and screening, transgenic animals, e.g. for functional studies such as the efficacy of candidate drugs for disease associated with Robo-modulated cell function, etc.

The invention also provides nucleic acid hybridization probes (Tables 6, 7) and replication / amplification primers (Tables 7, 8) having a Robo cDNA specific sequence comprising SEQ ID NO:1, 3, 5, 7, 9 or 11 and sufficient to effect specific hybridization

thereto (i.e. specifically hybridize with SEQ ID NO:1, 3, 5, 7, 9 or 11, respectively, in the presence of CDO cDNA.

Table 5. Hybridisation Probes for Human Roundabout 1

Immunoglobulin Domain #1

CCACCTCGCATTGTTGAACACCCTTCAGACCTGATTGTCTCAAAAGGAGAACCTGCAACTTTGAACTGCAAAGCT
GAAGGCCGCCCCACACCCACTATTGAATGGTACAAAGGGGGAGAGAGAGTGGAGACAGACAAAGATGACCCTCGC
TCACACCGAATGTTGCTGCCGAGTGGATCTTTATTTTCTTACGTATAGTACATGGACGGAAAAGTAGACCTGAT
GAAGGAGTCTATGTCTGTGTAGCAAGGAATTACCTTGGAGAGGCTGTGAGCCACAATGCATCGCTGGAAGTAGCC
ATA

Immunoglobulin Domain#2

CTTCGGGATGACTTCAGACAAAACCCCTTCGGATGTCATGGTTGCAGTAGGAGAGCCTGCAGTAATGGAATGCCAA
CCTCCACGAGGCCATCCTGAGCCCACCATTTCATGGAAGAAAGATGGCTCTCCACTGGATGATAAAGATGAAAGA
ATAACTATACGAGGAGGAAAGCTCATGATCACTTACACCCGTAAGAGTGACGCTGGCAAATATGTTTGTGTGGT
ACCAATATGGTTGGGGAACGTGAGAGTGAAGTAGCCGAGCTGACTGTCTT

Immunoglobulin Domain #3

AGAGAGACCATCATTTGTGAAGAGACCCAGTAACTTGGCAGTAACTGTGGATGACAGTGCAGAATTTAAATGTGA
GGCCCCGAGGTGACCCTGTACCTACAGTACGATGGAGGAAAGATGATGGAGAGCTGCCCAAATCCAGATATGAAAT
CCGAGATGATCATACCTTGAAAATTAGGAAGGTGACAGCTGGTGACATGGGTTTCATACACTTGTGTTGCAGAAAA
TATGGTGGGCAAAGCTGAAGCATCTGCTACTCTGACTGTTCAAGAACC

Immunoglobulin Domain #4

CCACATTTTGTGTGAAACCCCGTGACCAGGTTGTTGCTTTGGGACGGACTGTAACCTTTTCAGTGTGAAGCAACC
GGAAATCCTCAACCAGCTATTTTCTGGAGGAGAGAAGGGAGTCAGAATCTACTTTTCTCATATCAACCACCACAG
TCATCCAGCCGATTTTCAGTCTCCCAGACTGGCGACCTCACAATTACTAATGTCCAGCGATCTGATGTTGGTTAT
TACATCTGCCAGACTTTAAATGTTGCTGGAAGCATCATCACAAGGCATATTTGGAAGTTACAGATGTGATTGCA

Immunoglobulin Domain #5

GATCGGCCTCCCCAGTTATTCGACAAGGTCCTGTGAATCAGACTGTAGCCGTGGATGGCACTTTCGTCCTCAGC
TGTGTGGCCACAGGCAGTCCAGTGCCCAACATTCTGTGGAGAAAGGATGGAGTCCGCTTTCACCCCAAGACTCT
CGAATCAAACAGTTGGAGAATGGAGTACTGCAGATCCGATATGCTAAGCTGGGTGATACTGGTCGGTACACCTGC
ATTGCATCAACCCCAAGTGGTGAAGCAACATGGAGTGCTTACATTGAAGTTCAAGAATTTG

Fibronectin Domain #1

GAGTTCCAGTTCAGCCTCCAAGACCTACTGACCCAAATTTAATCCCTAGTGCCCCATCAAACCTGAAGTGACAG
ATGTCAGCAGAAATACAGTCACATTATCGTGGCAACCAAATTTGAATTCAGGAGCAACTCCAACATCTTATATTA
TAGAAGCCTTCAGCCATGCATCTGGTAGCAGCTGGCAGACCGTAGCAGAGAATGTGAAAACAGAAACATCTGCCA
TTAAAGGACTCAAACCTAATGCAATTTACCTTTTCCTTGTGAGGGCAGCTAATGCATATGGAATTAGTGATC

Fibronectin Domain #2

CAAGCCAAATATCAGATCCAGTGAAAACACAAGATGTCCTACCAACAAGTCAGGGGGTGGACCACAAGCAGGTCC
AGAGAGAGCTGGGAAATGCTGTTCTGCACCTCCACAACCCACCGTCCTTTCTTCCTCTTCCATCGAAGTGCACT
GGACAGTAGATCAACAGTCTCAGTATATACAAGGATATAAAATTTCTCTATCGGCCATCTGGAGCCAACCACGGAG
AATCAGACTGGTTAGTTTTTGAAGTGAGGACGCCAGCCAAAAACAGTGTGGTAATCCCTGATCTCAGAAAGGGAG
TCAACTATGAAATTAAGGCTCGCCCTTTTTTTAATGAATTTCAAGGAGCAG

Fibronectin Domain #3

ATAGTGAAATCAAGTTTGCCAAAACCCCTGGAAGAAGCACCCAGTGCCCCACCCCAAGGTGTAAGTGTATCCAAGA
ATGATGGAAACGGAAGTCAATTCTAGTTAGTTGGCAGCCACCTCCAGAAGACACTCAAATGGAATGGTCCAAG
AGTATAAGGTTTGGTGTCTGGGCAATGAAACTCGATACCACATCAACAAAACAGTGGATGGTTCCACCTTTTCCG
TGGTCATTCCCTTTCTTGTTCCTGGAATCCGATACAGTGTGGAAGTGGCAGCCAGCACTGGGGCTGGGTCTGGGG
TAAAG

Transmembrane Domain

AGATTTTCAGATGTGGTGAAGCAGCCGGCCTTCATAGCAGGTATTGGAGCAGCCTGTTGGATCATCCTCATGGTCT
TCAGCATCTGGCTTTATCGACACCG

Cytoplasmic Motif #1

AATCTGAAGGATGGGCGTTTTGTCAATCCATCAGGGCAGCCTACTCCTTACGCCACCACTCAGCTCATCCAGTCA
AACCTCAGCAACAACATGAACAATG

Cytoplasmic Motif #2

CCCAAGGTACCAAAACAGGGTGGCATGAACTGGGCAGACCTGCTTCCTCCTCCCCAGCACATCCTCCTCCACAC
AGCAATAGCGAAGAGTACAACATTT

Cytoplasmic Motif #3

CCAGCCAGGACATCTGCGCAGAGAAACCTACACAGATGATCTTCACCACCTCCTGTGCCGCCACCTGCTATAAA
GTCACCTACTGCCCAATCCAAGACA

Table 6. Hybridisation Probes for Human Roundabout 2

Immunoglobulin Domain #4

CAGATTGTTGCTCAAGGTCGAACAGTGACATTTCCCTGTGAACTAAAGGAAACCCACAGCCAGCTGTTTTTTGG
 CAGAAAGAAGGCAGCCAGAACCTACTTTTCCCAAACCAACCCCAGCAGCCCAACAGTAGATGCTCAGTGTACCA
 ACTGGAGACCTCACAAATCACCAACATTCAACGTTCCGACGCGGGTTACTACATCTGCCAGGCTTTAACTGTGGCA
 GGAAGCATTTTAGCAAAAGCTCAACTGGAGGTTACTGATGTTTTGACA

Immunoglobulin Domain #5

GATAGACCTCCACCTATAATTCTACAAGGCCAGCCAACCAACGCTGGCAGTGGATGGTACAGCGTTACTGAAA
 TGTAAGCCACTGGTGTCTCTTCCCTGTAATTAGCTGGTTAAAGGAGGGATTTACTTTTCCGGGTAGAGATCCA
 AGAGCAACAATTCAAGAGCAAGGCACACTGCAGATTAAAGAAATTACGGATTTCTGATACTGGCACTTATACTTGT
 GTGGCTACAAGTTCAAGTGGAGAGGCTTCTGGAGTGCAGTGTCTGGATGTGACAGAGTCT

Fibronectin Domain #1

GGAGCAACAATCAGTAAAACTATGATTTAAGTGACCTGCCAGGGCCACCATCCAAACCGCAAGTCACTGATGTT
 ACTAAGAACAGTGTACCTTGTCTTGGCAGCCAGGTACCCCTGGAACCCCTCCAGCAAGTGCATATATCATTGAG
 GCTTTCAGCCAATCAGTGAGCAACAGCTGGCAGACCGTGGCAAACCATGTAAAGACCACCCTCTATACTGTAAGA
 GGACTGCGGCCCAATACAATCTACTTATTCATGGTCAGAGCGATCAACCCCAAGGTYTCAGTGACCCAAGT

Table 7. Primer Pairs for PCR of Human Roundabout 1 Domains

Immunoglobulin Domain #1

Forward: 5' CCACCTCGCATTGTTGAACACCCTTCAGAC 3'

Reverse: 5' ATGGCTACTTCCAGCGATGCATTGTGGCTC 3'

Immunoglobulin Domain #2

Forward: 5' CTTCGGGATGACTTCAGACAAAACCCTTCG 3'

Reverse: 5' TAAGACAGTCAGCTCGGCTACTTCACTCTC 3'

Immunoglobulin Domain #3

Forward: 5' AGAGAGACCATCATTTGTGAAGAGACCCAG 3'

Reverse: 5' AGGTTCTTGAACAGTCAGAGTAGCAGATGC 3'

Immunoglobulin Domain #4

Forward: 5' CCACATTTTGTGTGAAACCCGTGACCAG 3'

Reverse: 5' TGCAATCACATCTGTAACCTCCAAATATGC 3'

Immunoglobulin Domain #5

Forward: 5' ATCGGCCTCCCCCAGTTATTTCGACAAGGTC 3'
Reverse: 5' CAAATTCTTGAACCTCAATGTAAGCACTCC 3'

Fibronectin Domain #1

Forward: 5' GAGTTCCAGTTCAGCCTCCAAGACCTACTG 3'
Reverse: 5' TCACTAATTCCATATGCATTAGCTGCCCTC 3'

Fibronectin Domain #2

Forward: 5' CAAGCCAAATATCAGATCCAGTGAAAACAC 3'
Reverse: 5' ATCTGCTCCTTGAAATTCATTAAAAAAGG 3'

Fibronectin Domain #3

Forward: 5' ATAGTGAAATCAAGTTTGCCAAAACCCTG 3'
Reverse: 5' CTCTTTACCCAGACCCAGCCCCAGTGCTG 3'

Transmembrane Domain

Forward: 5' GGACCAAGTCAGCCTCGCTCAGCAGATTTTC 3'
Reverse: 5' ACTAGTAAGTCCGTTTCTCTTCTTGCGGTG 3'

Cytoplasmic Motif #1

Forward: 5' CTGAAGGATGGGCGTTTTGTCAATCCATC 3'
Reverse: 5' GTCCCAGTGGTTTCCAGTGCTTCTCGCCAG 3'

Cytoplasmic Motif #2

Forward: 5' GGCACAAGAAAGGGGCAAGAACACCCAAGG 3'
Reverse: 5' ATAGCTTTCATCTACAGAAATGTTGTACTC 3'

Cytoplasmic Motif #3

Forward: 5' ACCAGACCAGCCAAGAACTGAAACACCAG 3'
Reverse: 5' GTACTTCCAGCTGTGTCTTGGATTGGGCAG 3'

Table 8. Human Roundabout 2 Primer Pairs

Immunoglobulin Domain #4

Forward: 5' GTTGCTCAAGGTCGAACAGTGACATTTCCC 3'

Reverse: 5' TGTCAAAACATCAGTAACCTCCAGTTGAGC 3'

Immunoglobulin Domain #5

Forward: 5' GATAGACCTCCACCTATAATTCTACAAGGC 3'

Reverse: 5' GACTCTGTACATCCAGCACTGCACTCCAG 3'

Fibronectin Domain #1

Forward: 5' CAATCAGTAAAACTATGATTTAAGTG 3'

Reverse: 5' TCGCTCTGACCATGAATAAGTAGATTG 3'

Such primers or probes are at least 12, preferably at least 24, more preferably at least 36 and most preferably at least 96 bases in length. Demonstrating specific hybridization generally requires stringent conditions, for example, hybridizing in a buffer comprising 30% formamide in 5 x SSPE (0.18 M NaCl, 0.01 M NaPO₄, pH7.7, 0.001 M EDTA) buffer at a temperature of 42°C and remaining bound when subject to washing at 42°C with 0.2 x SSPE; preferably hybridizing in a buffer comprising 50% formamide in 5 x SSPE buffer at a temperature of 42°C and remaining bound when subject to washing at 42°C with 0.2 x SSPE buffer at 42°C. Robo nucleic acids can also be distinguished using alignment algorithms, such as BLASTX (Altschul *et al.* (1990) Basic Local Alignment Search Tool, J Mol Biol 215, 403-410).

The subject nucleic acids are of synthetic/non-natural sequences and/or are isolated, i.e. unaccompanied by at least some of the material with which it is associated in its natural state, preferably constituting at least about 0.5%, preferably at least about 5% by weight of total nucleic acid present in a given fraction, and usually recombinant, meaning they comprise a non-natural sequence or a natural sequence joined to nucleotide(s) other than that which it is joined to on a natural chromosome. The subject recombinant nucleic acids comprising the nucleotide sequence of SEQ ID NO:1, 3, 5, 7, 9 or 11, or fragments thereof, contain such sequence or fragment at a terminus, immediately flanked by (i.e. contiguous with) a sequence other than that which it is joined to on a natural chromosome, or flanked by a native flanking region fewer than 10 kb, preferably fewer than 2 kb, more preferably fewer than 500 bp, which is at a terminus or is immediately flanked by a sequence other than that which it is joined to on a natural chromosome. While the nucleic acids are usually RNA or DNA, it is

often advantageous to use nucleic acids comprising other bases or nucleotide analogs to provide modified stability, etc.

In a particular embodiment, expressed sequence tags EST;yu23d11, Accession #H77734 and EST;yq76e12, Accession #H52936, and deletion mutants thereof, are not within the scope of the present invention. In another embodiment, the subject Robo nucleic acids exclude the corresponding regions of the disclosed natural human Robo I nucleic acids, i.e. SEQ ID NO:7, nucleotides 500-651 and SEQ ID NO:7, nucleotides 3945-4455.

Table 10. Exemplary differences between H52936 and corresponding human Robo I sequences.

- (1) At position 86, there is a T instead of an A. The new codon therefore reads TGA (Stop) instead of AGA (R).
- (2) There is a missing G at position 286-7, causing a frameshift.
- (3) There is an extra G at position 334, causing a frameshift.
- (4) There is an extra T at position 344, causing a frameshift.
- (5) There is an extra N at position 357, causing a frameshift.
- (6) There is a T instead of a C at 362. The new codon reads TTT (F) instead of TCT (S).
- (7) There is an extra T at position 364, causing a frameshift.
- (8) There is an extra N at position 370, causing a frameshift and a changed amino acid (the codon TTN is ambiguous).
- (9) There are two Ts at position 394 and 395 instead of a C, causing a frameshift and amino acid changes.

Table 11 . Exemplary differences between H52937 (reverse sequence) and corresponding human Robo I sequences.

- (1) There are multiple errors in the first 30 bases.
- (2) At position 63, a G replaces an A. The new codon CGG codes for R instead of CAG for Q.
- (3) The EST ends by joining to part of the human glycophorin B gene (353-442)

The subject nucleic acids find a wide variety of applications including use as translatable transcripts, hybridization probes, PCR primers, diagnostic nucleic acids, etc.; use in detecting the presence of Robo genes and gene transcripts and in detecting or amplifying

nucleic acids encoding additional Robo homologs and structural analogs. In diagnosis, Robo hybridization probes find use in identifying wild-type and mutant Robo alleles in clinical and laboratory samples. Mutant alleles are used to generate allele-specific oligonucleotide (ASO) probes for high-throughput clinical diagnoses. In therapy, therapeutic Robo nucleic acids are used to modulate cellular expression or intracellular concentration or availability of active Robo.

The invention provides efficient methods of identifying agents, compounds or lead compounds for agents active at the level of a Robo modulatable cellular function. Generally, these screening methods involve assaying for compounds which modulate Robo interaction with a natural Robo binding target. A wide variety of assays for binding agents are provided including labeled *in vitro* protein-protein binding assays, immunoassays, cell based assays, etc. The methods are amenable to automated, cost-effective high throughput screening of chemical libraries for lead compounds. Identified reagents find use in the pharmaceutical industries for animal and human trials; for example, the reagents may be derivatized and rescreened in *in vitro* and *in vivo* assays to optimize activity and minimize toxicity for pharmaceutical development.

Cell and animal based neural guidance/repulsion assays are described in detail in the experimental section below. *In vitro* binding assays employ a mixture of components including a Robo polypeptide, which may be part of a fusion product with another peptide or polypeptide, e.g. a tag for detection or anchoring, etc. The assay mixtures comprise a natural intracellular Robo binding target. While native full-length binding targets may be used, it is frequently preferred to use portions (e.g. peptides) thereof so long as the portion provides binding affinity and avidity to the subject Robo polypeptide conveniently measurable in the assay. The assay mixture also comprises a candidate pharmacological agent. Candidate agents encompass numerous chemical classes, though typically they are organic compounds; preferably small organic compounds and are obtained from a wide variety of sources including libraries of synthetic or natural compounds. A variety of other reagents may also be included in the mixture. These include reagents like salts, buffers, neutral proteins, e.g. albumin, detergents, protease inhibitors, nuclease inhibitors, antimicrobial agents, etc. may be used.

The resultant mixture is incubated under conditions whereby, but for the presence of the candidate pharmacological agent, the Robo polypeptide specifically binds the cellular

binding target, portion or analog with a reference binding affinity. The mixture components can be added in any order that provides for the requisite bindings and incubations may be performed at any temperature which facilitates optimal binding. Incubation periods are likewise selected for optimal binding but also minimized to facilitate rapid, high-throughput screening.

After incubation, the agent-biased binding between the Robo polypeptide and one or more binding targets is detected by any convenient way. Where at least one of the Robo or binding target polypeptide comprises a label, the label may provide for direct detection as radioactivity, luminescence, optical or electron density, etc. or indirect detection such as an epitope tag, etc. A variety of methods may be used to detect the label depending on the nature of the label and other assay components, e.g. through optical or electron density, radiative emissions, nonradiative energy transfers, etc. or indirectly detected with antibody conjugates, etc.

A difference in the binding affinity of the Robo polypeptide to the target in the absence of the agent as compared with the binding affinity in the presence of the agent indicates that the agent modulates the binding of the Robo polypeptide to the Robo binding target. For example, in the cell-based assay also described below, a difference in Robo-dependent modulation of axon outgrowth or orientation in the presence and absence of an agent indicates the agent modulates Robo function. A difference, as used herein, is statistically significant and preferably represents at least a 50%, more preferably at least a 90% difference.

The following experimental section and examples are offered by way of illustration and not by way of limitation.

EXPERIMENTAL

Cloning of the *roundabout* Gene. The *robo*¹ allele was mapped to the *plexus-brown* interval on the right arm of the second chromosome by recombination mapping; the numbers of recombinants suggested a map position very close to *plexus* at 58F/59A. One deficiency [*Df(2R)P*, which deletes 58E3/F1 through 60D14/E2] fails to complement *robo* mutations, two other deficiencies [*Df(2R)59AB* and *Df(2R)59AD*, which delete 59A1/3 through 59B1/2 and 59A1/3 through 59D1/4 respectively] do complement *robo*, and a duplication [*Dp(2;Y)bw⁺Y*, which duplicates 58F1/59A2 through 60E3/F1] rescues *robo* mutations. This mapping places *robo* in the 58F/59A region.

We initiated chromosomal walks from P1 clones mapped to the region, beginning from the distal side using clone DS02204 and from the proximal side using clone DS05609. We used cosmid clones (Tamkun et al., 1992) to complete a walk of ~150 kb. We then looked for RFLPs in the recombinants between the multiple marked chromosome and the *robo* mutant chromosome. A 6.8kb EcoRI fragment from cosmid 106-5 identified a HindII RFLP on the mapping chromosome that was present on a single *robo* mutant recombinant line. This fragment identified a proximal limit for the location of *robo*. Further deficiencies in this region were then tested (Kerrebrock et al., 1995). Of these deficiencies, *Df(2R)X58-5* and *Df(2R)X58-12* remove *robo* while *Df(2R)X58-1* does not. *Df(2R)X58-12* fails to complement *Df(2R)59AB* yet complements *Df(2R)59AD* indicating that *Df(2R)59AB* extends further proximal; this proximal endpoint provides a distal limit for the location of *robo*. Probes from the walk were used to identify the breakpoints of these deficiencies (Figure 1A). *Df(2R)X58-1* breaks in a 9.6 kb EcoRI/BamHI fragment within cosmid GJ12, whereas *Df(2R)59AB* breaks in a 8 kb BamHI/EcoRI fragment within cosmid 106-1435. This reduces the location of *robo* to a 75 kb region bounded by these restriction fragments. Hybridization of 0-16 hr poly-A⁺ embryonic Northern blots with cosmids GJ12, 106-12, and 106-1435 revealed at least five transcripts. Reverse Northern mapping identified the regions containing these transcripts (Figure 1A). These regions were used as probes to isolate cDNAs. Seven different cDNAs were isolated and analyzed by in situ hybridization. The expression pattern of five of these transcripts allowed us to tentatively discount them as encoding for *robo* since they were not expressed in the embryonic CNS at the appropriate stage. Of the two cDNAs remaining, 12-1 appeared by its size and expression the most likely candidate for *robo*. A 16 kb XbaI fragment including the 12-1 transcript and a region 5' to the transcript is capable of rescuing the *robo* mutant.

roundabout Encodes a Member of the Immunoglobulin Superfamily. We recovered and sequenced overlapping cDNA clones corresponding to the 12-1 transcription unit. A single long open reading frame (ORF) that encodes 1395 amino acids was identified (D1 in Table 1). Conceptual translation of the ORF reveals the Robo protein to be a member of the Ig superfamily; Robo's ectodomain contains five immunoglobulin (Ig)-like repeats followed by three fibronectin (Fn) type-III repeats. The predicted ORF also contains a transmembrane domain and a large 457 amino acid (a.a.) cytoplasmic domain. Hydropathy analysis of the Robo sequence indicates a single membrane spanning domain of 25 a.a. (Kyte and Doolittle,

1982) plus a signal sequence with a predicted cleavage site between G51 and Q52 (Nielsen et al 1997).

We identify the 12-1 transcript as encoding *robo* based on several criteria. First, the embryonic *robo* phenotype can be rescued by the 16 kb XbaI genomic fragment containing this cDNA; no other transcripts are contained in this 16 kb XbaI fragment. Second, we identified a CfoI RFLP associated with the allele *robo*⁶. This polymorphism is due to a change of nucleotide 332 of the ORF from G to A, which results in a change of Gly₁₁₁ to Asp. Gly111 is in the first Ig domain (Figure 2), and is conserved in all Robo homologues identified. The change is specific to the allele *robo*⁶ and is not seen in the parental chromosome or in any of the other seven alleles, all of which were generated from the same parental genotype. Third, the production of antibodies (below) which recognize the Robo protein reveals that the alleles *robo*¹, *robo*², *robo*³, *robo*⁴ and *robo*⁵ do not produce Robo protein (Table 12).

Table 12. *robo* Mutant Alleles

Allele	Synonym	Class
<i>robo</i> ¹	GA285	Protein null
<i>robo</i> ²	GA1112	Protein null
<i>robo</i> ³	Z14	Protein null
<i>robo</i> ⁴	Z570	Protein null
<i>robo</i> ⁵	Z1772	Protein null
<i>robo</i> ⁶	Z1757	Protein positive; Gly ₁₁₁ to Asp
<i>robo</i> ⁷	Z2130	Reduced protein levels
<i>robo</i> ⁸	Z3127	Protein positive

All alleles were generated by EMS mutagenesis of *FasIII* null chromosomes. Each of these alleles appear to represent a complete, or near complete, loss-of-function phenotype for *robo*, since the mutant phenotype observed when these alleles are placed over a chromosome deficient for the *robo* locus [Df(2R) X58-5] is indistinguishable from the homozygous allele.

Finally, transgenic neural expression of *robo* rescues the midline crossing phenotype of *robo* mutants (see below).

Developmental Northern blot analysis using both cDNA and genomic probes suggests that *robo* is encoded by a single transcript of ~7500 bp. We sequenced genomic DNA and identified 17 introns within the sequence of which 14 are only 50-75 bp in length plus three

introns of 843 bp, 236 bp, and 110 bp (Figure 1B). The precise start point of the transcript has not been determined.

A Family of Evolutionarily Conserved Robo-like Proteins. The presence of five Ig and three Fn domains, a transmembrane domain, and a long (452 a.a.) cytoplasmic region indicates that Robo may be a receptor and signaling molecule. The netrin receptor DCC/Frazzled/UNC-40 has a related domain structure, with 6 Ig and 4 Fn domains and a similarly long cytoplasmic region (Keino-Masu et al., 1996; Chan et al., 1996; Kolodziej et al., 1996). The only currently known protein with a "5 + 3" organization is CDO (Kang et al., 1997). However, CDO is only distantly related to Robo (15-33% a.a. identity between corresponding Ig and FN domains).

We identified other "5 + 3" proteins in vertebrates whose amino acid identity exceeds that of CDO and represent Robo homologues. A human expressed sequence tag (EST; yu23d11, Accession #H77734) shows high homology to the second Ig domain of *robo* and was used to probe a human fetal brain cDNA library (Stratagene). The clones recovered correspond to a human gene with five Ig and three Fn domains (Figure 2). Exemplary functional Robo domains are listed in Tables 13-17 (the corresponding encoding nucleic acids are readily discernable from the corresponding nucleic acid sequences of Sequence Listing).

Table 13. Exemplary domains of human Robo 1, by amino acid sequence positions

Signal sequence:	6-21
First Immunoglobulin domain:	68-167
Second Immunoglobulin domain:	168-258
Third Immunoglobulin domain:	259-350
Fourth Immunoglobulin domain:	351-450
Fifth Immunoglobulin domain:	451-546
First Fibronectin domain:	547-644
Second Fibronectin domain:	645-761
Third Fibronectin domain:	762-862
Transmembrane domain:	896-917
Cytoplasmic motif #1:	1070-1079
Cytoplasmic motif #2:	1181-1195
Cytoplasmic motif #3:	1481-1488

Table 14. Exemplary domains of human Robo II, by amino acid sequence positions

Fourth Immunoglobulin domain:	1-91
Fifth Immunoglobulin domain:	92-185
First Fibronectin domain:	186-282

Table 15. Exemplary domains of drosophila Robo 1, by amino acid sequence positions

Signal sequence:	30-46
First Immunoglobulin domain:	56-152
Second Immunoglobulin domain:	153-251
Third Immunoglobulin domain:	252-344
Fourth Immunoglobulin domain:	345-440
Fifth Immunoglobulin domain:	441-535
First Fibronectin domain:	536-635
Second Fibronectin domain:	636-753
Third Fibronectin domain:	754-854
Transmembrane domain:	915-938
Cytoplasmic motif #1:	1037-1046
Cytoplasmic motif #2:	1098-1119
Cytoplasmic motif #3:	1262-1269

Table 16. Exemplary domains of drosophila Robo II, by amino acid sequence positions

Immunoglobulin domain #1:	4-99
Immunoglobulin domain #2:	100-192
Immunoglobulin domain #3:	193-296
Immunoglobulin domain #4:	297-396
Immunoglobulin domain #5:	397-494
Fibronectin domain #1:	495-595
Fibronectin domain #2:	596-770
Fibronectin domain #3:	771-877
Transmembrane domain:	906-929
Conserved cytoplasmic motif #1:	1075-1084

Table 17. Exemplary domains of *C. elegans* Robo 1, by amino acid sequence positions

First Immunoglobulin domain:	30-129
Second Immunoglobulin domain:	130-223
Third Immunoglobulin domain:	224-315
Fourth Immunoglobulin domain:	316-453
Fifth Immunoglobulin domain:	454-543
First Fibronectin domain:	544-643
Second Fibronectin domain:	644-766
Third Fibronectin domain:	767-865
Transmembrane domain:	900-922
Cytoplasmic motif #1:	1036-1045
Cytoplasmic motif #2:	1153-1163
Cytoplasmic motif #3:	1065-1074

The homology is particularly high in the first two Ig domains (58% and 48% a.a. identity respectively, compared to 26% and 30% for the same two Ig domains between D-Robo1 and CDO) and together with the overall identity throughout the extracellular region and the presence of three conserved cytoplasmic motifs has led us to designate this as the human *roundabout 1* gene (*H-robo1*). Database searching reveals a nucleotide sequence corresponding to *H-robo1* in the database, *DUTTI*, which differs in the signal sequence suggesting alternative splicing, a 9 bp insertion and seven single base pair changes. Five ESTs (see Experimental Procedures) show high sequence similarity to the cytoplasmic domain of *H-robo1*. Sequencing of cDNAs isolated using one of these ESTs as a probe confirmed a second human *roundabout* gene (*H-robo2*).

Degenerate PCR primers based on conserved sequences between *H-robo1* and *D-robo1* were used to isolate a PCR fragment from a rat embryonic E13 brain cDNA library. The fragment was used to probe an E13 spinal cord cDNA library, resulting in the isolation of a full length Rat *robo* gene (*R-robo1*). The predicted protein shows high sequence identity (>95%) with *H-robo1* over the entire length. The 5' sequences of different *R-robo1* cDNA clones indicates that this gene is alternatively spliced in a similar fashion to *H-robo1/DUTTI*. We used a similar approach to isolate cDNA clones for *R-robo2*, which is highly homologous to *H-robo2*.

The mouse EST vi92e02 is highly homologous to the cytoplasmic portion of *H-robo1*. The *C. elegans Sax-3* gene is also a *robo* homologue (Table 1; Zallen et al., 1997). A second *Drosophila robo* gene (*D-robo2*) is also predicted from analysis of genomic sequence in the public database. Taken together these data indicate that Robo is the founding member of a new subfamily of Ig superfamily proteins with at least one member in nematode, two in *Drosophila*, two in rat, and two in human.

The alignment of the Robo family proteins reveals that the first and second Ig domains are the most highly conserved portion of the extracellular domain. The cytoplasmic domains are highly divergent except for the presence of three highly conserved motifs (Table 18).

Table 18. Conserved Cytoplasmic Motifs: Amino acid alignments of the three conserved cytoplasmic motifs are shown below the structure; in *C.elegans robo*, motifs #2 and #3 have been switched to provide a better alignment.

Conserved Cytoplasmic Motif #1

PDNPTPYATTMIIGTSS	1050	<i>Drosophila</i> roundabout-I
SGQPTPYATTQLIQSNL	1083	Human roundabout-I
NASPAPYATSSILSPHQ	1088	<i>Drosophila</i> roundabout-II
HDDPSPYATTTLVLSNQ	1049	<i>C.elegans</i> roundabout
PtPYATT.hh....		Consensus (where h is I, L or V)

Conserved Cytoplasmic Motif #2

INWSE.FLPPPPPEHPPPSSTYG.Y	1119	<i>Drosophila</i> roundabout-I
MNWAD.LLPPPPAHPPPHSNSEY	1202	Human roundabout-I
STWANVPLPPPPVQPLPGTELEHY	31	Human roundabout-II
KTLMD.FIPPPPSNPPPP.GGHVY	1168	<i>C.elegans</i> roundabout-I
nW...hhPPPP. PPP.s....Y		Consensus (where h is hydrophobic)

Conserved Cytoplasmic Motif #3

PSPMQPPPPVPVPEGW.Y	1273	<i>Drosophila</i> roundabout-I
YTDDLPPPPVPPPAIKSP	1493	Human roundabout-I
YADDLPPPPVPPPAIKSP	90	Mouse roundabout-I

RAPAMPTNPVPPEPPARY 1077 C.elegans roundabout
PPPPVPPP..... Consensus

The consensus for the first motif is PtPYATTxhh, where x is any amino acid and h is I, L, or V. The presence of a tyrosine in the center of the motif indicates a site for phosphorylation. The other two motifs consist of runs of prolines separated by one or two amino acids and are reminiscent of binding sites for SH3 domains. In particular, the LPPP sequence in motif #2 provides a good binding site for the Drosophila Enabled protein or its mammalian homologue Mena (Niebuhr et al., 1997). All three of these conserved sites can function as binding sites for domains (e.g. SH3 domains) of linker/adaptor proteins functioning in Robo-mediated signal transduction.

Robo is Regionally Expressed on Longitudinal Axons in the Drosophila Embryo. In order to determine the role that *robo* might play in regulating axon crossing behavior, we examined the *robo* expression pattern in the embryonic CNS. The in situ hybridization pattern of *robo* mRNA in Drosophila shows it to have elevated and widespread expression in the CNS. We raised a monoclonal antibody (MAb 13C9) against part of the extracellular portion (amino acids 404-725) of the protein to visualize Robo expression. Robo is first seen in the embryo weakly expressed in lateral stripes during germband extension. At the onset of germband retraction, Robo expression is observed in the neuroectoderm. By the end of stage 12, as the growth cones first extend, Robo is seen on growth cones which project ipsilaterally, including pCC, aCC, MP1, dMP2, and vMP2. Strikingly, little or no Robo expression is observed on commissural growth cones as they extend towards and across the midline. However, as these growth cones turn to project longitudinally, their level of Robo expression dramatically increases. Robo is expressed at high levels on all longitudinally-projecting growth cones and axons. In contrast, Robo is expressed at nearly undetectable levels on commissural axons. This is striking since ~90% of axons in the longitudinal tracts also have axon segments crossing in one of the commissures. Thus, Robo expression is regionally restricted. Robo expression is also seen at a low level throughout the epidermis and at a higher level at muscle attachment sites. In stage 16-17 embryos, faint Robo staining can be seen in the commissures but at levels much lower than observed in the longitudinal tracts.

Immunoelectron Microscopy of Robo. We used immunoelectron microscopy to examine Robo localization at higher resolution. In stage 13 embryos, Robo is expressed at

higher levels on growth cones and filopodia in the longitudinal tracts than on the longitudinal axons themselves. This localization is consistent with the model that Robo functions as a guidance receptor. The increased sensitivity of immunoelectron microscopy reveals the presence of very low levels of Robo protein on the surface of commissural axons. In addition, Robo-positive vesicles can be seen inside the commissural axons, possibly representing transport of Robo to the growth cone. Finally, by reconstructing the path of single axons by use of serial sections, we confirm that Robo expression is greatly up-regulated after individual axons turn from the commissure into a longitudinal tract. The expression of Robo on non-crossing and post-crossing axons and its higher level of expression on growth cones and its filopodia, provide a model where Robo functions as an axon guidance receptor for a repulsive midline cue.

Transgenic Expression of Robo. We hypothesized that if Robo is indeed a growth cone receptor for a midline repellent, then pan-neural expression of Robo protein during the early stages of axon outgrowth might lead to a *robo* gain-of-function phenotype similar to the *comm* loss-of-function and opposite of the *robo* loss-of-function. To test this hypothesis, we cloned a *robo* cDNA containing the complete ORF but lacking most of its untranslated regions (UTRs) downstream of the UAS promoter in the pUAST vector and generated transgenic flies for use in the GAL4 system (Brand and Perrimon, 1993). Expression of *robo* in all neurons was achieved by crossing the *UAS-robo* flies to either the *elav-GAL4* or *scabrous-GAL4* lines.

Surprisingly, pan-neural expression of *robo* mRNA did not produce a strong axon scaffold phenotype as assayed with MAb BP102. Staining with anti-Fas II (MAb 1D4) revealed subtle fasciculation defects, but overall the axon scaffold looked quite normal. An insight into why we failed to observe a stronger *robo* ectopic expression phenotype was provided by staining these embryos with the anti-Robo MAb. Interestingly, the Robo protein, although expressed at higher levels than in wild type, remains restricted as in wild type, i.e., high levels of expression on the longitudinal portions of axons and very low levels on the commissures. This result indicates that there must be strong regulation of Robo expression, probably post-translational, that assures its localization to longitudinal axon segments. Such a mechanism could operate by the regulation of protein translation, transport, insertion, internalization and/or stability.

We used these transgenic flies to rescue *robo* mutants. Expression of *robo* by the *elav*-

GAL4 line in both *robo*³ and *robo*⁵ homozygotes rescued the midline crossing of Fas II positive axons including pCC and other identified neurons.

Robo Appears to Function in a Cell Autonomous Fashion. To test whether Robo can function in a cell autonomous fashion, we used the *UAS-robo* transgene with the *ftz_{ng}-GAL4* line (Lin et al., 1994). The *ftz_{ng}-GAL4* line expresses in a subset of CNS neurons, including many of the earliest neurons to be affected by the *robo* mutation such as pCC, vMP2, dMP2, and MP1. Expression of *robo* by the *ftz_{ng}-GAL4* line is sufficient to rescue these identified neurons in the *robo* mutant: pCC, which in *robo* mutants heads towards and crosses the midline, in these rescued embryos now projects ipsilaterally and does not cross the midline. When the same embryos were stained with the anti-robo MAb 13C9, we observed that all Robo-positive axons did not cross the midline. The *ftz_{ng}-GAL4* line drives expression in many of the axons in the pCC pathway (Lin et al., 1994), a medial longitudinal fascicle. In *robo* mutants, this axon fascicle freely crosses and circles the midline, joining with its contralateral pathway. When rescued by the *ftz_{ng}-GAL4* line driving *UAS-robo*, this pathway now largely remains on its own side of the midline, even though occasionally a few axons cross the midline. These experiments support the notion that Robo can function in a cell autonomous fashion.

Expression of Mammalian *robo1* in the Rat Spinal Cord. The isolation of several vertebrate Robo homologues suggests that Robo may play a similar role in orchestrating midline crossing in the vertebrate nervous system as it does in *Drosophila*. In the vertebrate spinal cord, the ventral midline is comprised of a unique group of cells called the floor plate (for review, Colamarino and Tessier-Lavigne, 1995). As in the *Drosophila* nervous system, the vertebrate spinal cord contains both crossing and non-crossing axons. Spinal commissural neurons are born in the dorsal half of the spinal cord; commissural axons project to and cross the floor plate before turning longitudinally in a rostral direction. In contrast, the axons of two other classes of neurons, dorsal association neurons and ventral motor neurons, do not cross the floor plate (Altman and Bayer, 1984).

To address the possibility that Robo may play a role in organizing the projections of these spinal neurons, we examined the expression of rat *robo1* by RNA in situ hybridization. A rat *robo1* riboprobe spanning the first three Ig domains was hybridized to transverse sections of E13 rat spinal cord. At E13, when many commissural axons will have already extended across the floor plate (Altman and Bayer, 1984), rat *robo1* is expressed at high levels

in the dorsal spinal cord, in a pattern corresponding to the cell bodies of commissural neurons. Rat *robo1* is also expressed at lower levels in a subpopulation of ventral cells in the region of the developing motor column. Interestingly, this expression pattern is similar to and overlaps partly with the mRNA encoding DCC, another Ig superfamily member which is also expressed on commissural and motor neurons and encodes a receptor for Netrin-1 (Keino-Masu et al, 1996). Rat *robo1* is not, however, expressed in either the floor plate or the roof plate of the spinal cord or in the dorsal root ganglia. This is in contrast to rat *cdo*, which is strongly expressed in the roof plate (KB, MT-L, and R. Krauss. In the periphery, rat *robo1* is also found to be expressed in the myotome and developing limb, in a pattern reminiscent of *c-met* (Ebens et al, 1996), indicating that rat *robo1* may also be expressed by migrating muscle precursor cells. Therefore, like its *Drosophila* homologue, rat *robo1* RNA is expressed by both crossing and non-crossing populations of axons, indicating that it encodes the functional equivalent of D-Robo1.

Genetic Stocks. All eight independent *robo* alleles were isolated on chromosomes deficient for *Fasciclin III* as described in Seeger et al., 1993. Subsequent use of a duplication that includes *FasIII*, and recombination of the *robo* chromosomes, indicates that the *robo* phenotype is independent of the absence of *FasIII*. Deficiencies were obtained from the *Drosophila* stock center at Bloomington, Indiana.

Cloning and Molecular Analysis of the *robo* Genes. Start points for a molecular walk to *robo* were obtained from the Berkeley and Crete *Drosophila* Genome Projects. Chromosomal walking was performed using standard techniques to isolate cosmids from the Tamkun library (Tamkun et al., 1992). cDNAs were isolated from the Zinn 9-12 hour *Drosophila* embryo gt11 library (Zinn et al., 1988), and from a human fetal brain library (Stratagene). Northern blot of poly-A⁺ RNA and reverse Northern blots were hybridized using sensitive Church conditions.

Sequencing of the cDNAs and genomic subclones was performed by the dideoxynucleotide chain termination method using Sequenase (USB) following the manufacturer's protocol and with the AutoRead kit or AutoCycle kit (Pharmacia) or by ³³P cycle sequencing. Reactions were analyzed on a Pharmacia LKB or ABI automated laser fluorescent DNA sequencers respectively. The cDNAs were sequenced completely on both strands. Sequence contigs were compiled using Lasergene, Intelligenetics, and AssemblyLIGN software (Kodak Eastman). Database searches were performed using BLAST

(Altschuel et al., 1990).

A full length *D-robo1* cDNA was generated by ligating two partial cDNAs at an internal HpaI site and subcloning into the EcoRI site of pBluescript.SK+. A full length *H-robo1* cDNA was synthesized by ligating an XbaI-SalI fragment from a cDNA and a PCR product coding for the carboxy-terminal 222 amino acids at a SalI site. The PCR product has an EcoRI site introduced at the stop codon. The ligation product was cloned into pBluescript.SK+ digested with XbaI and EcoRI.

To clone the rat *robo1* cDNA, degenerate oligonucleotide primers designed against sequences conserved between the 5' ends of D-Robo1 and H-Robo1 were used to amplify a 500 bp fragment from an E13 rat brain cDNA by PCR. This fragment was used to screen an E13 spinal cord library at high stringency, resulting in the isolation of a 4.2 kb cDNA clone comprising all but the last 700 nucleotides. Subsequent screenings of the library with non-overlapping probes from this cDNA led to the isolation of 4 partial and 7 full length clones. To clone the rat *robo2* cDNA, we screened the same library with a fragment of the *H-robo2* cDNA.

Expressed Sequence Tag and Genomic Sequences. The ESTs yu23d11 (#H77734), zr54g12 (#AA236414) and yq76e12 (#H52936, #H52937) code for portions of H-Robo1. The EST yq7e12 is aberrantly spliced to part of the human glycoporphinB gene. Five ESTs yn50a07, yg02b06, yg17b06, yn13a04 and ym17g11 code for part of *H-robo2*. The Drosophila P1 clone DS00329 encodes the genomic sequence of *D-robo2*. Sequences 1825710 and 1825711 (both: #U88183; locus ZK377) code for the predicted sequence of *C. elegans robo*. The EST vi62e02 (#AA499193) codes for mouse *robo1*.

Identification of Molecular Defects In *robo* Alleles. Southern blots of *robo* alleles and their parental chromosomes were hybridized with fragments from the genomic cosmid clone 106-1435 or partial cDNA clones to identify restriction fragment length polymorphisms affecting the *robo* transcription unit. DNA was obtained from homozygous mutant embryos. 35 cycles of the PCR was subsequently performed on the DNA obtained from half an embryo. Primers specific for the region flanking the CfoI polymorphism used were : ROBO6 (5'-GCATTGGGTCATCTGTAGAG -3') and ROBO23 (5'-AGCTATCTGGAGGGAGGCAT-3'). The PCR products were purified on a Pharmacia H300 spin column and sequenced directly.

Transformation of Drosophila, *robo* Rescue, and Overexpression. The 16 kb XbaI

fragment from cosmid 106-1435 was cloned into the *Drosophila* transformation vector pCaSpeR3. Transformant lines were generated and mapped by standard procedures. Four independent lines were shown to rescue *robo*^{1,3,5} alleles as judged by MAb 1D4 staining.

PCR amplification of the D-*robo* ORF using the primers (5'-GAGTGGTGAATTCAACAGCACCAAAACACAAAATGCATCCC-3') and (5'-CGGGGAGTCTAGAACACTTCATCCTTAGGTG-3') produced a PCR product with an altered ribosome binding site that more closely matches the *Drosophila* consensus (Cavener, 1987), and has only 21bp of 5' UTR and no 3' UTR sequences. The PCR product was digested with EcoRI and XbaI and cloned into pBluescript (Stratagene) and subsequently, pUAST (Brand and Perrimon 1993). Transformant lines were crossed to *elav-GAL4* and *sca-GAL4* lines which express GAL4 in all neurons, or *ftzng-GAL4* which expresses in a subset of CNS neurons (Lin et al, 1994). Embryos were assayed by staining with MAbs BP102, 1D4 and 13C9. For ectopic expression in the *robo* mutant background, the stocks *robo*³ and *robo*⁵ (both protein nulls) were used. Crosses utilized the stocks *w; robo/CyO; UAS-robo* and *w; robo/CyO; elav-GAL4*. Due to the difficulty of maintaining a balanced stock, *robo/+; ftzngGAL4/+* males were generated as required.

Generation of Fusion Proteins and Antibodies. A six histidine tagged fusion protein was constructed by cloning amino acids 404-725 of the D-*robo* protein into the PstI site of the pQE31 vector (Qiagen). Fusion proteins were purified under denaturing conditions and subsequently dialyzed against PBS. Immunization of mice and MAb production followed standard protocols (Patel, 1994).

RNA Localization and Protein Immunocytochemistry. Digoxigenin labeled antisense *robo* transcripts were generated from a subclone of a *robo* cDNA in Bluescript. In-situ tissue hybridization was performed as described in Tear et al., 1996. Immunocytochemistry was performed as described by Patel, 1994. MAb 1D4 was used at a dilution of 1:5 and BP102 at 1:10. For anti-*robo* staining, MAb 13C9 was diluted 1:10 in PBS with 0.1% Tween-20, and the embryos were fixed and cracked so as to minimize exposure to methanol. The presence of triton and storage of embryos in methanol were both found to destroy the activity of MAb 13C9.

In situ hybridization of rat spinal cords was carried out essentially as described in Fan and Tessier-Lavigne, 1994. E13 embryos were fixed in 4% paraformaldehyde, processed, embedded in OCT, and sectioned to 10 μ m. A 1.0kb ³⁵S antisense rRobo riboprobe spanning

the the first three immunoglobulin domains was used for hybridization. An additional non-overlapping probe was also used with identical results. DCC transcripts were detected as described in Keino-Masu et al., 1996. Immunohistochemistry against TAG-1 was carried out on 10 μ m transverse spinal cord sections using 4D7 monoclonal antibody (Dodd et al, 1988).

Electron Microscopy. Canton S embryos were hand devitellinized, opened dorsally to remove the gut, and prepared for immunoelectron microscopy according to the procedures described previously (Lin et al., 1994), with the following modifications. The fixed embryos were incubated sequentially with MAb 13C9 (1:1) for 1-2 hours, biotinylated goat anti-mouse secondary antibody (1:250) for 1.5 hours, and then streptavidin-conjugated HRP (1:200) for 1.5 hours. Hydrogen peroxide (0.01%) was used instead of glucose oxidase for the HRP-DAB reaction.

References

- Altman, J. and Bayer, S.A. (1984) *Adv. Anat. Embryol. Cell Biol.* 85, 1-164.
- Altschul, S.F., et al. (1990) *J. Mol. Biol.* 215, 403-410.
- Bastiani, M.J., et al. (1987) *Cell* 48, 745-755.
- Brand, A. H., and Perrimon, N. (1993) *Development* 118, 401-415.
- Cavener, D. (1987) *Nucl. Acids Res.* 15, 1353-1361.
- Chan, S. et al. (1996) *Cell* 87, 187-195.
- Dodd, J., et al. (1988) *Neuron* 1, 105-116.
- Ebens, A., et al. (1996) *Neuron* 17, 1157-1172.
- Elkins, T., et al. (1990) *Cell* 60, 565-575.
- Fan, C.M. and Tessier-Lavigne, M. (1994) *Cell* 79, 1175-1186.
- Gertler, F.B., et al. (1995) *Genes Develop.* 9, 521-533.
- Harris, R., Sabatelli, L.M., and Seeger, M.A. (1996) *Neuron* 17, 217-228.
- Hedgecock, E.M., Culotti, J.G., and Hall, D.H. (1990) *Neuron* 4, 61-85.
- Kang, J-S., et al. (1997) *J. Cell Biol.* 138, 203-213.
- Keino-Masu, K., et al. (1996) *Cell* 87, 175-185.
- Kennedy, T.E., et al. (1994) *Cell* 78, 425-435.
- Kerrebrock, A. W., et al. (1995) *Cell* 83, 247-256.
- Kidd, T., Russell, C., Goodman, C.S., and Tear, G. (1997). Dosage sensitive and complementary functions of Roundabout and Commissureless control axon crossing of the CNS midline. *Neuron*, in review.

Kolodziej, P.A., et al. (1996) *Cell* 87, 197-204.
 Kyte, J., and Doolittle, R.F. (1982) *J. Mol. Biol.* 157, 105-132.
 Lin, D.M., et al. (1994) *Neuron* 13, 1055-1069.
 Mitchell, K.J., et al. (1996) *Neuron* 17, 203-215.
 Myers, P.Z., and Bastiani, M.J. (1993) *Journal of Neuroscience* 13, 127-143.
 Niebuhr, K., et al. (1997) *EMBO J.* 16, 5433-5444.
 Nielsen, H., et al. (1997) *Protein Engineering* 10, 1-6.
 Patel, N. H. (1994) In "Methods in Cell Biology, Vol 44. *Drosophila melanogaster: Practical Uses in Cell Biology*" (L. S. B. Goldstein and E. Fyrberg, eds) Academic Press, New York.
 Seeger, M., Tear, G., Ferres-Marco, D., and Goodman C.S. (1993) *Neuron* 10, 409-426.
 Serafini, T., et al. (1994) *Cell* 78, 409-424.
 Stoeckli, E.T., and Landmesser, L.T. (1995) *Neuron* 14, 1165-1179.
 Stoeckli, et al. (1997) *Neuron* 18, 209-221.
 Tamkun, J.W., et al. (1992) *Cell* 68, 561-572.
 Tear, G., et al. (1993) *Perspectives on Developmental Neurobiology* 1, 183-194.
 Tear G., et al. (1996) *Neuron* 16, 501-514.
 Tessier-Lavigne, M., and Goodman, C.S. (1996) *Science* 274, 1123-1133.
 Wadsworth, W.G., Bhatt, H., and Hedgecock, E.M. (1996) *Neuron* 16, 35-46.
 Zallen, J., Yi, A., and Bargmann, C. (1997). The conserved immunoglobulin superfamily member SAX-3/Robo directs multiple aspects of axon guidance in *C. elegans*. *Cell*, in review.
 Zinn, K., McAllister, L., and Goodman, C. S. (1988) *Cell* 53, 577-587.

All publications and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference. Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it will be readily apparent to those of ordinary skill in the art in light of the teachings of this invention that certain changes and modifications may be made thereto without departing from the spirit or scope of the appended claims.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: Goodman, Corey S.

Kidd, Thomas

Mitchell, Kevin

Tear, Guy

(ii) TITLE OF INVENTION: Robo: A Novel Family of Polypeptide and
Nucleic Acids

(iii) NUMBER OF SEQUENCES: 12

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: SCIENCE & TECHNOLOGY LAW GROUP

(B) STREET: 75 DENISE DRIVE

(C) CITY: HILLSBOROUGH

(D) STATE: CALIFORNIA

(E) COUNTRY: USA

(F) ZIP: 94010

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk

(B) COMPUTER: IBM PC compatible

(C) OPERATING SYSTEM: PC-DOS/MS-DOS

(D) SOFTWARE: PatentIn Release #1.0, Version #1.30

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER:

(B) FILING DATE:

(C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: OSMAN, RICHARD A

(B) REGISTRATION NUMBER: 36,627

(C) REFERENCE/DOCKET NUMBER: B98-006

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: (650) 343-4341

(B) TELEFAX: (650) 343-4342

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 4188 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

ATGCATCCCA	TGCATCCCGA	AAACCACGCC	ATCGCCCGGA	GCACGAGCAC	CACTAATAAC	60
CCATCTCGCA	GTCGGAGCAG	CAGGATGTGG	CTCCTGCCCC	CCTGGCTGCT	CCTCGTCCCTG	120
GTGGCCAGCA	ATGGCCTGCC	AGCAGTCAGA	GGCCAGTACC	AATCGCCACG	TATCATCGAG	180
CATCCCACGG	ATCTGGTCGT	TAAGAAGAAT	GAACCCGCCA	CGCTCAACTG	CAAAGTGGAG	240
GGCAAGCCGG	AACCCACCAT	TGAGTGGTTT	AAGGATGGCG	AACCCGTCAG	CACCAACGAA	300
AAGAAATCGC	ACCGCGTCCA	GTTCAAGGAC	GGCGCCCTCT	TCTTTTACAG	GACAATGCAA	360
GGCAAGAAGG	AGCAGGACGG	CGGAGAGTAC	TGGTGCGTGG	CCAAGAACCG	AGTGGGGCCAG	420
GCCGTTAGTC	GCCATGCCTC	CCTCCAGATA	GCTGTTTTGC	GCGACGATTT	TCGCGTGGAG	480
CCCAAAGACA	CGCGAGTGGC	CAAAGGCGAG	ACGGCTCTGC	TGGAGTGTGG	GCCGCCCAAA	540
GGCATTCAG	AGCCAACGCT	GATTTGGATA	AAGGACGGCG	TTCCCTTGGA	CGACCTGAAA	600
GCCATGTCTG	TTGGCGCCAG	CTCCCGCGTT	CGAATTGTGG	ACGGTGGCAA	CCTGCTGATC	660
AGCAATGTGG	AGCCCATTTGA	TGAGGGCAAC	TACAAGTGCA	TTGCCCAGAA	TCTGGTAGGC	720
ACCCGCGAGA	GCAGCTATGC	CAAGCTGATT	GTCCAGGTCA	AACCATACTT	TATGAAGGAG	780
CCCAAGGATC	AGGTGATGCT	CTACGGCCAG	ACAGCCACTT	TCCACTGCTC	AGTGGGCGGT	840
GATCCGCCGC	CGAAAGTGTT	GTGGAAAAAG	GAGGAGGGCA	ATATTCCGGT	GTCCAGAGCG	900
CGAATCCTTC	ACGACGAGAA	AAGTTTAGAG	ATATCCAACA	TAACGCCCAC	CGATGAGGGC	960
ACCTATGTCT	GCGAGGCACA	CAACAATGTC	GGTCAGATCA	GCGCTAGGGC	TTCTCTTATA	1020
GTCCACGCTC	CGCCGAACCT	TACGAAAAGA	CCCAGTAACA	AGAAAGTGGG	ACTAAATGGG	1080
GTTGTCCAAC	TACCTTGTCAT	GGCCTCCGGA	AACCCTCCGC	CGTCTGTATT	CTGGACCAAG	1140
GAAGGAGTAT	CCACTCTTAT	GTTCCCAAAT	AGTTGCGACG	GAAGGCAGTA	TGTGGCTGCC	1200
GATGGAACCTC	TGCAGATTAC	GGATGTGCGG	CAGGAAGACG	AAGGCTACTA	TGTGTGTTCC	1260
GCTTTCAGTG	TAGTCGATTC	CTCTACAGTA	CGGGTTTTTC	TGCAAGTCAG	CTCGGTAGAC	1320
GAGCGTCCAC	CTCCGATTAT	TCAAATCGGA	CCTGCCAATC	AAACACTGCC	CAAGGGATCA	1380
GTTGCTACTT	TACCCTGTCTG	GGCCACTGGA	AATCCCAGTC	CCCGTATCAA	GTGGTTCCAC	1440
GATGGACATG	CCGTACAAGC	GGGCAATCGA	TACAGCATCA	TCCAAGGAAG	CTCACTGAGA	1500
GTCGATGACC	TTCAACTAAG	TGACTCTGGT	ACCTACACCT	GCACTGCATC	TGGCGAACGA	1560
GGAGAAACTT	CCTGGGCTGC	CACACTAACG	GTGGAAAAAC	CCGGTTCTAC	ATCTCTTCAC	1620
CGGGCAGCTG	ATCCTAGCAC	TTATCCTGCT	CCTCCAGGAA	CACCTAAAGT	CCTGAATGTC	1680
AGTCGCACCA	GCATTAGTCT	TCGTTGGGCT	AAAAGCCAAG	AGAAACCCGG	AGCTGTGGGC	1740
CCAATCATTG	GATACACTGT	AGAGTACTTC	AGTCCGGATC	TGCAAACTGG	TTGGATTGTG	1800
GCTGCCCATC	GAGTCGGCGA	CACTCAAGTC	ACTATCTCGG	GTCTCACTCC	TGGCACTTCG	1860
TATGTGTTCC	TAGTTAGAGC	TGAGAATACT	CAGGGTATTT	CTGTGCCTTC	CGGCTTATCA	1920
AATGTTATTA	AAACCATTGA	GGCAGATTTC	GATGCAGCTT	CTGCCAATGA	TTTGTCAGCA	1980
GCTCGAACTT	TGCTGACAGG	AAAGTCGGTG	GAGCTAATAG	ATGCCTCGGC	TATCAATGCT	2040
AGTGCCGTTA	GACTTGAGTG	GATGCTCCAC	GTGAGCGCTG	ATGAGAAATA	CGTAGAGGGC	2100

CTGCGCATAC	ACTATAAGGA	TGCCAGTGTA	CCATCCGCAC	AGTATCACTC	GATCACTGTT	2160
ATGGATGCCT	CTGCAGAATC	GTTTGTGGTG	GGAAACCTTA	AGAAGTACAC	CAAGTATGAG	2220
TTCTTCCTAA	CACCCTTTTT	TGAGACAATT	GAAGGACAGC	CCAGTAACTC	CAAGACAGCC	2280
CTCACCTATG	AAGATGTTCC	CTCCGCACCA	CCGGATAACA	TTCAGATTGG	CATGTACAAC	2340
CAAACAGCCG	GTTGGGTGCG	TTGGACTCCG	CCACCCTCCC	AGCACCACAA	TGGCAATTTG	2400
TATGGCTACA	AGATTGAGGT	CAGCGCCGGT	AACACCATGA	AGGTGCTGGC	CAATATGACT	2460
CTTAATGCTA	CCACCACATC	TGTGCTCCTA	AATAACCTAA	CCACCGGAGC	TGTGTACAGC	2520
GTGAGGTTGA	ACTCCTTTAC	CAAGGCAGGA	GATGGACCTT	ACTCCAAACC	GATATCACTA	2580
TTCATGGACC	CCACCCATCA	TGTGCATCCG	CCACGGGCAC	ATCCAAGCGG	CACCCATGAT	2640
GGGCGACATG	AGGGACAGGA	TCTCACGTAT	CATAACAATG	GCAACATACC	ACCTGGCGAC	2700
ATTAATCCCA	CCACTCATAA	AAAGACCACT	GACTACCTAT	CTGGACCGTG	GCTAATGGTG	2760
CTGGTCTGCA	TCGTTCTTCT	AGTCCTGGTT	ATTTTCGGCGG	CTATTTTCGAT	GGTCTACTTC	2820
AAGCGCAAGC	ATCAAATGAC	CAAGGAATTG	GGTCACCTTA	GTGTGGTCAG	TGACAACGAA	2880
ATAACCGCAT	TAAATATCAA	TAGCAAAGAG	AGCCTTTGGA	TAGACCATCA	TCGTGGATGG	2940
CGAACTGCCG	ATACTGACAA	AGACTCAGGA	TTAAGCGAAT	CGAAGCTACT	ATCCACGTT	3000
AACAGCAGTC	AATCCAACCTA	CAATAACTCC	GATGGAGGAA	CCGATTATGC	AGAAGTTGAC	3060
ACCCGTAACC	TTACCACCTT	CTACAATTGT	CGCAAGAGCC	CCGATAATCC	CACGCCGTAC	3120
GCCACCACTA	TGATCATTTG	TACCTCTTCC	AGTGAGACCT	GCACCAAGAC	AACATCTATA	3180
AGTGCCGATA	AGGACTCGGG	AACTCATTCG	CCCTATTCTG	ACGCATTTGC	CGGTCAGGTG	3240
CCAGCGGTTT	CTGTTGTCAA	ATCCAACCTAT	CTTCAGTATC	CGGTTGAACC	GATCAACTGG	3300
TCAGAGTTTC	TACCCCGGCC	GCCAGAACAC	CCACCTCCGT	CTTCTACCTA	TGGATACGCA	3360
CAAGGATCTC	CTGAATCTTC	GCGGAAGAGC	TCCAAAAGCG	CAGGTTCCGG	CATTTCTACA	3420
AATCAAAGCA	TTCTGAACGC	ATCCATACAC	AGCAGCTCCT	CGGGCGGCTT	TTACGCTTGG	3480
GGAGTATCGC	CCCAATATGC	TGTCGCCTGT	CCACCGGAAA	ACGTTTATAG	CAATCCGCTG	3540
TCGGCAGTGG	CTGGCGGCAC	CCAGAACCGC	TATCAGATAA	CGCCACAAA	CCAACATCCG	3600
CCACAGTTAC	CGGCCTACTT	TGCCACCACG	GGTCCAGGAG	GAGCTGTACC	ACCCAACCAC	3660
CTGCCATTTG	CCACACAGCG	TCATGCAGCC	AGCGAGTACC	AGGCTGGACT	GAATGCAGCG	3720
CGATGTGCCC	AAAGCCGCGC	CTGCAACAGC	TGCGATGCCT	TGGCCACACC	CTCGCCCATG	3780
CAACCCCCAC	CGCCAGTTCC	CGTACCCGAG	GGCTGGTACC	AACCGGTGCA	TCCCAATAGC	3840
CACCCGATGC	ACCCGACCTC	CTCCAACCAC	CAGATCTACC	AGTGCTCCTC	CGAGTGCTCG	3900
GATCACTCGA	GGAGCTCGCA	GAGTCACAAG	CGGCAGCTGC	AGCTCGAGGA	GCACGGCAGC	3960
AGTGCCAAAC	AACGCGGAGG	ACACCACCGT	CGACGAGCCC	CGGTGGTGCA	GCCGTGCATG	4020
GAGAGCGAGA	ACGAGAACAT	GCTGGCGGAG	TACGAGCAGC	GCCAGTACAC	CAGCGATTGC	4080
TGCAATAGCT	CCCGCGAGGG	CGACACCTGC	TCCTGCAGCG	AGGGATCCTG	TCTTTACGCC	4140
GAGGCGGGCG	AGCCGGCGCC	TCGTCAAATG	ACTGCTAAGA	ACACCTAA		4188

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1395 amino acids
 (B) TYPE: amino acid
 (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met	His	Pro	Met	His	Pro	Glu	Asn	His	Ala	Ile	Ala	Arg	Ser	Thr	Ser	1	5	10	15
Thr	Thr	Asn	Asn	Pro	Ser	Arg	Ser	Arg	Ser	Ser	Arg	Met	Trp	Leu	Leu	20	25	30	
Pro	Ala	Trp	Leu	Leu	Leu	Val	Leu	Val	Ala	Ser	Asn	Gly	Leu	Pro	Ala	35	40	45	
Val	Arg	Gly	Gln	Tyr	Gln	Ser	Pro	Arg	Ile	Ile	Glu	His	Pro	Thr	Asp	50	55	60	
Leu	Val	Val	Lys	Lys	Asn	Glu	Pro	Ala	Thr	Leu	Asn	Cys	Lys	Val	Glu	65	70	75	80
Gly	Lys	Pro	Glu	Pro	Thr	Ile	Glu	Trp	Phe	Lys	Asp	Gly	Glu	Pro	Val	85	90	95	
Ser	Thr	Asn	Glu	Lys	Lys	Ser	His	Arg	Val	Gln	Phe	Lys	Asp	Gly	Ala	100	105	110	
Leu	Phe	Phe	Tyr	Arg	Thr	Met	Gln	Gly	Lys	Lys	Glu	Gln	Asp	Gly	Gly	115	120	125	
Glu	Tyr	Trp	Cys	Val	Ala	Lys	Asn	Arg	Val	Gly	Gln	Ala	Val	Ser	Arg	130	135	140	
His	Ala	Ser	Leu	Gln	Ile	Ala	Val	Leu	Arg	Asp	Asp	Phe	Arg	Val	Glu	145	150	155	160
Pro	Lys	Asp	Thr	Arg	Val	Ala	Lys	Gly	Glu	Thr	Ala	Leu	Leu	Glu	Cys	165	170	175	
Gly	Pro	Pro	Lys	Gly	Ile	Pro	Glu	Pro	Thr	Leu	Ile	Trp	Ile	Lys	Asp	180	185	190	
Gly	Val	Pro	Leu	Asp	Asp	Leu	Lys	Ala	Met	Ser	Phe	Gly	Ala	Ser	Ser	195	200	205	
Arg	Val	Arg	Ile	Val	Asp	Gly	Gly	Asn	Leu	Leu	Ile	Ser	Asn	Val	Glu	210	215	220	
Pro	Ile	Asp	Glu	Gly	Asn	Tyr	Lys	Cys	Ile	Ala	Gln	Asn	Leu	Val	Gly	225	230	235	240
Thr	Arg	Glu	Ser	Ser	Tyr	Ala	Lys	Leu	Ile	Val	Gln	Val	Lys	Pro	Tyr	245	250	255	

Phe Met Lys Glu Pro Lys Asp Gln Val Met Leu Tyr Gly Gln Thr Ala
 260 265 270
 Thr Phe His Cys Ser Val Gly Gly Asp Pro Pro Pro Lys Val Leu Trp
 275 280 285
 Lys Lys Glu Glu Gly Asn Ile Pro Val Ser Arg Ala Arg Ile Leu His
 290 295 300
 Asp Glu Lys Ser Leu Glu Ile Ser Asn Ile Thr Pro Thr Asp Glu Gly
 305 310 315 320
 Thr Tyr Val Cys Glu Ala His Asn Asn Val Gly Gln Ile Ser Ala Arg
 325 330 335
 Ala Ser Leu Ile Val His Ala Pro Pro Asn Phe Thr Lys Arg Pro Ser
 340 345 350
 Asn Lys Lys Val Gly Leu Asn Gly Val Val Gln Leu Pro Cys Met Ala
 355 360 365
 Ser Gly Asn Pro Pro Pro Ser Val Phe Trp Thr Lys Glu Gly Val Ser
 370 375 380
 Thr Leu Met Phe Pro Asn Ser Ser His Gly Arg Gln Tyr Val Ala Ala
 385 390 395 400
 Asp Gly Thr Leu Gln Ile Thr Asp Val Arg Gln Glu Asp Glu Gly Tyr
 405 410 415
 Tyr Val Cys Ser Ala Phe Ser Val Val Asp Ser Ser Thr Val Arg Val
 420 425 430
 Phe Leu Gln Val Ser Ser Val Asp Glu Arg Pro Pro Pro Ile Ile Gln
 435 440 445
 Ile Gly Pro Ala Asn Gln Thr Leu Pro Lys Gly Ser Val Ala Thr Leu
 450 455 460
 Pro Cys Arg Ala Thr Gly Asn Pro Ser Pro Arg Ile Lys Trp Phe His
 465 470 475 480
 Asp Gly His Ala Val Gln Ala Gly Asn Arg Tyr Ser Ile Ile Gln Gly
 485 490 495
 Ser Ser Leu Arg Val Asp Asp Leu Gln Leu Ser Asp Ser Gly Thr Tyr
 500 505 510
 Thr Cys Thr Ala Ser Gly Glu Arg Gly Glu Thr Ser Trp Ala Ala Thr
 515 520 525
 Leu Thr Val Glu Lys Pro Gly Ser Thr Ser Leu His Arg Ala Ala Asp
 530 535 540
 Pro Ser Thr Tyr Pro Ala Pro Pro Gly Thr Pro Lys Val Leu Asn Val
 545 550 555 560

Ser Arg Thr Ser Ile Ser Leu Arg Trp Ala Lys Ser Gln Glu Lys Pro
 565 570 575
 Gly Ala Val Gly Pro Ile Ile Gly Tyr Thr Val Glu Tyr Phe Ser Pro
 580 585 590
 Asp Leu Gln Thr Gly Trp Ile Val Ala Ala His Arg Val Gly Asp Thr
 595 600 605
 Gln Val Thr Ile Ser Gly Leu Thr Pro Gly Thr Ser Tyr Val Phe Leu
 610 615 620
 Val Arg Ala Glu Asn Thr Gln Gly Ile Ser Val Pro Ser Gly Leu Ser
 625 630 635 640
 Asn Val Ile Lys Thr Ile Glu Ala Asp Phe Asp Ala Ala Ser Ala Asn
 645 650 655
 Asp Leu Ser Ala Ala Arg Thr Leu Leu Thr Gly Lys Ser Val Glu Leu
 660 665 670
 Ile Asp Ala Ser Ala Ile Asn Ala Ser Ala Val Arg Leu Glu Trp Met
 675 680 685
 Leu His Val Ser Ala Asp Glu Lys Tyr Val Glu Gly Leu Arg Ile His
 690 695 700
 Tyr Lys Asp Ala Ser Val Pro Ser Ala Gln Tyr His Ser Ile Thr Val
 705 710 715 720
 Met Asp Ala Ser Ala Glu Ser Phe Val Val Gly Asn Leu Lys Lys Tyr
 725 730 735
 Thr Lys Tyr Glu Phe Phe Leu Thr Pro Phe Phe Glu Thr Ile Glu Gly
 740 745 750
 Gln Pro Ser Asn Ser Lys Thr Ala Leu Thr Tyr Glu Asp Val Pro Ser
 755 760 765
 Ala Pro Pro Asp Asn Ile Gln Ile Gly Met Tyr Asn Gln Thr Ala Gly
 770 775 780
 Trp Val Arg Trp Thr Pro Pro Pro Ser Gln His His Asn Gly Asn Leu
 785 790 795 800
 Tyr Gly Tyr Lys Ile Glu Val Ser Ala Gly Asn Thr Met Lys Val Leu
 805 810 815
 Ala Asn Met Thr Leu Asn Ala Thr Thr Thr Ser Val Leu Leu Asn Asn
 820 825 830
 Leu Thr Thr Gly Ala Val Tyr Ser Val Arg Leu Asn Ser Phe Thr Lys
 835 840 845
 Ala Gly Asp Gly Pro Tyr Ser Lys Pro Ile Ser Leu Phe Met Asp Pro
 850 855 860

Thr His His Val His Pro Pro Arg Ala His Pro Ser Gly Thr His Asp
 865 870 875 880
 Gly Arg His Glu Gly Gln Asp Leu Thr Tyr His Asn Asn Gly Asn Ile
 885 890 895
 Pro Pro Gly Asp Ile Asn Pro Thr Thr His Lys Lys Thr Thr Asp Tyr
 900 905 910
 Leu Ser Gly Pro Trp Leu Met Val Leu Val Cys Ile Val Leu Leu Val
 915 920 925
 Leu Val Ile Ser Ala Ala Ile Ser Met Val Tyr Phe Lys Arg Lys His
 930 935 940
 Gln Met Thr Lys Glu Leu Gly His Leu Ser Val Val Ser Asp Asn Glu
 945 950 955 960
 Ile Thr Ala Leu Asn Ile Asn Ser Lys Glu Ser Leu Trp Ile Asp His
 965 970 975
 His Arg Gly Trp Arg Thr Ala Asp Thr Asp Lys Asp Ser Gly Leu Ser
 980 985 990
 Glu Ser Lys Leu Leu Ser His Val Asn Ser Ser Gln Ser Asn Tyr Asn
 995 1000 1005
 Asn Ser Asp Gly Gly Thr Asp Tyr Ala Glu Val Asp Thr Arg Asn Leu
 1010 1015 1020
 Thr Thr Phe Tyr Asn Cys Arg Lys Ser Pro Asp Asn Pro Thr Pro Tyr
 1025 1030 1035 1040
 Ala Thr Thr Met Ile Ile Gly Thr Ser Ser Ser Glu Thr Cys Thr Lys
 1045 1050 1055
 Thr Thr Ser Ile Ser Ala Asp Lys Asp Ser Gly Thr His Ser Pro Tyr
 1060 1065 1070
 Ser Asp Ala Phe Ala Gly Gln Val Pro Ala Val Pro Val Val Lys Ser
 1075 1080 1085
 Asn Tyr Leu Gln Tyr Pro Val Glu Pro Ile Asn Trp Ser Glu Phe Leu
 1090 1095 1100
 Pro Pro Pro Pro Glu His Pro Pro Pro Ser Ser Thr Tyr Gly Tyr Ala
 1105 1110 1115 1120
 Gln Gly Ser Pro Glu Ser Ser Arg Lys Ser Ser Lys Ser Ala Gly Ser
 1125 1130 1135
 Gly Ile Ser Thr Asn Gln Ser Ile Leu Asn Ala Ser Ile His Ser Ser
 1140 1145 1150
 Ser Ser Gly Gly Phe Ser Ala Trp Gly Val Ser Pro Gln Tyr Ala Val
 1155 1160 1165

Ala Cys Pro Pro Glu Asn Val Tyr Ser Asn Pro Leu Ser Ala Val Ala
1170 1175 1180
Gly Gly Thr Gln Asn Arg Tyr Gln Ile Thr Pro Thr Asn Gln His Pro
1185 1190 1195 1200
Pro Gln Leu Pro Ala Tyr Phe Ala Thr Thr Gly Pro Gly Gly Ala Val
1205 1210 1215
Pro Pro Asn His Leu Pro Phe Ala Thr Gln Arg His Ala Ala Ser Glu
1220 1225 1230
Tyr Gln Ala Gly Leu Asn Ala Ala Arg Cys Ala Gln Ser Arg Ala Cys
1235 1240 1245
Asn Ser Cys Asp Ala Leu Ala Thr Pro Ser Pro Met Gln Pro Pro Pro
1250 1255 1260
Pro Val Pro Val Pro Glu Gly Trp Tyr Gln Pro Val His Pro Asn Ser
1265 1270 1275 1280
His Pro Met His Pro Thr Ser Ser Asn His Gln Ile Tyr Gln Cys Ser
1285 1290 1295
Ser Glu Cys Ser Asp His Ser Arg Ser Ser Gln Ser His Lys Arg Gln
1300 1305 1310
Leu Gln Leu Glu Glu His Gly Ser Ser Ala Lys Gln Arg Gly Gly His
1315 1320 1325
His Arg Arg Arg Ala Pro Val Val Gln Pro Cys Met Glu Ser Glu Asn
1330 1335 1340
Glu Asn Met Leu Ala Glu Tyr Glu Gln Arg Gln Tyr Thr Ser Asp Cys
1345 1350 1355 1360
Cys Asn Ser Ser Arg Glu Gly Asp Thr Cys Ser Cys Ser Glu Gly Ser
1365 1370 1375
Cys Leu Tyr Ala Glu Ala Gly Glu Pro Ala Pro Arg Gln Met Thr Ala
1380 1385 1390
Lys Asn Thr
1395

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4146 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

GGTGAAAATC	CACGCATCAT	CGAGCATCCC	ATGGACACGA	CGGTGCCAAA	AAATGATCCA	60
TTTACGTTTA	ATTGCCAGGC	CGAGGGCAAT	CCAACACCAA	CCATTCAATG	GTTTAAGGAC	120
GGTCGCGAAC	TGAAGACGGA	TACGGGTTCG	CATCGCATAA	TGCTGCCCCG	CGGGGGTCTA	180
TTCTTTCTCA	AGGTTATCCA	CTCACGTAGA	GAGAGCGATG	CGGGCACTTA	CTGGTGCGAG	240
GCCAAAAACG	AGTTTGGAGT	GGCACGGTCC	AGGAATGCAA	CGTTGCAAGT	GGCAGTTCTC	300
CGCGACGAAT	TCCGTTTGGA	GCCGGCAAAT	ACCCGCGTGG	CCCAAGGCGA	GGTGGCCCTG	360
ATGGAATGCG	GTGCCCCCG	AGGATCTCCG	GAGCCGCAAA	TCTCGTGGCG	CAAGAACGGC	420
CAGACCCTGA	ATCTTGTCGG	GAACAAGCGG	ATTGCGATTG	TCGACGCTGG	CAATCTGGCC	480
ATCCAGGAAG	CCCGCCAATC	GGACGACGGA	CGCTACCAGT	GTGTGGTCAA	GAATGTGGTT	540
GGCACCCGGG	AGTCGGCCAC	CGCTTTTCTT	AAAGTGCATG	TACGTCCATT	CCTCATCCGA	600
GGACCCCAGA	ATCAGACGGC	GGTGGTGGGC	AGCTCGGTGG	TCTTCCAGTG	CCGCATCGGA	660
GGCGATCCCC	TGCCTGATGT	CCTGTGGCGA	CGCACTGCCT	CCGGCGGCAA	TATGCCACTG	720
CGTAAGTTTT	CTTGGCTTCA	TTCAGCTTCA	GGTCGTGTGC	ACGTACTTGA	GGACCGCAGT	780
CTGAAGCTGG	ACGACGTTAC	TCTGGAGGAC	ATGGGCGAGT	ACACTTGCGA	GGCGGACAAT	840
GCGGTGGGCG	GCATCACGGC	CACTGGCATC	CTCACCCTTC	ACGCTCCCCC	CAAATTTGTG	900
ATACGCCCCA	AGAATCAGCT	GGTGGAGATC	GGTGATGAAG	TGCTGTTCGA	GTGCCAAGCG	960
AATGGACATC	CCCGACCAAC	GCTCTACTGG	TCGGTGGAGG	GCAACAGCTC	CCTGCTGCTC	1020
CCCGGCTATC	GGGATGGCCG	CATGGAAGTG	ACCCTGACGC	CCGAGGGGCG	CTCGGTGCTC	1080
TCGATAGCTC	GATTTGCCCG	TGAGGATTCC	GGAAAGGTGG	TCACTTGCAA	CGCCCTGAAC	1140
GCCGTGGGCA	GCCTCAGCAG	TCGGACTGTG	GTCAGTGTGG	ATACGCAATT	CGAGCTGCCA	1200
CCGCCGATTA	TCGAACAGGG	GCCCGTGAAT	CAAACGTTGC	CCGTAAATC	AATTGTGGTT	1260
CTGCCATGCC	GAACCTCTGG	CACTCCAGTG	CCACAGGTCT	CTTGGTACCT	GGATGGCATA	1320
CCCATCGATG	TGCAGGAGCA	CGAGCGGCGG	AATCTTTCGG	ACGCTGGAGC	CTTAACCATT	1380
TCGGATCTTC	AGCGCCACGA	GGATGAAGGC	TTGTACACCT	GCGTGGCCAG	CAATCGCAAC	1440
GGAAAATCCT	CTTGGAGTGG	TTACCTTCGT	CTGGACACCC	CGACAAATCC	GAATATCAAG	1500
TTCTTCAGAG	CCCCAGAACT	TTCCACCTAC	CCAGGGCCGC	CAGGAAAACC	GCAAATGGTG	1560
GAGAAGGGCG	AAAATTCGGT	GACTCTCAGC	TGGACGAGGA	GCAACAAGGT	GGCGGGCTCC	1620
AGTCTGGTGG	GCTATGTAAT	CGAGATGTTT	GGCAAAAACG	AAACGGATGG	CTGGGTGGCT	1680
GTGGGCACCTA	GGGTGCAAAA	TACCACGTTT	ACCCAAACGG	GTCTGCTGCC	GGGTGTGAAT	1740
TACTTCTTTC	TAATTCGAGC	CGAGAACTCC	CATGGCTTAT	CACTGCCCAG	TCCGATGTCG	1800
GAACCCATTA	CGGTGGGAAC	GCGCTACTTC	AATAGTGGTC	TGGATCTGAG	CGAGGCTCGT	1860
GCCAGTCTGC	TGTCCGAGGA	TGTTGTGGAG	CTGAGCAACG	CCAGTGTGGT	GGACTCCACT	1920
AGCATGAAAC	TCACCTGGCA	GATCATCAAT	GGCAAATACG	TCGAGGGCTT	CTATGTCTAT	1980
GCGAGACAGT	TGCCAAATCC	AATAGTCAAC	AATCCGGCGC	CCGTTACTAG	CAATACCAAT	2040
CCGCTGCTGG	GCTCTACATC	CACATCCGCA	TCCGCATCCG	CCTCGGCATC	GGCATTGATT	2100
TCGACAAAGC	CAAATATTGC	AGCTGCCGGC	AAACGTGATG	GGGAGACAAA	CCAGAGTGGA	2160
GGAGGAGCTC	CGACCCCACT	GAACACCAAG	TATCGCATGC	TAACGATTCT	CAATGGCGGT	2220

GGCGCCTCAT	CCTGCACCAT	CACCGGGCTC	GTCCAGTACA	CGCTGTATGA	ATTTTTCATC	2280
GTGCCATTTT	ACAAATCCGT	CGAGGGCAAG	CCGTCAATT	CGCGCATCGC	TCGCACCCCTT	2340
GAAGATGTTT	CCTCTGAGGC	ACCATATGGA	ATGGAGGCTC	TGCTGTTGAA	CTCCTCCGCG	2400
GTCTTCCTCA	AATGGAAGGC	ACCAGAACTC	AAGGATCGGC	ATGGTGTTCCT	CTTGAACCTAT	2460
CATGTTATAG	TCCGAGGTAT	TGACACTGCC	CACAATTTCT	CACGCATTTT	GACAAATGTC	2520
ACCATCGATG	CCGCTTCGCC	TACTCTGGTT	TTGGCCAATC	TCACCGAAGG	CGTCATGTAC	2580
ACCGTGGGCG	TGGCGGCCCG	AAATAACGCT	GGAGTTGGTC	CTTATTGTGT	CCCAGCTACT	2640
TTGCGTTTGG	ATCCCATCAC	AAAGCGACTC	GATCCGTTCA	TCAATCAGCG	GGACCATGTT	2700
AACGATGTGC	TGACGCAGCC	CTGGTTCATA	ATACTCCTGG	GCGCCATCCT	GGCCGTTCCTT	2760
ATGCTGTCTT	TTGGCGCAAT	GGTCTTTGTG	AAGCGCAAGC	ACATGATGAT	GAAGCAGTCG	2820
GCCCTAAATA	CAATGCGTGG	CAATCACACG	AGCGACGTGC	TCAAAATGCC	GAGTCTATCG	2880
GCGCGCAATG	GAAACGGCTA	CTGGCTGGAC	TCCTCCACCG	GCGGAATGGT	GTGGCGTCCC	2940
TCGCCCGGCG	GCGACTCGCT	GGAGATGCAA	AAGGATCACA	TCGCCGACTA	TGCGCCGGTC	3000
TGCGGTGCCC	CCGGTTCTCC	GGCCGGCGGT	GGCACCTCTT	CCGGTGGATC	CGGTGGCGCG	3060
GGCAGCGGTG	CCAGCGGCGG	CGATGACATT	CATGGAGGAC	ACGGCAGCGA	ACGCAATCAG	3120
CAGCGGTACG	TGGGCGAGTA	CTCCAACATA	CCGACCGACT	ATGCAGAGGT	GTCCAGTTTT	3180
GGCAAGGCAC	CCAGCGAGTA	TGGTCGGCAT	GGCAACGCCT	CCCCGGCCCC	TTATGCCACC	3240
TCTTCGATCC	TGAGTCCCCA	CCAGCAGCAA	CAGCAGCAGC	AGCCGCCTTA	TCAACAGCGA	3300
CCAGTGCCCG	GCTATGGGCT	CCAGCGCCCA	ATGCACCCAC	ACTACCAGCA	GCAGCAGCAT	3360
CAGCAGCAAC	AGGCGCAGCA	GACGCACCAG	CAACACCAGG	CTCTCCAGCA	GCACCAGCAA	3420
CTGCCACCCA	GCAACATCTA	CCAGCAGATG	TCCACCACCA	GCGAGATATA	CCCCACGAAC	3480
ACGGGTCTCT	CGCGCTCTGT	CTACTCTGAG	CAGTATTACT	ACCCCAAGGA	CAAGCAGAGA	3540
CACATCCACA	TCACCGAGAA	CAAGCTGAGC	AACTGCCACA	CCTATGAGGC	GGCTCTGGC	3600
GCCAAGCAGT	CCTCGCCGAT	ATCCTCGCAG	TTGCCAGCG	TGAGGCGGCA	GCAGCTGCCG	3660
CCCAACTGCA	GCATCGGCAG	GGAAAGTGCC	CGCTTCAAGG	TGCTAAACAC	GGATCAGGGC	3720
AAGAACCAGC	AGAATCTCCT	GGATCTCGAC	GGCTCCTCGA	TGTGCTACAA	CGGTCTGGCA	3780
GACTCGGGCT	GCGGTGGATC	TCCCTCCCCG	ATGGCCATGC	TGATGTCGCA	CGAGGACGAG	3840
CACGCGCTGT	ACCACACGGC	GGATGGGGAT	CTGGACGACA	TGGAACGACT	GTACGTCAAG	3900
GTGGACGAGC	AGCAGCCTCC	ACAGCAGCAG	CAGCAGCTGA	TTCCCCTGGT	CCCACAGCAT	3960
CCGGCGGAAG	GTCACCTGCA	GTCCTGGCGG	AATCAGAGCA	CGCGGAGCAG	TCGGAAGAAC	4020
GGCCAGGAAT	GCATCAAGGA	ACCCAGCGAG	TTGATCTACG	CTCCGGGAAG	CGTGGCCAGC	4080
GAACGGAGCC	TCCTCAGCAA	CTCGGGTAGC	GGCACCAGCA	GCCAGCCAGC	TGGCCACAAT	4140
GTCTGA						4146

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1381 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Gly	Glu	Asn	Pro	Arg	Ile	Ile	Glu	His	Pro	Met	Asp	Thr	Thr	Val	Pro
1				5					10					15	
Lys	Asn	Asp	Pro	Phe	Thr	Phe	Asn	Cys	Gln	Ala	Glu	Gly	Asn	Pro	Thr
			20					25					30		
Pro	Thr	Ile	Gln	Trp	Phe	Lys	Asp	Gly	Arg	Glu	Leu	Lys	Thr	Asp	Thr
		35					40					45			
Gly	Ser	His	Arg	Ile	Met	Leu	Pro	Ala	Gly	Gly	Leu	Phe	Phe	Leu	Lys
	50				55						60				
Val	Ile	His	Ser	Arg	Arg	Glu	Ser	Asp	Ala	Gly	Thr	Tyr	Trp	Cys	Glu
65				70					75					80	
Ala	Lys	Asn	Glu	Phe	Gly	Val	Ala	Arg	Ser	Arg	Asn	Ala	Thr	Leu	Gln
				85				90					95		
Val	Ala	Val	Leu	Arg	Asp	Glu	Phe	Arg	Leu	Glu	Pro	Ala	Asn	Thr	Arg
		100						105					110		
Val	Ala	Gln	Gly	Glu	Val	Ala	Leu	Met	Glu	Cys	Gly	Ala	Pro	Arg	Gly
	115						120					125			
Ser	Pro	Glu	Pro	Gln	Ile	Ser	Trp	Arg	Lys	Asn	Gly	Gln	Thr	Leu	Asn
	130					135				140					
Leu	Val	Gly	Asn	Lys	Arg	Ile	Arg	Ile	Val	Asp	Gly	Gly	Asn	Leu	Ala
145			150					155					160		
Ile	Gln	Glu	Ala	Arg	Gln	Ser	Asp	Asp	Gly	Arg	Tyr	Gln	Cys	Val	Val
			165					170				175			
Lys	Asn	Val	Val	Gly	Thr	Arg	Glu	Ser	Ala	Thr	Ala	Phe	Leu	Lys	Val
		180					185					190			
His	Val	Arg	Pro	Phe	Leu	Ile	Arg	Gly	Pro	Gln	Asn	Gln	Thr	Ala	Val
	195					200						205			
Val	Gly	Ser	Ser	Val	Val	Phe	Gln	Cys	Arg	Ile	Gly	Gly	Asp	Pro	Leu
	210					215					220				
Pro	Asp	Val	Leu	Trp	Arg	Arg	Thr	Ala	Ser	Gly	Gly	Asn	Met	Pro	Leu
225			230					235				240			
Arg	Lys	Phe	Ser	Trp	Leu	His	Ser	Ala	Ser	Gly	Arg	Val	His	Val	Leu
		245						250				255			
Glu	Asp	Arg	Ser	Leu	Lys	Leu	Asp	Asp	Val	Thr	Leu	Glu	Asp	Met	Gly
		260						265				270			

Glu Tyr Thr Cys Glu Ala Asp Asn Ala Val Gly Gly Ile Thr Ala Thr
 275 280 285
 Gly Ile Leu Thr Val His Ala Pro Pro Lys Phe Val Ile Arg Pro Lys
 290 295 300
 Asn Gln Leu Val Glu Ile Gly Asp Glu Val Leu Phe Glu Cys Gln Ala
 305 310 315 320
 Asn Gly His Pro Arg Pro Thr Leu Tyr Trp Ser Val Glu Gly Asn Ser
 325 330 335
 Ser Leu Leu Leu Pro Gly Tyr Arg Asp Gly Arg Met Glu Val Thr Leu
 340 345 350
 Thr Pro Glu Gly Arg Ser Val Leu Ser Ile Ala Arg Phe Ala Arg Glu
 355 360 365
 Asp Ser Gly Lys Val Val Thr Cys Asn Ala Leu Asn Ala Val Gly Ser
 370 375 380
 Val Ser Ser Arg Thr Val Val Ser Val Asp Thr Gln Phe Glu Leu Pro
 385 390 395 400
 Pro Pro Ile Ile Glu Gln Gly Pro Val Asn Gln Thr Leu Pro Val Lys
 405 410 415
 Ser Ile Val Val Leu Pro Cys Arg Thr Leu Gly Thr Pro Val Pro Gln
 420 425 430
 Val Ser Trp Tyr Leu Asp Gly Ile Pro Ile Asp Val Gln Glu His Glu
 435 440 445
 Arg Arg Asn Leu Ser Asp Ala Gly Ala Leu Thr Ile Ser Asp Leu Gln
 450 455 460
 Arg His Glu Asp Glu Gly Leu Tyr Thr Cys Val Ala Ser Asn Arg Asn
 465 470 475 480
 Gly Lys Ser Ser Trp Ser Gly Tyr Leu Arg Leu Asp Thr Pro Thr Asn
 485 490 495
 Pro Asn Ile Lys Phe Phe Arg Ala Pro Glu Leu Ser Thr Tyr Pro Gly
 500 505 510
 Pro Pro Gly Lys Pro Gln Met Val Glu Lys Gly Glu Asn Ser Val Thr
 515 520 525
 Leu Ser Trp Thr Arg Ser Asn Lys Val Gly Gly Ser Ser Leu Val Gly
 530 535 540
 Tyr Val Ile Glu Met Phe Gly Lys Asn Glu Thr Asp Gly Trp Val Ala
 545 550 555 560
 Val Gly Thr Arg Val Gln Asn Thr Thr Phe Thr Gln Thr Gly Leu Leu
 565 570 575

Pro Gly Val Asn Tyr Phe Phe Leu Ile Arg Ala Glu Asn Ser His Gly
 580 585 590
 Leu Ser Leu Pro Ser Pro Met Ser Glu Pro Ile Thr Val Gly Thr Arg
 595 600 605
 Tyr Phe Asn Ser Gly Leu Asp Leu Ser Glu Ala Arg Ala Ser Leu Leu
 610 615 620
 Ser Gly Asp Val Val Glu Leu Ser Asn Ala Ser Val Val Asp Ser Thr
 625 630 635 640
 Ser Met Lys Leu Thr Trp Gln Ile Ile Asn Gly Lys Tyr Val Glu Gly
 645 650 655
 Phe Tyr Val Tyr Ala Arg Gln Leu Pro Asn Pro Ile Val Asn Asn Pro
 660 665 670
 Ala Pro Val Thr Ser Asn Thr Asn Pro Leu Leu Gly Ser Thr Ser Thr
 675 680 685
 Ser Ala Ser Ala Ser Ala Ser Ala Ser Ala Leu Ile Ser Thr Lys Pro
 690 695 700
 Asn Ile Ala Ala Ala Gly Lys Arg Asp Gly Glu Thr Asn Gln Ser Gly
 705 710 715 720
 Gly Gly Ala Pro Thr Pro Leu Asn Thr Lys Tyr Arg Met Leu Thr Ile
 725 730 735
 Leu Asn Gly Gly Gly Ala Ser Ser Cys Thr Ile Thr Gly Leu Val Gln
 740 745 750
 Tyr Thr Leu Tyr Glu Phe Phe Ile Val Pro Phe Tyr Lys Ser Val Glu
 755 760 765
 Gly Lys Pro Ser Asn Ser Arg Ile Ala Arg Thr Leu Glu Asp Val Pro
 770 775 780
 Ser Glu Ala Pro Tyr Gly Met Glu Ala Leu Leu Leu Asn Ser Ser Ala
 785 790 795 800
 Val Phe Leu Lys Trp Lys Ala Pro Glu Leu Lys Asp Arg His Gly Val
 805 810 815
 Leu Leu Asn Tyr His Val Ile Val Arg Gly Ile Asp Thr Ala His Asn
 820 825 830
 Phe Ser Arg Ile Leu Thr Asn Val Thr Ile Asp Ala Ala Ser Pro Thr
 835 840 845
 Leu Val Leu Ala Asn Leu Thr Glu Gly Val Met Tyr Thr Val Gly Val
 850 855 860
 Ala Ala Gly Asn Asn Ala Gly Val Gly Pro Tyr Cys Val Pro Ala Thr
 865 870 875 880

Leu Arg Leu Asp Pro Ile Thr Lys Arg Leu Asp Pro Phe Ile Asn Gln
 885 890 895
 Arg Asp His Val Asn Asp Val Leu Thr Gln Pro Trp Phe Ile Ile Leu
 900 905 910
 Leu Gly Ala Ile Leu Ala Val Leu Met Leu Ser Phe Gly Ala Met Val
 915 920 925
 Phe Val Lys Arg Lys His Met Met Met Lys Gln Ser Ala Leu Asn Thr
 930 935 940
 Met Arg Gly Asn His Thr Ser Asp Val Leu Lys Met Pro Ser Leu Ser
 945 950 955 960
 Ala Arg Asn Gly Asn Gly Tyr Trp Leu Asp Ser Ser Thr Gly Gly Met
 965 970 975
 Val Trp Arg Pro Ser Pro Gly Gly Asp Ser Leu Glu Met Gln Lys Asp
 980 985 990
 His Ile Ala Asp Tyr Ala Pro Val Cys Gly Ala Pro Gly Ser Pro Ala
 995 1000 1005
 Gly Gly Gly Thr Ser Ser Gly Gly Ser Gly Gly Ala Gly Ser Gly Ala
 1010 1015 1020
 Ser Gly Gly Asp Asp Ile His Gly Gly His Gly Ser Glu Arg Asn Gln
 1025 1030 1035 1040
 Gln Arg Tyr Val Gly Glu Tyr Ser Asn Ile Pro Thr Asp Tyr Ala Glu
 1045 1050 1055
 Val Ser Ser Phe Gly Lys Ala Pro Ser Glu Tyr Gly Arg His Gly Asn
 1060 1065 1070
 Ala Ser Pro Ala Pro Tyr Ala Thr Ser Ser Ile Leu Ser Pro His Gln
 1075 1080 1085
 Gln Gln Gln Gln Gln Gln Pro Arg Tyr Gln Gln Arg Pro Val Pro Gly
 1090 1095 1100
 Tyr Gly Leu Gln Arg Pro Met His Pro His Tyr Gln Gln Gln Gln His
 1105 1110 1115 1120
 Gln Gln Gln Gln Ala Gln Gln Thr His Gln Gln His Gln Ala Leu Gln
 1125 1130 1135
 Gln His Gln Gln Leu Pro Pro Ser Asn Ile Tyr Gln Gln Met Ser Thr
 1140 1145 1150
 Thr Ser Glu Ile Tyr Pro Thr Asn Thr Gly Pro Ser Arg Ser Val Tyr
 1155 1160 1165
 Ser Glu Gln Tyr Tyr Tyr Pro Lys Asp Lys Gln Arg His Ile His Ile
 1170 1175 1180

Thr Glu Asn Lys Leu Ser Asn Cys His Thr Tyr Glu Ala Ala Pro Gly
 1185 1190 1195 1200
 Ala Lys Gln Ser Ser Pro Ile Ser Ser Gln Phe Ala Ser Val Arg Arg
 1205 1210 1215
 Gln Gln Leu Pro Pro Asn Cys Ser Ile Gly Arg Glu Ser Ala Arg Phe
 1220 1225 1230
 Lys Val Leu Asn Thr Asp Gln Gly Lys Asn Gln Gln Asn Leu Leu Asp
 1235 1240 1245
 Leu Asp Gly Ser Ser Met Cys Tyr Asn Gly Leu Ala Asp Ser Gly Cys
 1250 1255 1260
 Gly Gly Ser Pro Ser Pro Met Ala Met Leu Met Ser His Glu Asp Glu
 1265 1270 1275 1280
 His Ala Leu Tyr His Thr Ala Asp Gly Asp Leu Asp Asp Met Glu Arg
 1285 1290 1295
 Leu Tyr Val Lys Val Asp Glu Gln Gln Pro Pro Gln Gln Gln Gln Gln
 1300 1305 1310
 Leu Ile Pro Leu Val Pro Gln His Pro Ala Glu Gly His Leu Gln Ser
 1315 1320 1325
 Trp Arg Asn Gln Ser Thr Arg Ser Ser Arg Lys Asn Gly Gln Glu Cys
 1330 1335 1340
 Ile Lys Glu Pro Ser Glu Leu Ile Tyr Ala Pro Gly Ser Val Ala Ser
 1345 1350 1355 1360
 Glu Arg Ser Leu Leu Ser Asn Ser Gly Ser Gly Thr Ser Ser Gln Pro
 1365 1370 1375
 Ala Gly His Asn Val
 1380

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3894 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

ATGTACTATC TAGGTTTTTA CCACACTCAC ACACACACAC ACACATACAT AAATTTTGAT	60
AAAATTCCTA ATGCCTCAAA TCTCGCTCCC GTGATAATCG AACATCCCAT CGATGTGGTG	120
GTATCTAGGG GATCGCCAGC AACCTCAAC TGTGGTGCAA AGCCATCTAC CGCCAAAATC	180

ACATGGTACA AGGATGGACA GCCCGTAATC ACGAATAAGG AGCAAGTGAA CAGCCACCGG	240
ATTGTTCTCG ACACGGGATC CCTGTTTCTT CTGAAAGTGA ATAGTGGAAA AAACGGAAAA	300
GACAGCGATG CGGGAGCGTA CTATTGTGTG GCCAGCAACG AGCACGGAGA AGTGAAGTCG	360
AACGAAGGAT CGTTAAATTT GGCGATGCTT CGCGAAGACT TTCGAGTTCG GCCAAGAACA	420
GTTTCAGGCTC TTGGTGGAGA GATGGCCGTT CTGGAATGCA GTCCGCCACG TGGATTCCCG	480
GAGCCGGTTG TGAGCTGGCG GAAAGACGAC AAAGAGCTCC GAATTCAAGA CATGCCACGA	540
TACACTCTAC ACTCTGACGG AAACCTCATC ATTGATCCGG TCGATCGAAG CGATTCTGGT	600
ACTTATCAGT GTGTTGCCAA CAACATGGTC GGAGAACGGG TGTCCAATCC CGCAAGATTG	660
AGTGTCTTTG AGAAACCAAA GTTTGAGCAA GAACCCAAGG ACATGACGGT CGACGTCGGA	720
GCCGCAGTGC TGTTTGATTG TCGTGTGACT GGAGATCCTC AACCACAAAT TACGTGGAAA	780
CGCAAAAATG AGCCGATGCC AGTTACACGT GCATACATTG CCAAGGATAA TCGGGGGTTG	840
AGAATCGAAA GAGTTCAACC ATCAGACGAA GGTGAATACG TTTGCTATGC ACGAAATCCA	900
GCGGGAACTC TTGAAGCATC TGCACATCTT CGTGTCCAGG CACCTCCATC CTTCCAGACA	960
AAACCAGCAG ACCAGTCAGT TCCAGCTGGA GGCACGGCAA CTTTTGAATG CACCTTGGTC	1020
GGTCAACCGA GTCCCGCCTA TTTTGGAGC AAGGAAGGCC AACAGGATCT TCTTTTCCCA	1080
AGTTATGTGT CCGCTGATGG TAGAACGAAA GTTTCACCAA CTGGAACATT GACAATTGAG	1140
GAAGTTCGTC AAGTTGATGA GGGAGCTTAT GTGTGCGCTG GAATGAACTC GGCAGGAAGC	1200
TCGTTGAGCA AGGCAGCTTT GAAAGCAACA TTTGAAACCA AAGGCCGTGT CCAAAAAAAAA	1260
AAGAGCAAAA TGGGCAAACA GAAACAAAAA AATGTTCAAT CAATTATCAA ATATTTAATT	1320
TCAGCCGTGA CCGGAAACAC ACCCGCCAAA CCACCACCAA CAATCGAGCA TGGTCATCAA	1380
AATCAGACCC TTATGGTTGG ATCATCAGCC ATCCTTCCAT GTCAGGCTAG CGGAAAACCA	1440
ACTCCAGGAA TATCATGGCT CAGGGATGGG CTACCTATTG ACATTACAGA TAGTCGTATC	1500
AGTCAACATT CAACGGGAAG TCTACATATT GCCGATTTAA AGAAACCTGA CACCGGAGTT	1560
TACACTTGCA TTGCGAAGAA CGAGGATGGA GAGTCAACAT GGTCGGCATC TCTGACTGTT	1620
GAAGATCACA CTAGCAATGC ACAATTTGTT CGGATGCCGG ATCCATCGAA CTTCCCGTCT	1680
TCTCCAACGC AACCATTAT TGTCAATGTC ACTGATACCG AAGTAGAGCT CCACTGGAAT	1740
GCTCCCTCCA CATCTGGCGC AGGACCAATC ACTGGTTATA TCATTACAGTA CTACAGTCCA	1800
GACCTCGGAC AGACGTGGTT TAACATTCCA GACTACGTGG CATCTACTGA ATATAGAATA	1860
AAGGGTCTGA AACCATCTCA CTCGTATATG TTTGTGATTC GAGCAGAAAA TGAGAAAGGT	1920
ATTGGAACGC CGAGTGTGTC GTCGGCTCTC GTTACCACTA GCAAGCCAGC AGCTCAAGTT	1980
GCGCTTTCTG ACAAGAACAA AATGGACATG GCCATCGCTG AGAAGAGACT CACTTCGGAA	2040
CAACTCATAA AACTCGAGGA AGTGAAGACT ATTAATTCTA CGGCCGTTCTG TTTGTTCTGG	2100
AAGAAGAGGA AACTTGAAGA GCTGATTGAT GGTACTACATA TCAAGTGGAG AGGGCCTCCA	2160
AGAACCAATG ATAATCAATA CGTGAATGTG ACCAGCCCTA GCACCGAAAA CTATGTTGTT	2220
TCAAATTTAA TGCCATTAC CAACTATGAG TTTTTCGTGA TTCCTTATCA TTCCGGAGTT	2280
CATAGTATTC ATGGAGCACC GAGTAATTCC ATGGACGTGT TGACCGCCGA AGCTCCACCT	2340
TCATTGCCAC CAGAGGATGT GCGAATCCGT ATGCTCAACC TGACCACTCT TCGTATCTCT	2400
TGGAAAGCAC CAAAAGCCGA CGGCATCAAC GGAATTCTCA AAGGATTCCA AATTGTTATT	2460

GTTGGTCAAG CGCCCAACAA CAATCGGAAC ATCACTACAA ACGAGAGAGC TGCCAGTGTT 2520
 ACTCTGTTCC ATTTAGTGAC TGGAATGACG TATAAAATTC GTGTAGCGGC TAGAAGCAAT 2580
 GGTGGAGTTG GAGTCTCACA TGGAACGAGT GAAGTCATCA TGAATCAAGA CACGCTGGAA 2640
 AAACACCTTG CTGCTCAACA AGAAAACGAA TCATTTTTGT ATGGGCTGAT CAATAAATCT 2700
 CATGTTCCCTG TGATTGTCAT TGTTGCAATT CTGATTATTT TCGTAGTCAT CATTATAGCC 2760
 TATTGTTACT GGAGGAATAG CAGAAACAGT GATGGAAAGG ATCGAAGTTT TATAAAGATC 2820
 AATGATGGAA GTGTTTCATAT GGCTTCGAAT AATCTTTGGG ATGTTGCACA AAATCCGAAT 2880
 CAGAATCCAA TGTACAACAC TGCTGGAAGA ATGACTATGA ACAATAGAAA TGGCCAGGCT 2940
 CTCTATTCGC TGACACCAAA TGCGCAAGAC TTTTTCACAA ATTGTGATGA CTACAGTGGA 3000
 ACGATGCACA GACCAGGATC CGAGCATCAC TATCATTATG CTCAACTGAC TGGCGGACCT 3060
 GGTAAATGCGA TGTCTACTTT TTATGGAAAC CAATATCACG ATGATCCATC TCCATATGCC 3120
 ACCACAACAC TGGTCTGTG GAACCAACAA CCAGCTTGGC TCAATGACAA AATGCTTCGC 3180
 GCGCCAGCAA TGCCAACAAA TCCCGTGCCA CCAGAGCCAC CGGCGCGATA TGCAGATCAT 3240
 ACCGCTGGAA GACGATCTCG ATCGAGCCGT GCATCCGATG GGAGAGGAAC TCTGAATGGC 3300
 GGACTCCATC ACCGGACTAG CGGAAGTCAA CGGTCCGATA GTCCACCTCA CACAGATGTG 3360
 AGCTATGTTT AGCTTCACTC ATCCGATGGA ACTGGTAGTA GTAAGGAAAG AACTGGGGAG 3420
 CGGAGAACAC CACCGAATAA GACTCTGATG GACTTTATTC CGCCACCACC TTCCAATCCA 3480
 CCACCACCTG GAGGGCACGT TTATGACACA GCAACTAGGC GTCAGTTGAA TCGTGAAGT 3540
 ACTCCACGAG AAGACACCTA CGATTCGGTC AGTGACGGAG CTTTTGCTCG GGTTGATGTG 3600
 AATGCAAGGC CAACGAGTCG GAATCGGAAT TTGGGAGGAA GGCCGCTGAA AGGGAAACGA 3660
 GACGACGATA GTCAGCGGTC TTCGTTGATG ATGGACGATG ATGGTGGATC TTCTGAAGCT 3720
 GACGGGGAGA ACTCTGAAGG AGACGTTCCG CGTGGAGGTG TTAGAAAAGC AGTTCCTCGA 3780
 ATGGGTATCT CTGCAAGTAC GCTGGCTCAT AGTTGTTACG GGACAAACGG CACTGCTCAA 3840
 CGATTCCGGT CAATTCCACG TAACAATGGA ATCGTCACAC AAGAACAAAC TTGA 3894

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1297 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Tyr Tyr Leu Gly Phe Tyr His Thr His Thr His Thr Tyr
 1 5 10 15
 Ile Asn Phe Asp Lys Ile Pro Asn Ala Ser Asn Leu Ala Pro Val Ile
 20 25 30
 Ile Glu His Pro Ile Asp Val Val Val Ser Arg Gly Ser Pro Ala Thr

35	40	45
Leu Asn Cys Gly Ala Lys	Pro Ser Thr Ala Lys	Ile Thr Trp Tyr Lys
50	55	60
Asp Gly Gln Pro Val Ile	Thr Asn Lys Glu Gln Val	Asn Ser His Arg
65	70	75
Ile Val Leu Asp Thr Gly	Ser Leu Phe Leu Leu Lys	Val Asn Ser Gly
85	90	95
Lys Asn Gly Lys Asp Ser	Asp Ala Gly Ala Tyr Tyr	Cys Val Ala Ser
100	105	110
Asn Glu His Gly Glu Val	Lys Ser Asn Glu Gly Ser	Leu Lys Leu Ala
115	120	125
Met Leu Arg Glu Asp Phe	Arg Val Arg Pro Arg Thr	Val Gln Ala Leu
130	135	140
Gly Gly Glu Met Ala Val	Leu Glu Cys Ser Pro Pro	Arg Gly Phe Pro
145	150	155
Glu Pro Val Val Ser Trp	Arg Lys Asp Asp Lys Glu	Leu Arg Ile Gln
165	170	175
Asp Met Pro Arg Tyr Thr	Leu His Ser Asp Gly Asn	Leu Ile Ile Asp
180	185	190
Pro Val Asp Arg Ser Asp	Ser Gly Thr Tyr Gln Cys	Val Ala Asn Asn
195	200	205
Met Val Gly Glu Arg Val	Ser Asn Pro Ala Arg Leu	Ser Val Phe Glu
210	215	220
Lys Pro Lys Phe Glu Gln	Glu Pro Lys Asp Met Thr	Val Asp Val Gly
225	230	235
Ala Ala Val Leu Phe Asp	Cys Arg Val Thr Gly Asp	Pro Gln Pro Gln
245	250	255
Ile Thr Trp Lys Arg Lys	Asn Glu Pro Met Pro Val	Thr Arg Ala Tyr
260	265	270
Ile Ala Lys Asp Asn Arg	Gly Leu Arg Ile Glu Arg	Val Gln Pro Ser
275	280	285
Asp Glu Gly Glu Tyr Val	Cys Tyr Ala Arg Asn Pro	Ala Gly Thr Leu
290	295	300
Glu Ala Ser Ala His Leu	Arg Val Gln Ala Pro Pro	Ser Phe Gln Thr
305	310	315
Lys Pro Ala Asp Gln Ser	Val Pro Ala Gly Gly Thr	Ala Thr Phe Glu
325	330	335
Cys Thr Leu Val Gly Gln	Pro Ser Pro Ala Tyr Phe	Trp Ser Lys Glu

039117-1447

	340		345		350
Gly	Gln	Gln	Asp	Leu	Leu
				Phe	Pro
				Ser	Tyr
				Val	Ser
				Ala	Asp
				Gly	Arg
	355		360		365
Thr	Lys	Val	Ser	Pro	Thr
				Gly	Thr
				Leu	Thr
				Ile	Glu
				Glu	Val
				Arg	Gln
	370		375		380
Val	Asp	Glu	Gly	Ala	Tyr
				Val	Cys
				Ala	Gly
				Met	Asn
				Ser	Ala
				Gly	Ser
385			390		395
					400
Ser	Leu	Ser	Lys	Ala	Ala
				Leu	Lys
				Ala	Thr
				Phe	Glu
				Thr	Lys
				Gly	Arg
	405		410		415
Val	Gln	Lys	Lys	Lys	Ser
				Lys	Met
				Gly	Lys
				Gln	Lys
				Gln	Lys
				Asn	Val
	420		425		430
Gln	Ser	Ile	Ile	Lys	Tyr
				Leu	Ile
				Ser	Ala
				Val	Thr
				Gly	Asn
				Thr	Pro
	435		440		445
Ala	Lys	Pro	Pro	Pro	Thr
				Ile	Glu
				His	Gly
				His	Gln
				Asn	Gln
				Thr	Leu
	450		455		460
Met	Val	Gly	Ser	Ser	Ala
				Ile	Leu
				Pro	Cys
				Gln	Ala
				Ser	Gly
				Lys	Pro
465			470		475
					480
Thr	Pro	Gly	Ile	Ser	Trp
				Leu	Arg
				Asp	Gly
				Leu	Pro
				Ile	Asp
				Ile	Thr
	485		490		495
Asp	Ser	Arg	Ile	Ser	Gln
				His	Ser
				Thr	Gly
				Ser	Leu
				His	Ile
				Ala	Asp
	500		505		510
Leu	Lys	Lys	Pro	Asp	Thr
				Gly	Val
				Tyr	Thr
				Cys	Ile
				Ala	Lys
				Asn	Glu
	515		520		525
Asp	Gly	Glu	Ser	Thr	Trp
				Ser	Ala
				Ser	Leu
				Thr	Val
				Glu	Asp
				His	Thr
	530		535		540
Ser	Asn	Ala	Gln	Phe	Val
				Arg	Met
				Pro	Asp
				Pro	Ser
				Asn	Phe
				Pro	Ser
545			550		555
					560
Ser	Pro	Thr	Gln	Pro	Ile
				Ile	Val
				Asn	Val
				Thr	Asp
				Thr	Glu
				Val	Glu
	565		570		575
Leu	His	Trp	Asn	Ala	Pro
				Ser	Thr
				Ser	Gly
				Ala	Gly
				Pro	Ile
				Thr	Gly
	580		585		590
Tyr	Ile	Ile	Gln	Tyr	Tyr
				Ser	Pro
				Asp	Leu
				Gly	Gln
				Thr	Trp
				Phe	Asn
	595		600		605
Ile	Pro	Asp	Tyr	Val	Ala
				Ser	Thr
				Glu	Tyr
				Arg	Ile
				Lys	Gly
				Leu	Lys
	610		615		620
Pro	Ser	His	Ser	Tyr	Met
				Phe	Val
				Ile	Arg
				Ala	Glu
				Asn	Glu
				Lys	Gly
625			630		635
					640
Ile	Gly	Thr	Pro	Ser	Val
				Ser	Ser
				Ala	Leu
				Val	Thr
				Thr	Ser
				Lys	Pro

	645		650		655
Ala Ala Gln Val	Ala Leu Ser Asp Lys Asn Lys Met Asp Met Ala Ile				
	660		665		670
Ala Glu Lys Arg Leu Thr Ser Glu Gln Leu Ile Lys Leu Glu Glu Val					
	675		680		685
Lys Thr Ile Asn Ser Thr Ala Val Arg Leu Phe Trp Lys Lys Arg Lys					
	690		695		700
Leu Glu Glu Leu Ile Asp Gly Tyr Tyr Ile Lys Trp Arg Gly Pro Pro					
705		710		715	720
Arg Thr Asn Asp Asn Gln Tyr Val Asn Val Thr Ser Pro Ser Thr Glu					
	725		730		735
Asn Tyr Val Val Ser Asn Leu Met Pro Phe Thr Asn Tyr Glu Phe Phe					
	740		745		750
Val Ile Pro Tyr His Ser Gly Val His Ser Ile His Gly Ala Pro Ser					
	755		760		765
Asn Ser Met Asp Val Leu Thr Ala Glu Ala Pro Pro Ser Leu Pro Pro					
	770		775		780
Glu Asp Val Arg Ile Arg Met Leu Asn Leu Thr Thr Leu Arg Ile Ser					
785		790		795	800
Trp Lys Ala Pro Lys Ala Asp Gly Ile Asn Gly Ile Leu Lys Gly Phe					
	805		810		815
Gln Ile Val Ile Val Gly Gln Ala Pro Asn Asn Asn Arg Asn Ile Thr					
	820		825		830
Thr Asn Glu Arg Ala Ala Ser Val Thr Leu Phe His Leu Val Thr Gly					
	835		840		845
Met Thr Tyr Lys Ile Arg Val Ala Ala Arg Ser Asn Gly Gly Val Gly					
	850		855		860
Val Ser His Gly Thr Ser Glu Val Ile Met Asn Gln Asp Thr Leu Glu					
865		870		875	880
Lys His Leu Ala Ala Gln Gln Glu Asn Glu Ser Phe Leu Tyr Gly Leu					
	885		890		895
Ile Asn Lys Ser His Val Pro Val Ile Val Ile Val Ala Ile Leu Ile					
	900		905		910
Ile Phe Val Val Ile Ile Ile Ala Tyr Cys Tyr Trp Arg Asn Ser Arg					
	915		920		925
Asn Ser Asp Gly Lys Asp Arg Ser Phe Ile Lys Ile Asn Asp Gly Ser					
	930		935		940
Val His Met Ala Ser Asn Asn Leu Trp Asp Val Ala Gln Asn Pro Asn					

945		950		955		960
Gln Asn Pro Met Tyr Asn Thr Ala Gly Arg Met Thr Met Asn Asn Arg						
	965		970		975	
Asn Gly Gln Ala Leu Tyr Ser Leu Thr Pro Asn Ala Gln Asp Phe Phe						
	980		985		990	
Asn Asn Cys Asp Asp Tyr Ser Gly Thr Met His Arg Pro Gly Ser Glu						
	995		1000		1005	
His His Tyr His Tyr Ala Gln Leu Thr Gly Gly Pro Gly Asn Ala Met						
	1010		1015		1020	
Ser Thr Phe Tyr Gly Asn Gln Tyr His Asp Asp Pro Ser Pro Tyr Ala						
	1025		1030		1035	1040
Thr Thr Thr Leu Val Leu Ser Asn Gln Gln Pro Ala Trp Leu Asn Asp						
	1045		1050		1055	
Lys Met Leu Arg Ala Pro Ala Met Pro Thr Asn Pro Val Pro Pro Glu						
	1060		1065		1070	
Pro Pro Ala Arg Tyr Ala Asp His Thr Ala Gly Arg Arg Ser Arg Ser						
	1075		1080		1085	
Ser Arg Ala Ser Asp Gly Arg Gly Thr Leu Asn Gly Gly Leu His His						
	1090		1095		1100	
Arg Thr Ser Gly Ser Gln Arg Ser Asp Ser Pro Pro His Thr Asp Val						
	1105		1110		1115	1120
Ser Tyr Val Gln Leu His Ser Ser Asp Gly Thr Gly Ser Ser Lys Glu						
	1125		1130		1135	
Arg Thr Gly Glu Arg Arg Thr Pro Pro Asn Lys Thr Leu Met Asp Phe						
	1140		1145		1150	
Ile Pro Pro Pro Pro Ser Asn Pro Pro Pro Pro Gly Gly His Val Tyr						
	1155		1160		1165	
Asp Thr Ala Thr Arg Arg Gln Leu Asn Arg Gly Ser Thr Pro Arg Glu						
	1170		1175		1180	
Asp Thr Tyr Asp Ser Val Ser Asp Gly Ala Phe Ala Arg Val Asp Val						
	1185		1190		1195	1200
Asn Ala Arg Pro Thr Ser Arg Asn Arg Asn Leu Gly Gly Arg Pro Leu						
	1205		1210		1215	
Lys Gly Lys Arg Asp Asp Asp Ser Gln Arg Ser Ser Leu Met Met Asp						
	1220		1225		1230	
Asp Asp Gly Gly Ser Ser Glu Ala Asp Gly Glu Asn Ser Glu Gly Asp						
	1235		1240		1245	
Val Pro Arg Gly Gly Val Arg Lys Ala Val Pro Arg Met Gly Ile Ser						

1250	1255	1260	
Ala Ser Thr Leu Ala His Ser Cys Tyr Gly Thr Asn Gly Thr Ala Gln			
1265	1270	1275	1280
Arg Phe Arg Ser Ile Pro Arg Asn Asn Gly Ile Val Thr Gln Glu Gln			
	1285	1290	1295
Thr			

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4956 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

ATGAAATGGA AACATGTTCC TTTTGTGGTC ATGATATCAC TCCTCAGCTT ATCCCCAAAT	60
CACCTGTTTC TGGCCCAGCT TATTCCAGAC CCTGAAGATG TAGAGAGGGG GAACGACCAC	120
GGGACGCCAA TCCCCACCTC TGATAACGAT GACAATTCGC TGGGCTATAC AGGCTCCCGT	180
CTTCGTCAGG AAGATTTTCC ACCTCGCATT GTTGAACACC CTTCAGACCT GATTGTCTCA	240
AAAGGAGAAC CTGCAACTTT GAACTGCAAA GCTGAAGGCC GCCCCACACC CACTATTGAA	300
TGGTACAAAG GGGGAGAGAG AGTGGAGACA GACAAAGATG ACCCTCGCTC ACACCGAATG	360
TTGCTGCCGA GTGGATCTTT ATTTTCTTA CGTATAGTAC ATGGACGGAA AAGTAGACCT	420
GATGAAGGAG TCTATGTCTG TGTAGCAAGG AATTACCTTG GAGAGGCTGT GAGCCACAAT	480
GCATCGCTGG AAGTAGCCAT ACTTCGGGAT GACTTCAGAC AAAACCCTTC GGATGTCATG	540
GTTGCAGTAG GAGAGCCTGC AGTAATGGAA TGCCAACCTC CACGAGGCCA TCCTGAGCCC	600
ACCATTTTCAT GGAAGAAAGA TGGCTCTCCA CTGGATGATA AAGATGAAAG AATAACTATA	660
CGAGGAGGAA AGCTCATGAT CACTTACACC CGTAAAAGTG ACGCTGGCAA ATATGTTTGT	720
GTTGGTACCA ATATGGTTGG GGAACGTGAG AGTGAAGTAG CCGAGCTGAC TGTCTTAGAG	780
AGACCATCAT TTGTGAAGAG ACCCAGTAAC TTGGCAGTAA CTGTGGATGA CAGTGCAGAA	840
TTTAAATGTG AGGCCCCGAG TGACCTGTGA CCTACAGTAC GATGGAGGAA AGATGATGGA	900
GAGCTGCCCCA AATCCAGATA TGAAATCCGA GATGATCATA CCTTGAAAAT TAGGAAGGTG	960
ACAGCTGGTG ACATGGGTTC ATACACTTGT GTTGCAGAAA ATATGGTGGG CAAAGCTGAA	1020
GCATCTGCTA CTCTGACTGT TCAAGAACCT CCACATTTTG TTGTGAAACC CCGTGACCAG	1080
GTTGTTGCTT TGGGACGGAC TGTAACTTT CAGTGTGAAG CAACCGGAAA TCCTCAACCA	1140
GCTATTTTCT GGAGGAGAGA AGGGAGTCAG AATCTACTTT TCTCATATCA ACCACCACAG	1200
TCATCCAGCC GATTTTTCAGT CTCCCAGACT GGCGACCTCA CAATTACTAA TGTCACGCGA	1260
TCTGATGTTG GTTATTACAT CTGCCAGACT TTAAATGTTG CTGGAAGCAT CATCACAAAG	1320
GCATATTTGG AAGTTACAGA TGTGATTGCA GATCGGCCTC CCCAGTTAT TCGACAAGGT	1380

GCAAGGATGT	ATTTGCAACA	AGATGAATTA	GAAGAGGAGG	AAGATGAACG	AGGCCCCACT	3720
CCCCCTGTTC	GGGGAGCAGC	TTCTTCTCCA	GCTGCCGTGT	CCTATAGCCA	TCAGTCCACT	3780
GCCACTCTGA	CTCCCTCCCC	ACAGGAAGAA	CTCCAGCCCA	TGTTACAGGA	TTGTCCAGAG	3840
GAGACTGGCC	ACATGCAGCA	CCAGCCCGAC	AGGAGACGGC	AGCCTGTGAG	TCCTCCTCCA	3900
CCACCACGGC	CGATCTCCCC	TCCACATACC	TATGGCTACA	TTTCAGGACC	CCTGGTCTCA	3960
GATATGGATA	CGGATGCGCC	AGAAGAGGAA	GAAGACGAAG	CCGACATGGA	GGTAGCCAAG	4020
ATGCAAACCA	GAAGGCTTTT	GTTACGTGGG	CTTGAGCAGA	CACCTGCCTC	CAGTGTTGGG	4080
GACCTGGAGA	GCTCTGTCAC	GGGGTCCATG	ATCAACGGCT	GGGGCTCAGC	CTCAGAGGAG	4140
GACAACATTT	CCAGCGGACG	CTCCAGTGTT	AGTTCTTCGG	ACGGCTCCTT	TTTCACTGAT	4200
GCTGACTTTG	CCCAGGCAGT	CGCAGCAGCG	GCAGAGTATG	CTGGTCTGAA	AGTAGCACGA	4260
CGGCAAATGC	AGGATGCTGC	TGGCCGTCGA	CATTTTTCATG	CGTCTCAGTG	CCCTAGGCCC	4320
ACAAGTCCCG	TGTCTACAGA	CAGCAACATG	AGTGCCGCCG	TAATGCAGAA	AACCAGACCA	4380
GCCAAGAAAC	TGAAACACCA	GCCAGGACAT	CTGCGCAGAG	AAACCTACAC	AGATGATCTT	4440
CCACCACCTC	CTGTGCCGCC	ACCTGCTATA	AAGTCACCTA	CTGCCCAATC	CAAGACACAG	4500
CTGGAAGTAC	GACCTGTAGT	GGTGCCAAAA	CTCCCTTCTA	TGGATGCAAG	AACAGACAGA	4560
TCATCAGACA	GAAAAGGAAG	CAGTTACAAG	GGGAGAGAAG	TGTTGGATGG	AAGACAGGTT	4620
GTTGACATGC	GAACAAATCC	AGGTGATCCC	AGAGAAGCAC	AGGAACAGCA	AAATGACGGG	4680
AAAGGACGTG	GAAACAAGGC	AGCAAAACGA	GACCTTCCAC	CAGCAAAGAC	TCATCTCATC	4740
CAAGAGGATA	TTCTACCTTA	TTGTAGACCT	ACTTTTCCAA	CATCAAATAA	TCCCAGAGAT	4800
CCCAGTTCCT	CAAGCTCAAT	GTCATCAAGA	GGATCAGGAA	GCAGACAAAG	AGAACAAGCA	4860
AATGTAGGTC	GAAGAAATAT	TGCAGAAATG	CAGGTACTTG	GAGGATATGA	AAGAGGAGAA	4920
GATAATAATG	AAGAATTAGA	GGAAACTGAA	AGCTGA			4956

50		55		60	
Asp Phe Pro Pro Arg Ile Val Glu His Pro Ser Asp Leu Ile Val Ser					
65		70		75	80
Lys Gly Glu Pro Ala Thr Leu Asn Cys Lys Ala Glu Gly Arg Pro Thr					
	85		90		95
Pro Thr Ile Glu Trp Tyr Lys Gly Gly Glu Arg Val Glu Thr Asp Lys					
	100		105		110
Asp Asp Pro Arg Ser His Arg Met Leu Leu Pro Ser Gly Ser Leu Phe					
	115		120		125
Phe Leu Arg Ile Val His Gly Arg Lys Ser Arg Pro Asp Glu Gly Val					
	130		135		140
Tyr Val Cys Val Ala Arg Asn Tyr Leu Gly Glu Ala Val Ser His Asn					
145		150		155	160
Ala Ser Leu Glu Val Ala Ile Leu Arg Asp Asp Phe Arg Gln Asn Pro					
	165		170		175
Ser Asp Val Met Val Ala Val Gly Glu Pro Ala Val Met Glu Cys Gln					
	180		185		190
Pro Pro Arg Gly His Pro Glu Pro Thr Ile Ser Trp Lys Lys Asp Gly					
	195		200		205
Ser Pro Leu Asp Asp Lys Asp Glu Arg Ile Thr Ile Arg Gly Gly Lys					
	210		215		220
Leu Met Ile Thr Tyr Thr Arg Lys Ser Asp Ala Gly Lys Tyr Val Cys					
225		230		235	240
Val Gly Thr Asn Met Val Gly Glu Arg Glu Ser Glu Val Ala Glu Leu					
	245		250		255
Thr Val Leu Glu Arg Pro Ser Phe Val Lys Arg Pro Ser Asn Leu Ala					
	260		265		270
Val Thr Val Asp Asp Ser Ala Glu Phe Lys Cys Glu Ala Arg Gly Asp					
	275		280		285
Pro Val Pro Thr Val Arg Trp Arg Lys Asp Asp Gly Glu Leu Pro Lys					
	290		295		300
Ser Arg Tyr Glu Ile Arg Asp Asp His Thr Leu Lys Ile Arg Lys Val					
305		310		315	320
Thr Ala Gly Asp Met Gly Ser Tyr Thr Cys Val Ala Glu Asn Met Val					
	325		330		335
Gly Lys Ala Glu Ala Ser Ala Thr Leu Thr Val Gln Glu Pro Pro His					
	340		345		350
Phe Val Val Lys Pro Arg Asp Gln Val Val Ala Leu Gly Arg Thr Val					

355 360 365
 Thr Phe Gln Cys Glu Ala Thr Gly Asn Pro Gln Pro Ala Ile Phe Trp
 370 375 380
 Arg Arg Glu Gly Ser Gln Asn Leu Leu Phe Ser Tyr Gln Pro Pro Gln
 385 390 395 400
 Ser Ser Ser Arg Phe Ser Val Ser Gln Thr Gly Asp Leu Thr Ile Thr
 405 410 415
 Asn Val Gln Arg Ser Asp Val Gly Tyr Tyr Ile Cys Gln Thr Leu Asn
 420 425 430
 Val Ala Gly Ser Ile Ile Thr Lys Ala Tyr Leu Glu Val Thr Asp Val
 435 440 445
 Ile Ala Asp Arg Pro Pro Pro Val Ile Arg Gln Gly Pro Val Asn Gln
 450 455 460
 Thr Val Ala Val Asp Gly Thr Phe Val Leu Ser Cys Val Ala Thr Gly
 465 470 475 480
 Ser Pro Val Pro Thr Ile Leu Trp Arg Lys Asp Gly Val Leu Val Ser
 485 490 495
 Thr Gln Asp Ser Arg Ile Lys Gln Leu Glu Asn Gly Val Leu Gln Ile
 500 505 510
 Arg Tyr Ala Lys Leu Gly Asp Thr Gly Arg Tyr Thr Cys Ile Ala Ser
 515 520 525
 Thr Pro Ser Gly Glu Ala Thr Trp Ser Ala Tyr Ile Glu Val Gln Glu
 530 535 540
 Phe Gly Val Pro Val Gln Pro Pro Arg Pro Thr Asp Pro Asn Leu Ile
 545 550 555 560
 Pro Ser Ala Pro Ser Lys Pro Glu Val Thr Asp Val Ser Arg Asn Thr
 565 570 575
 Val Thr Leu Ser Trp Gln Pro Asn Leu Asn Ser Gly Ala Thr Pro Thr
 580 585 590
 Ser Tyr Ile Ile Glu Ala Phe Ser His Ala Ser Gly Ser Ser Trp Gln
 595 600 605
 Thr Val Ala Glu Asn Val Lys Thr Glu Thr Ser Ala Ile Lys Gly Leu
 610 615 620
 Lys Pro Asn Ala Ile Tyr Leu Phe Leu Val Arg Ala Ala Asn Ala Tyr
 625 630 635 640
 Gly Ile Ser Asp Pro Ser Gln Ile Ser Asp Pro Val Lys Thr Gln Asp
 645 650 655
 Val Leu Pro Thr Ser Gln Gly Val Asp His Lys Gln Val Gln Arg Glu

660	665	670
Leu Gly Asn Ala Val	Leu His Leu His Asn Pro Thr Val	Leu Ser Ser
675	680	685
Ser Ser Ile Glu Val	His Trp Thr Val Asp Gln Gln Ser	Gln Tyr Ile
690	695	700
Gln Gly Tyr Lys Ile	Leu Tyr Arg Pro Ser Gly Ala Asn His	Gly Glu
705	710	715
Ser Asp Trp Leu Val	Phe Glu Val Arg Thr Pro Ala Lys Asn	Ser Val
725	730	735
Val Ile Pro Asp Leu	Arg Lys Gly Val Asn Tyr Glu Ile	Lys Ala Arg
740	745	750
Pro Phe Phe Asn Glu	Phe Gln Gly Ala Asp Ser Glu Ile	Lys Phe Ala
755	760	765
Lys Thr Leu Glu Glu	Ala Pro Ser Ala Pro Pro Gln Gly	Val Thr Val
770	775	780
Ser Lys Asn Asp Gly	Asn Gly Thr Ala Ile Leu Val Ser	Trp Gln Pro
785	790	795
Pro Pro Glu Asp Thr	Gln Asn Gly Met Val Gln Glu Tyr	Lys Val Trp
805	810	815
Cys Leu Gly Asn Glu	Thr Arg Tyr His Ile Asn Lys Thr	Val Asp Gly
820	825	830
Ser Thr Phe Ser Val	Val Ile Pro Phe Leu Val Pro Gly	Ile Arg Tyr
835	840	845
Ser Val Glu Val Ala	Ala Ser Thr Gly Ala Gly Ser Gly	Val Lys Ser
850	855	860
Glu Pro Gln Phe Ile	Gln Leu Asp Ala His Gly Asn Pro	Val Ser Pro
865	870	875
Glu Asp Gln Val Ser	Leu Ala Gln Gln Ile Ser Asp Val	Val Lys Gln
885	890	895
Pro Ala Phe Ile Ala	Gly Ile Gly Ala Ala Cys Trp Ile	Ile Leu Met
900	905	910
Val Phe Ser Ile Trp	Leu Tyr Arg His Arg Lys Lys Arg	Asn Gly Leu
915	920	925
Thr Ser Thr Tyr Ala	Gly Ile Arg Lys Val Pro Ser Phe	Thr Phe Thr
930	935	940
Pro Thr Val Thr Tyr	Gln Arg Gly Gly Glu Ala Val Ser	Ser Gly Gly
945	950	955
Arg Pro Gly Leu Leu	Asn Ile Ser Glu Pro Ala Ala Gln	Pro Trp Leu

	965	970	975
Ala Asp Thr Trp Pro Asn Thr Gly Asn Asn His Asn Asp Cys Ser Ile			
	980	985	990
Ser Cys Cys Thr Ala Gly Asn Gly Asn Ser Asp Ser Asn Leu Thr Thr			
	995	1000	1005
Tyr Ser Arg Pro Ala Asp Cys Ile Ala Asn Tyr Asn Asn Gln Leu Asp			
	1010	1015	1020
Asn Lys Gln Thr Asn Leu Met Leu Pro Glu Ser Thr Val Tyr Gly Asp			
1025	1030	1035	1040
Val Asp Leu Ser Asn Lys Ile Asn Glu Met Lys Thr Phe Asn Ser Pro			
	1045	1050	1055
Asn Leu Lys Asp Gly Arg Phe Val Asn Pro Ser Gly Gln Pro Thr Pro			
	1060	1065	1070
Tyr Ala Thr Thr Gln Leu Ile Gln Ser Asn Leu Ser Asn Asn Met Asn			
	1075	1080	1085
Asn Gly Ser Gly Asp Ser Gly Glu Lys His Trp Lys Pro Leu Gly Gln			
1090	1095	1100	
Gln Lys Gln Glu Val Ala Pro Val Gln Tyr Asn Ile Val Glu Gln Asn			
1105	1110	1115	1120
Lys Leu Asn Lys Asp Tyr Arg Ala Asn Asp Thr Val Pro Pro Thr Ile			
	1125	1130	1135
Pro Tyr Asn Gln Ser Tyr Asp Gln Asn Thr Gly Gly Ser Tyr Asn Ser			
	1140	1145	1150
Ser Asp Arg Gly Ser Ser Thr Ser Gly Ser Gln Gly His Lys Lys Gly			
	1155	1160	1165
Ala Arg Thr Pro Lys Val Pro Lys Gln Gly Gly Met Asn Trp Ala Asp			
	1170	1175	1180
Leu Leu Pro Pro Pro Pro Ala His Pro Pro Pro His Ser Asn Ser Glu			
1185	1190	1195	1200
Glu Tyr Asn Ile Ser Val Asp Glu Ser Tyr Asp Gln Glu Met Pro Cys			
	1205	1210	1215
Pro Val Pro Pro Ala Arg Met Tyr Leu Gln Gln Asp Glu Leu Glu Glu			
	1220	1225	1230
Glu Glu Asp Glu Arg Gly Pro Thr Pro Pro Val Arg Gly Ala Ala Ser			
	1235	1240	1245
Ser Pro Ala Ala Val Ser Tyr Ser His Gln Ser Thr Ala Thr Leu Thr			
	1250	1255	1260
Pro Ser Pro Gln Glu Glu Leu Gln Pro Met Leu Gln Asp Cys Pro Glu			

1265	1270	1275	1280
Glu Thr Gly His Met Gln His Gln Pro Asp Arg Arg Arg Gln Pro Val			
1285	1290	1295	
Ser Pro Pro Pro Pro Pro Arg Pro Ile Ser Pro Pro His Thr Tyr Gly			
1300	1305	1310	
Tyr Ile Ser Gly Pro Leu Val Ser Asp Met Asp Thr Asp Ala Pro Glu			
1315	1320	1325	
Glu Glu Glu Asp Glu Ala Asp Met Glu Val Ala Lys Met Gln Thr Arg			
1330	1335	1340	
Arg Leu Leu Leu Arg Gly Leu Glu Gln Thr Pro Ala Ser Ser Val Gly			
1345	1350	1355	1360
Asp Leu Glu Ser Ser Val Thr Gly Ser Met Ile Asn Gly Trp Gly Ser			
1365	1370	1375	
Ala Ser Glu Glu Asp Asn Ile Ser Ser Gly Arg Ser Ser Val Ser Ser			
1380	1385	1390	
Ser Asp Gly Ser Phe Phe Thr Asp Ala Asp Phe Ala Gln Ala Val Ala			
1395	1400	1405	
Ala Ala Ala Glu Tyr Ala Gly Leu Lys Val Ala Arg Arg Gln Met Gln			
1410	1415	1420	
Asp Ala Ala Gly Arg Arg His Phe His Ala Ser Gln Cys Pro Arg Pro			
1425	1430	1435	1440
Thr Ser Pro Val Ser Thr Asp Ser Asn Met Ser Ala Ala Val Met Gln			
1445	1450	1455	
Lys Thr Arg Pro Ala Lys Lys Leu Lys His Gln Pro Gly His Leu Arg			
1460	1465	1470	
Arg Glu Thr Tyr Thr Asp Asp Leu Pro Pro Pro Pro Val Pro Pro Pro			
1475	1480	1485	
Ala Ile Lys Ser Pro Thr Ala Gln Ser Lys Thr Gln Leu Glu Val Arg			
1490	1495	1500	
Pro Val Val Val Pro Lys Leu Pro Ser Met Asp Ala Arg Thr Asp Arg			
1505	1510	1515	1520
Ser Ser Asp Arg Lys Gly Ser Ser Tyr Lys Gly Arg Glu Val Leu Asp			
1525	1530	1535	
Gly Arg Gln Val Val Asp Met Arg Thr Asn Pro Gly Asp Pro Arg Glu			
1540	1545	1550	
Ala Gln Glu Gln Gln Asn Asp Gly Lys Gly Arg Gly Asn Lys Ala Ala			
1555	1560	1565	
Lys Arg Asp Leu Pro Pro Ala Lys Thr His Leu Ile Gln Glu Asp Ile			

08971172 11497

1570 1575 1580
 Leu Pro Tyr Cys Arg Pro Thr Phe Pro Thr Ser Asn Asn Pro Arg Asp
 1585 1590 1595 1600
 Pro Ser Ser Ser Ser Ser Met Ser Ser Arg Gly Ser Gly Ser Arg Gln
 1605 1610 1615
 Arg Glu Gln Ala Asn Val Gly Arg Arg Asn Ile Ala Glu Met Gln Val
 1620 1625 1630
 Leu Gly Gly Tyr Glu Arg Gly Glu Asp Asn Asn Glu Glu Leu Glu Glu
 1635 1640 1645
 Thr Glu Ser
 1650

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1300 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 855..1187
- (D) OTHER INFORMATION: /note= "N signifies gap in sequence"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

CAGATTGTTG CTCAAGGTCG AACAGTGACA TTTCCCTGTG AAACCTAAAGG AAACCCACAG	60
CCAGCTGTTT TTTGGCAGAA AGAAGGCAGC CAGAACCTAC TTTTCCCAA CCAACCCAG	120
CAGCCCAACA GTAGATGCTC AGTGTACCA ACTGGAGACC TCACAATCAC CAACATTCAA	180
CGTTCCGACG CGGGTTACTA CATCTGCCAG GCTTTAACTG TGGCAGGAAG CATTTTAGCA	240
AAAGCTCAAC TGGAGGTTAC TGATGTTTTG ACAGATAGAC CTCCACCTAT AATTCTACAA	300
GGCCAGCCA ACCAAACGCT GGCAGTGGAT GGTACAGCGT TACTGAAATG TAAAGCCACT	360
GGTGATCCTC TTCCTGTAAT TAGCTGGTTA AAGGAGGGAT TTACTTTTCC GGGTAGAGAT	420
CCAAGAGCAA CAATTCAAGA GCAAGGCACA CTGCAGATTA AGAATTTACG GATTTCTGAT	480
ACTGGCACTT ATACTTGTGT GGCTACAAGT TCAAGTGGAG AGGCTTCCTG GAGTGCAGTG	540
CTGGATGTGA CAGAGTCTGG AGCAACAATC AGTAAAACT ATGATTTAAG TGACCTGCCA	600
GGGCCACCAT CCAAACGCA AGTCACTGAT GTTACTAAGA ACAGTGTAC CTTGTCCTGG	660
CAGCCAGGTA CCCCTGGAAC CCTTCCAGCA AGTGCATATA TCATTGAGGC TTTCAGCCAA	720
TCAGTGAGCA ACAGCTGGCA GACCGTGGCA AACCATGTAA AGACCACCCT CTATACTGTA	780
AGAGGACTGC GGCCCAATAC AATCTACTTA TTCATGGTCA GAGCGATCAA CCCCAGGTY	840

TCAGTGACCC AAGTNAACCC ACAGAAAAAC AATGGATCCA CTTGGGCCAA TGTCCCTCTA 900
 CCTCCCCCCC CAGTCCAGCC CCTTCCTGGC ACGGAGCTGG AACACTATGC AGTGGAACAA 960
 CAAGAAAATG GCTATGACAG TGATAGCTGG TGCCCACCAT TGCCAGTACA AACTTACTTA 1020
 CACCAAGGTC TGGAAGATGA ACTGGAAGAA GATGATGATA GGGTCCCAAC ACCTCCTGTT 1080
 CGAGGCGTGG CTTCTTCTCC TGCTATCTCC TTTGGACAGC AGTCCACTGC AACTCTTACT 1140
 CCATCCCCAC GGGAAGAGAT GCAACCCATG CTGCAGGCTT CACCTNNTTA CCTCCTCTCA 1200
 AAGACCTCGA CCTACCAGCC CATTTTCTAC TGACAGTAAC ACCAGTGCAG CCCTGAGTCA 1260
 AAGTCAGAGG CTCGGGCCA CTAAAAACA CAAGGGAGGG 1300

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 434 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 285..396
- (D) OTHER INFORMATION: /note= "Xaa signifies gap in sequence"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Gln	Ile	Val	Ala	Gln	Gly	Arg	Thr	Val	Thr	Phe	Pro	Cys	Glu	Thr	Lys
1				5						10					15
Gly	Asn	Pro	Gln	Pro	Ala	Val	Phe	Trp	Gln	Lys	Glu	Gly	Ser	Gln	Asn
				20						25					30
Leu	Leu	Phe	Pro	Asn	Gln	Pro	Gln	Gln	Pro	Asn	Ser	Arg	Cys	Ser	Val
				35						40					45
Ser	Pro	Thr	Gly	Asp	Leu	Thr	Ile	Thr	Asn	Ile	Gln	Arg	Ser	Asp	Ala
				50						55					60
Gly	Tyr	Tyr	Ile	Cys	Gln	Ala	Leu	Thr	Val	Ala	Gly	Ser	Ile	Leu	Ala
65					70					75					80
Lys	Ala	Gln	Leu	Glu	Val	Thr	Asp	Val	Leu	Thr	Asp	Arg	Pro	Pro	Pro
					85					90					95
Ile	Ile	Leu	Gln	Gly	Pro	Ala	Asn	Gln	Thr	Leu	Ala	Val	Asp	Gly	Thr
					100					105					110
Ala	Leu	Leu	Lys	Cys	Lys	Ala	Thr	Gly	Asp	Pro	Leu	Pro	Val	Ile	Ser
					115					120					125
Trp	Leu	Lys	Glu	Gly	Phe	Thr	Phe	Pro	Gly	Arg	Asp	Pro	Arg	Ala	Thr

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 444 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

```
GCCCAGGCAG TTGCTGCAGC TGC GGAGTAT GCGGGCCTGA AAGTGGCTCG CCGCCAAATG      60
CAAGATGCTG CTGGCCGCCG CCACTTCCAT GCCTCTCAGT GCCCAAGGCC CACGAGTCCT      120
GTGTCCACAG ACAGCAACAT GAGTGCTGTT GTGATCCAGA AAGCCAGACC CGCCAAGAAG      180
CAGAAACACC AGCCAGGACA TCTGCGCAGG GAAGCCTACG CAGATGATCT TCCACCCCCT      240
CCAGTGCCAC CACCTGCTAT AAAATCGCCC ACTGTCCAGT CCAAGGCACA GCTGGAGGTA      300
CGGCCTGTCA TGGTGCCAAA ACTCGCGTCT ATAGAAGCAA GGACAGATAG ATCGTCAGAC      360
AGAAAAGGAG GCAGTTACAA GGGGAGAGAA GCTCTGGATG GAAGACAAGT CACTGACCTG      420
CGAACAAATC CAAGTGACCC CAGA                                     444
```

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 148 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

```
Ala Gln Ala Val Ala Ala Ala Glu Tyr Ala Gly Leu Lys Val Ala
1           5           10           15
Arg Arg Gln Met Gln Asp Ala Ala Gly Arg Arg His Phe His Ala Ser
          20           25           30
Gln Cys Pro Arg Pro Thr Ser Pro Val Ser Thr Asp Ser Asn Met Ser
          35           40           45
Ala Val Val Ile Gln Lys Ala Arg Pro Ala Lys Lys Gln Lys His Gln
          50           55           60
Pro Gly His Leu Arg Arg Glu Ala Tyr Ala Asp Asp Leu Pro Pro Pro
65           70           75           80
Pro Val Pro Pro Pro Ala Ile Lys Ser Pro Thr Val Gln Ser Lys Ala
          85           90           95
```

Gln Leu Glu Val Arg Pro Val Met Val Pro Lys Leu Ala Ser Ile Glu
 100 105 110
 Ala Arg Thr Asp Arg Ser Ser Asp Arg Lys Gly Gly Ser Tyr Lys Gly
 115 120 125
 Arg Glu Ala Leu Asp Gly Arg Gln Val Thr Asp Leu Arg Thr Asn Pro
 130 135 140
 Ser Asp Pro Arg
 145

0897172-149

WHAT IS CLAIMED IS:

1. An isolated Robo polypeptide comprising SEQ ID NO:2, 4, 6, 8, 10 or 12, or a polypeptide domain thereof having at least 12 consecutive residues thereof and a Robo-specific activity, wherein said domain is encoded by neither EST yq76e12 nor yq76e12.
2. An isolated polypeptide according to claim 1, wherein said activity is selected from at least one of a Robo-competitive binding, Robo-specific antigenicity and a Robo-specific immunogenicity.
3. An isolated polypeptide according to claim 1, wherein said domain comprises at least one of a Robo immunoglobulin, fibronectin or cytoplasmic motif domain.
4. A recombinant nucleic acid encoding a polypeptide according to claim 1.
5. A cell comprising a nucleic acid according to claim 4.
6. A method of making a Robo polypeptide, comprising the following steps: incubating a host cell or cellular extract containing a nucleic acid according to claim 4 under conditions whereby the polypeptide encoded by the nucleic acid is expressed and recovering the expressed polypeptide.
7. An isolated Robo polypeptide made by the method of claim 6.
8. An isolated *robo* nucleic acid comprising a strand of SEQ ID NO:1, 3, 5, 7, 9 or 11, or a fragment thereof having at least 24 consecutive bases thereof, and sufficient to specifically hybridize with a nucleic acid having the sequence defined by the corresponding opposite strand, wherein the fragment is contained in neither EST yq76e12 nor yq76e12.
9. A method for modulating cell function or morphology comprising providing the cell with an agent which modulates activity of a Robo polypeptide or function of a *robo* gene, wherein the agent comprises a polypeptide according to claim 1 or a Robo-specific antibody.

ABSTRACT OF THE DISCLOSURE

Robo1 and Robo2 polypeptides may be produced recombinantly from transformed host cells from the disclosed Robo encoding nucleic acids or purified from human cells. The invention provides isolated Robo hybridization probes and primers capable of specifically hybridizing with the disclosed Robo genes, Robo-specific binding agents such as specific antibodies, and methods of making and using the subject compositions in diagnosis, therapy and in the biopharmaceutical industry.

099747-1497
/6477" 2/77/680





FIG. 1

08971172, 111497




FIG. 2

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Goodman, Corey S.
Kidd, Thomas
Mitchell, Kevin
Tear, Guy
- (ii) TITLE OF INVENTION: Robo: A Novel Family of Polypeptide and
Nucleic Acids
- (iii) NUMBER OF SEQUENCES: 12
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: SCIENCE & TECHNOLOGY LAW GROUP
 - (B) STREET: 75 DENISE DRIVE
 - (C) CITY: HILLSBOROUGH
 - (D) STATE: CALIFORNIA
 - (E) COUNTRY: USA
 - (F) ZIP: 94010
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: OSMAN, RICHARD A
 - (B) REGISTRATION NUMBER: 36,627
 - (C) REFERENCE/DOCKET NUMBER: B98-006
- (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: (650) 343-4341
 - (B) TELEFAX: (650) 343-4342

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 4188 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

ATGCATCCCA	TGCATCCCGA	AAACCACGCC	ATCGCCCGGA	GCACGAGCAC	CACTAATAAC	60
CCATCTCGCA	GTCGGAGCAG	CAGGATGTGG	CTCCTGCCCCG	CCTGGCTGCT	CCTCGTCCTG	120
GTGGCCAGCA	ATGGCCTGCC	AGCAGTCAGA	GGCCAGTACC	AATCGCCACG	TATCATCGAG	180
CATCCCACGG	ATCTGGTCGT	TAAGAAGAAT	GAACCCGCCA	CGCTCAACTG	CAAAGTGGAG	240
GGCAAGCCGG	AACCCACCAT	TGAGTGGTTT	AAGGATGGCG	AACCCGTCAG	CACCAACGAA	300
AAGAAATCGC	ACCGCGTCCA	GTTCAAGGAC	GGCGCCCTCT	TCTTTTACAG	GACAATGCAA	360
GGCAAGAAGG	AGCAGGACGG	CGGAGAGTAC	TGGTGCGTGG	CCAAGAACCG	AGTGGGCCAG	420
GCCGTTAGTC	GCCATGCCTC	CCTCCAGATA	GCTGTTTTGC	GCGACGATTT	TCGCGTGGAG	480
CCCAAAGACA	CGCGAGTGGC	CAAAGGCGAG	ACGGCTCTGC	TGGAGTGTGG	GCCGCCCAAA	540
GGCATTCAG	AGCCAACGCT	GATTTGGATA	AAGGACGGCG	TTCCCTTGGA	CGACCTGAAA	600
GCCATGTCGT	TTGGCGCCAG	CTCCCGCGTT	CGAATTGTGG	ACGGTGGCAA	CCTGCTGATC	660
AGCAATGTGG	AGCCCATTGA	TGAGGGCAAC	TACAAGTGCA	TTGCCCAGAA	TCTGGTAGGC	720
ACCCGCGAGA	GCAGCTATGC	CAAGCTGATT	GTCCAGGTCA	AACCATACTT	TATGAAGGAG	780
CCCAAGGATC	AGGTGATGCT	CTACGGCCAG	ACAGCCACTT	TCCACTGCTC	AGTGGGCGGT	840
GATCCGCCGC	CGAAAGTGTT	GTGGAAAAAG	GAGGAGGGCA	ATATTCCGGT	GTCCAGAGCG	900
CGAATCCTTC	ACGACGAGAA	AAGTTTAGAG	ATATCCAACA	TAACGCCCAC	CGATGAGGGC	960
ACCTATGTCT	GCGAGGCACA	CAACAATGTC	GGTCAGATCA	GCGCTAGGGC	TTCTCTTATA	1020
GTCCACGCTC	CGCCGAACTT	TACGAAAAGA	CCCAGTAACA	AGAAAGTGGG	ACTAAATGGG	1080
GTTGTCCAAC	TACCTTGCAT	GGCCTCCGGA	AACCCCTCCGC	CGTCTGTATT	CTGGACCAAG	1140
GAAGGAGTAT	CCACTCTTAT	GTTCCCAAAT	AGTTTCGCACG	GAAGGCAGTA	TGTGGCTGCC	1200
GATGGAACTC	TGCAGATTAC	GGATGTGCGG	CAGGAAGACG	AAGGCTACTA	TGTGTGTTCC	1260
GCTTTCAGTG	TAGTCGATTC	CTCTACAGTA	CGGGTTTTTC	TGCAAGTCAG	CTCGGTAGAC	1320
GAGCGTCCAC	CTCCGATTAT	TCAAATCGGA	CCTGCCAATC	AAACACTGCC	CAAGGGATCA	1380
GTTGCTACTT	TACCCTGTCT	GGCCACTGGA	AATCCCAGTC	CCCGTATCAA	GTGGTTCCAC	1440
GATGGACATG	CCGTACAAGC	GGGCAATCGA	TACAGCATCA	TCCAAGGAAG	CTCACTGAGA	1500
GTCGATGACC	TTCAACTAAG	TGACTCTGGT	ACCTACACCT	GCACTGCATC	TGGCGAACGA	1560
GGAGAAACTT	CCTGGGCTGC	CACACTAACG	GTGGAAAAAC	CCGGTTCTAC	ATCTCTTCAC	1620
CGGGCAGCTG	ATCCTAGCAC	TTATCCTGCT	CCTCCAGGAA	CACCTAAAGT	CCTGAATGTC	1680
AGTCGCACCA	GCATTAGTCT	TCGTTGGGCT	AAAAGCCAAG	AGAAACCCGG	AGCTGTGGGC	1740
CCAATCATTG	GATACACTGT	AGAGTACTTC	AGTCCGGATC	TGCAAACTGG	TTGGATTGTG	1800
GCTGCCCATC	GAGTCGGCGA	CACTCAAGTC	ACTATCTCGG	GTCTCACTCC	TGGCACTTCG	1860
TATGTGTTCC	TAGTTAGAGC	TGAGAATACT	CAGGGTATTT	CTGTGCCTTC	CGGCTTATCA	1920
AATGTTATTA	AAACCATTTGA	GGCAGATTTT	GATGCAGCTT	CTGCCAATGA	TTTGTGAGCA	1980
GCTCGAACTT	TGCTGACAGG	AAAGTCGGTG	GAGCTAATAG	ATGCCTCGGC	TATCAATGCT	2040
AGTGCCGTTA	GACTTGAGTG	GATGCTCCAC	GTGAGCGCTG	ATGAGAAATA	CGTAGAGGGC	2100

CTGCGCATAC	ACTATAAGGA	TGCCAGTGTA	CCATCCGCAC	AGTATCACTC	GATCACTGTT	2160
ATGGATGCCT	CTGCAGAATC	GTTTGTGGTG	GGAAACCTTA	AGAAGTACAC	CAAGTATGAG	2220
TTCTTCCTAA	CACCCTTTTT	TGAGACAATT	GAAGGACAGC	CCAGTAACTC	CAAGACAGCC	2280
CTCACCTATG	AAGATGTTCC	CTCCGCACCA	CCGGATAACA	TTCAGATTGG	CATGTACAAC	2340
CAAACAGCCG	GTTGGGTGCG	TTGGACTCCG	CCACCCTCCC	AGCACCACAA	TGGCAATTTG	2400
TATGGCTACA	AGATTGAGGT	CAGCGCCGGT	AACACCATGA	AGGTGCTGGC	CAATATGACT	2460
CTTAATGCTA	CCACCACATC	TGTGCTCCTA	AATAACCTAA	CCACCGGAGC	TGTGTACAGC	2520
GTGAGGTTGA	ACTCCTTTAC	CAAGGCAGGA	GATGGACCTT	ACTCCAAACC	GATATCACTA	2580
TTCATGGACC	CCACCCATCA	TGTGCATCCG	CCACGGGCAC	ATCCAAGCGG	CACCCATGAT	2640
GGGCGACATG	AGGGACAGGA	TCTCACGTAT	CATAACAATG	GCAACATACC	ACCTGGCGAC	2700
ATTAATCCCA	CCACTCATAA	AAAGACCACT	GACTACCTAT	CTGGACCGTG	GCTAATGGTG	2760
CTGGTCTGCA	TCGTTCTTCT	AGTCCTGGTT	ATTTTCGGCGG	CTATTTTCGAT	GGTCTACTTC	2820
AAGCGCAAGC	ATCAAATGAC	CAAGGAATTG	GGTCACTTAA	GTGTGGTCAG	TGACAACGAA	2880
ATAACCGCAT	TAAATATCAA	TAGCAAAGAG	AGCCTTTGGA	TAGACCATCA	TCGTGGATGG	2940
CGAACTGCCG	ATACTGACAA	AGACTCAGGA	TTAAGCGAAT	CGAAGCTACT	ATCCCACGTT	3000
AACAGCAGTC	AATCCAACCTA	CAATAACTCC	GATGGAGGAA	CCGATTATGC	AGAAGTTGAC	3060
ACCCGTAACC	TTACCACCTT	CTACAATTGT	CGCAAGAGCC	CCGATAATCC	CACGCCGTAC	3120
GCCACCACTA	TGATCATTGG	TACCTCTTCC	AGTGAGACCT	GCACCAAGAC	AACATCTATA	3180
AGTGCCGATA	AGGACTCGGG	AACTCATTCT	CCCTATTCTG	ACGCATTTGC	CGGTCTAGGTG	3240
CCAGCGGTTT	CTGTTGTCAA	ATCCAACCTAT	CTTCAGTATC	CGGTTGAACC	GATCAACTGG	3300
TCAGAGTTTC	TACCCCCGCC	GCCAGAACAC	CCACCTCCGT	CTTCTACCTA	TGGATACGCA	3360
CAAGGATCTC	CTGAATCTTC	GCGGAAGAGC	TCCAAAAGCG	CAGGTTCCGG	CATTTCTACA	3420
AATCAAAGCA	TTCTGAACGC	ATCCATACAC	AGCAGCTCCT	CGGGCGGCTT	TTCAGCTTGG	3480
GGAGTATCGC	CCCAATATGC	TGTCGCCTGT	CCACCGGAAA	ACGTTTATAG	CAATCCGCTG	3540
TCGGCAGTGG	CTGGCGGCAC	CCAGAACCGC	TATCAGATAA	CGCCCACAAA	CCAACATCCG	3600
CCACAGTTAC	CGGCCTACTT	TGCCACCACG	GGTCCAGGAG	GAGCTGTACC	ACCCAACCAC	3660
CTGCCATTTG	CCACACAGCG	TCATGCAGCC	AGCGAGTACC	AGGCTGGACT	GAATGCAGCG	3720
CGATGTGCCC	AAAGCCGCGC	CTGCAACAGC	TGCGATGCCT	TGGCCACACC	CTCGCCCATG	3780
CAACCCCCAC	CGCCAGTTCC	CGTACCCGAG	GGCTGGTACC	AACCGGTGCA	TCCCAATAGC	3840
CACCCGATGC	ACCCGACCTC	CTCCAACCAC	CAGATCTACC	AGTGCTCCTC	CGAGTGCTCG	3900
GATCACTCGA	GGAGCTCGCA	GAGTCACAAG	CGGCAGCTGC	AGCTCGAGGA	GCACGGCAGC	3960
AGTGCCAAAC	AACGCGGAGG	ACACCACCGT	CGACGAGCCC	CGGTGGTGCA	GCCGTGCATG	4020
GAGAGCGAGA	ACGAGAACAT	GCTGGCGGAG	TACGAGCAGC	GCCAGTACAC	CAGCGATTGC	4080
TGCAATAGCT	CCCGCGAGGG	CGACACCTGC	TCCTGCAGCG	AGGGATCCTG	TCTTTACGCC	4140
GAGGCGGGCG	AGCCGGCGCC	TCGTCAAATG	ACTGCTAAGA	ACACCTAA		4188

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1395 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met	His	Pro	Met	His	Pro	Glu	Asn	His	Ala	Ile	Ala	Arg	Ser	Thr	Ser		
1				5					10					15			
Thr	Thr	Asn	Asn	Pro	Ser	Arg	Ser	Arg	Ser	Ser	Arg	Met	Trp	Leu	Leu		
				20				25					30				
Pro	Ala	Trp	Leu	Leu	Leu	Val	Leu	Val	Ala	Ser	Asn	Gly	Leu	Pro	Ala		
				35				40				45					
Val	Arg	Gly	Gln	Tyr	Gln	Ser	Pro	Arg	Ile	Ile	Glu	His	Pro	Thr	Asp		
				50				55			60						
Leu	Val	Val	Lys	Lys	Asn	Glu	Pro	Ala	Thr	Leu	Asn	Cys	Lys	Val	Glu		
65					70					75				80			
Gly	Lys	Pro	Glu	Pro	Thr	Ile	Glu	Trp	Phe	Lys	Asp	Gly	Glu	Pro	Val		
					85				90				95				
Ser	Thr	Asn	Glu	Lys	Lys	Ser	His	Arg	Val	Gln	Phe	Lys	Asp	Gly	Ala		
				100				105					110				
Leu	Phe	Phe	Tyr	Arg	Thr	Met	Gln	Gly	Lys	Lys	Glu	Gln	Asp	Gly	Gly		
				115				120				125					
Glu	Tyr	Trp	Cys	Val	Ala	Lys	Asn	Arg	Val	Gly	Gln	Ala	Val	Ser	Arg		
				130				135				140					
His	Ala	Ser	Leu	Gln	Ile	Ala	Val	Leu	Arg	Asp	Asp	Phe	Arg	Val	Glu		
145					150					155				160			
Pro	Lys	Asp	Thr	Arg	Val	Ala	Lys	Gly	Glu	Thr	Ala	Leu	Leu	Glu	Cys		
				165					170				175				
Gly	Pro	Pro	Lys	Gly	Ile	Pro	Glu	Pro	Thr	Leu	Ile	Trp	Ile	Lys	Asp		
				180				185				190					
Gly	Val	Pro	Leu	Asp	Asp	Leu	Lys	Ala	Met	Ser	Phe	Gly	Ala	Ser	Ser		
				195				200				205					
Arg	Val	Arg	Ile	Val	Asp	Gly	Gly	Asn	Leu	Leu	Ile	Ser	Asn	Val	Glu		
				210				215				220					
Pro	Ile	Asp	Glu	Gly	Asn	Tyr	Lys	Cys	Ile	Ala	Gln	Asn	Leu	Val	Gly		
225					230					235				240			
Thr	Arg	Glu	Ser	Ser	Tyr	Ala	Lys	Leu	Ile	Val	Gln	Val	Lys	Pro	Tyr		
				245					250					255			

Phe	Met	Lys	Glu	Pro	Lys	Asp	Gln	Val	Met	Leu	Tyr	Gly	Gln	Thr	Ala				
																260	265	270	
Thr	Phe	His	Cys	Ser	Val	Gly	Gly	Asp	Pro	Pro	Pro	Lys	Val	Leu	Trp				
																275	280	285	
Lys	Lys	Glu	Glu	Gly	Asn	Ile	Pro	Val	Ser	Arg	Ala	Arg	Ile	Leu	His				
																290	295	300	
Asp	Glu	Lys	Ser	Leu	Glu	Ile	Ser	Asn	Ile	Thr	Pro	Thr	Asp	Glu	Gly				
																305	310	315	320
Thr	Tyr	Val	Cys	Glu	Ala	His	Asn	Asn	Val	Gly	Gln	Ile	Ser	Ala	Arg				
																325	330	335	
Ala	Ser	Leu	Ile	Val	His	Ala	Pro	Pro	Asn	Phe	Thr	Lys	Arg	Pro	Ser				
																340	345	350	
Asn	Lys	Lys	Val	Gly	Leu	Asn	Gly	Val	Val	Gln	Leu	Pro	Cys	Met	Ala				
																355	360	365	
Ser	Gly	Asn	Pro	Pro	Pro	Ser	Val	Phe	Trp	Thr	Lys	Glu	Gly	Val	Ser				
																370	375	380	
Thr	Leu	Met	Phe	Pro	Asn	Ser	Ser	His	Gly	Arg	Gln	Tyr	Val	Ala	Ala				
																385	390	395	400
Asp	Gly	Thr	Leu	Gln	Ile	Thr	Asp	Val	Arg	Gln	Glu	Asp	Glu	Gly	Tyr				
																405	410	415	
Tyr	Val	Cys	Ser	Ala	Phe	Ser	Val	Val	Asp	Ser	Ser	Thr	Val	Arg	Val				
																420	425	430	
Phe	Leu	Gln	Val	Ser	Ser	Val	Asp	Glu	Arg	Pro	Pro	Pro	Ile	Ile	Gln				
																435	440	445	
Ile	Gly	Pro	Ala	Asn	Gln	Thr	Leu	Pro	Lys	Gly	Ser	Val	Ala	Thr	Leu				
																450	455	460	
Pro	Cys	Arg	Ala	Thr	Gly	Asn	Pro	Ser	Pro	Arg	Ile	Lys	Trp	Phe	His				
																465	470	475	480
Asp	Gly	His	Ala	Val	Gln	Ala	Gly	Asn	Arg	Tyr	Ser	Ile	Ile	Gln	Gly				
																485	490	495	
Ser	Ser	Leu	Arg	Val	Asp	Asp	Leu	Gln	Leu	Ser	Asp	Ser	Gly	Thr	Tyr				
																500	505	510	
Thr	Cys	Thr	Ala	Ser	Gly	Glu	Arg	Gly	Glu	Thr	Ser	Trp	Ala	Ala	Thr				
																515	520	525	
Leu	Thr	Val	Glu	Lys	Pro	Gly	Ser	Thr	Ser	Leu	His	Arg	Ala	Ala	Asp				
																530	535	540	
Pro	Ser	Thr	Tyr	Pro	Ala	Pro	Pro	Gly	Thr	Pro	Lys	Val	Leu	Asn	Val				
																545	550	555	560

Ala Cys Pro Pro Glu Asn Val Tyr Ser Asn Pro Leu Ser Ala Val Ala
1170 1175 1180
Gly Gly Thr Gln Asn Arg Tyr Gln Ile Thr Pro Thr Asn Gln His Pro
1185 1190 1195 1200
Pro Gln Leu Pro Ala Tyr Phe Ala Thr Thr Gly Pro Gly Gly Ala Val
1205 1210 1215
Pro Pro Asn His Leu Pro Phe Ala Thr Gln Arg His Ala Ala Ser Glu
1220 1225 1230
Tyr Gln Ala Gly Leu Asn Ala Ala Arg Cys Ala Gln Ser Arg Ala Cys
1235 1240 1245
Asn Ser Cys Asp Ala Leu Ala Thr Pro Ser Pro Met Gln Pro Pro Pro
1250 1255 1260
Pro Val Pro Val Pro Glu Gly Trp Tyr Gln Pro Val His Pro Asn Ser
1265 1270 1275 1280
His Pro Met His Pro Thr Ser Ser Asn His Gln Ile Tyr Gln Cys Ser
1285 1290 1295
Ser Glu Cys Ser Asp His Ser Arg Ser Ser Gln Ser His Lys Arg Gln
1300 1305 1310
Leu Gln Leu Glu Glu His Gly Ser Ser Ala Lys Gln Arg Gly Gly His
1315 1320 1325
His Arg Arg Arg Ala Pro Val Val Gln Pro Cys Met Glu Ser Glu Asn
1330 1335 1340
Glu Asn Met Leu Ala Glu Tyr Glu Gln Arg Gln Tyr Thr Ser Asp Cys
1345 1350 1355 1360
Cys Asn Ser Ser Arg Glu Gly Asp Thr Cys Ser Cys Ser Glu Gly Ser
1365 1370 1375
Cys Leu Tyr Ala Glu Ala Gly Glu Pro Ala Pro Arg Gln Met Thr Ala
1380 1385 1390
Lys Asn Thr
1395

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4146 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

GGTGAAAATC CACGCATCAT CGAGCATCCC ATGGACACGA CGGTGCCAAA AAATGATCCA	60
TTTACGTTTA ATTGCCAGGC CGAGGGCAAT CCAACACCAA CCATTCAATG GTTTAAGGAC	120
GGTCGCGAAC TGAAGACGGA TACGGGTTCG CATCGCATAA TGCTGCCCCG CGGGGGTCTA	180
TTCTTTCTCA AGGTTATCCA CTCACGTAGA GAGAGCGATG CGGGCACTTA CTGGTGCGAG	240
GCCAAAAACG AGTTTGGAGT GGCACGGTCC AGGAATGCAA CGTTGCAAGT GGCAGTTCTC	300
CGCGACGAAT TCCGTTTGGA GCCGGCAAAT ACCCGCGTGG CCCAAGGCGA GGTGGCCCTG	360
ATGGAATGCG GTGCCCCCGG AGGATCTCCG GAGCCGCAAA TCTCGTGGCG CAAGAACGGC	420
CAGACCCTGA ATCTTGTCGG GAACAAGCGG ATTCGCATTG TCGACGGTGG CAATCTGGCC	480
ATCCAGGAAG CCCGCCAATC GGACGACGGA CGTACCAGT GTGTGGTCAA GAATGTGGTT	540
GGCACCCGGG AGTCGGCCAC CGCTTTTCTT AAAGTGCATG TACGTCCATT CCTCATCCGA	600
GGACCCCAGA ATCAGACGGC GGTGGTGGGC AGCTCGGTGG TCTTCCAGTG CCGCATCGGA	660
GGCGATCCCC TGCCTGATGT CCTGTGGCGA CGCACTGCCT CCGGCGGCAA TATGCCACTG	720
CGTAAGTTTT CTTGGCTTCA TTCAGCTTCA GGTCTGTGTC ACGTACTTGA GGACCGCAGT	780
CTGAAGCTGG ACGACGTTAC TCTGGAGGAC ATGGGCGAGT ACACTTGCGA GGCGGACAAT	840
GCGGTGGGCG GCATCACGGC CACTGGCATC CTCACCGTTC ACGTCCCCC CAAATTTGTG	900
ATACGCCCCA AGAATCAGCT GGTGGAGATC GGTGATGAAG TGCTGTTTGA GTGCCAAGCG	960
AATGGACATC CCCGACCAAC GCTCTACTGG TCGGTGGAGG GCAACAGCTC CCTGCTGCTC	1020
CCCGGCTATC GGGATGGCCG CATGGAAGTG ACCCTGACGC CCGAGGGGCG CTCGGTGCTC	1080
TCGATAGCTC GATTTGCCCG TGAGGATTCC GGAAAGGTGG TCACTTGCAA CGCCCTGAAC	1140
GCCGTGGGCA GCGTCAGCAG TCGGACTGTG GTCAGTGTGG ATACGCAATT CGAGCTGCCA	1200
CCGCCGATTA TCGAACAGGG GCCCGTGAAT CAAACGTTGC CCGTTAAATC AATTGTGGTT	1260
CTGCCATGCC GAACTCTGGG CACTCCAGTG CCACAGGTCT CTTGGTACCT GGATGGCATA	1320
CCCATCGATG TGCAGGAGCA CGAGCGGCGG AATCTTTCGG ACGCTGGAGC CTTAACCATT	1380
TCGGATCTTC AGCGCCACGA GGATGAAGGC TTGTACACCT GCGTGGCCAG CAATCGCAAC	1440
GGAAAATCCT CTTGGAGTGG TTACCTTCGT CTGGACACCC CGACAAATCC GAATATCAAG	1500
TTCTTCAGAG CCCAGAACT TTCCACCTAC CCAGGGCCGC CAGGAAAACC GCAAATGGTG	1560
GAGAAGGGCG AAAATTCGGT GACTCTCAGC TGGACGAGGA GCAACAAGGT GGGCGGCTCC	1620
AGTCTGGTGG GCTATGTAAT CGAGATGTTT GGCAAAAACG AAACGGATGG CTGGGTGGCT	1680
GTGGGCACTA GGGTGCAAAA TACCACGTTT ACCCAAACGG GTCTGCTGCC GGGTGTGAAT	1740
TACTTCTTTC TAATTCGAGC CGAGAACTCC CATGGCTTAT CACTGCCCAG TCCGATGTCC	1800
GAACCCATTA CGGTGGGAAC GCGCTACTTC AATAGTGGTC TGGATCTGAG CGAGGCTCGT	1860
GCCAGTCTGC TGTCCGAGA TGTGTGGAG CTGAGCAACG CCAGTGTGGT GGACTCCACT	1920
AGCATGAAAC TCACCTGGCA GATCATCAAT GGCAAATACG TCGAGGGCTT CTATGTCTAT	1980
GCGAGACAGT TGCCAAATCC AATAGTCAAC AATCCGGCGC CCGTTACTAG CAATACCAAT	2040
CCGCTGCTGG GCTCTACATC CACATCCGCA TCCGCATCCG CCTCGGCATC GGCATTGATT	2100
TCGACAAAGC CAAATATTGC AGCTGCCGGC AAACGTGATG GGGAGACAAA CCAGAGTGG	2160
GGAGGAGCTC CGACCCCACT GAACACCAAG TATCGCATGC TAACGATTCT CAATGGCGGT	2220

GGCGCCTCAT	CCTGCACCAT	CACCGGGCTC	GTCCAGTACA	CGCTGTATGA	ATTTTTCATC	2280
GTGCCATTTT	ACAAATCCGT	CGAGGGCAAG	CCGTCAATT	CGGCATCGC	TCGCACCCTT	2340
GAAGATGTTT	CCTCTGAGGC	ACCATATGGA	ATGGAGGCTC	TGCTGTTGAA	CTCCTCCGCG	2400
GTCTTCCTCA	AATGGAAGGC	ACCAGAACTC	AAGGATCGGC	ATGGTGTCT	CTTGAACAT	2460
CATGTTATAG	TCCGAGGTAT	TGACACTGCC	CACAATTTCT	CACGCATTTT	GACAAATGTC	2520
ACCATCGATG	CCGCTTCGCC	TACTCTGGTT	TTGGCCAATC	TCACCGAAGG	CGTCATGTAC	2580
ACCGTGGGCG	TGGCGGCCCG	AAATAACGCT	GGAGTTGGTC	CTTATTGTGT	CCCAGCTACT	2640
TTGCGTTTGG	ATCCCATCAC	AAAGCGACTC	GATCCGTTCA	TCAATCAGCG	GGACCATGTT	2700
AACGATGTGC	TGACGCAGCC	CTGGTTCATA	ATACTCTTGG	GCGCCATCCT	GGCCGTTCTT	2760
ATGCTGTCTT	TTGGCGCAAT	GGTCTTTGTG	AAGCGCAAGC	ACATGATGAT	GAAGCAGTCG	2820
GCCCTAAATA	CAATGCGTGG	CAATCACACG	AGCGACGTGC	TCAAAATGCC	GAGTCTATCG	2880
GCGCGCAATG	GAAACGGCTA	CTGGCTGGAC	TCCTCCACCG	GCGGAATGGT	GTGGCGTCCC	2940
TCGCCCCGGC	GCGACTCGCT	GGAGATGCAA	AAGGATCACA	TCGCCGACTA	TGCGCCGGTC	3000
TGCGGTGCCC	CCGGTTCTCC	GGCCGGCGGT	GGCACCTCTT	CCGGTGGATC	CGGTGGCGCG	3060
GGCAGCGGTG	CCAGCGGCGG	CGATGACATT	CATGGAGGAC	ACGGCAGCGA	ACGCAATCAG	3120
CAGCGGTACG	TGGGCGAGTA	CTCCAACATA	CCGACCGACT	ATGCAGAGGT	GTCCAGTTTT	3180
GGCAAGGCAC	CCAGCGAGTA	TGGTCGGCAT	GGCAACGCCT	CCCCGGCCCC	TTATGCCACC	3240
TCTTCGATCC	TGAGTCCCCA	CCAGCAGCAA	CAGCAGCAGC	AGCCGCGTTA	TCAACAGCGA	3300
CCAGTGCCCG	GCTATGGGCT	CCAGCGCCCA	ATGCACCCAC	ACTACCAGCA	GCAGCAGCAT	3360
CAGCAGCAAC	AGGCGCAGCA	GACGCACCAG	CAACACCAGG	CTCTCCAGCA	GCACCAGCAA	3420
CTGCCACCCA	GCAACATCTA	CCAGCAGATG	TCCACCACCA	GCGAGATATA	CCCCACGAAC	3480
ACGGGTCCTT	CGCGCTCTGT	CTACTCTGAG	CAGTATTACT	ACCCCAAGGA	CAAGCAGAGA	3540
CACATCCACA	TCACCGAGAA	CAAGCTGAGC	AACTGCCACA	CCTATGAGGC	GGCTCCTGGC	3600
GCCAAGCAGT	CCTCGCCGAT	ATCCTCGCAG	TTCGCCAGCG	TGAGGCGGCA	GCAGCTGCCG	3660
CCCAACTGCA	GCATCGGCAG	GGAAAGTGCC	CGCTTCAAGG	TGCTAAACAC	GGATCAGGGC	3720
AAGAACCAGC	AGAATCTCCT	GGATCTCGAC	GGCTCCTCGA	TGTGCTACAA	CGGTCTGGCA	3780
GACTCGGGCT	GCGGTGGATC	TCCCTCCCCG	ATGGCCATGC	TGATGTCGCA	CGAGGACGAG	3840
CACGCGCTGT	ACCACACGGC	GGATGGGGAT	CTGGACGACA	TGGAACGACT	GTACGTCAAG	3900
GTGGACGAGC	AGCAGCCTCC	ACAGCAGCAG	CAGCAGCTGA	TTCCCCTGGT	CCCACAGCAT	3960
CCGGCGGAAG	GTCACCTGCA	GTCCTGGCGG	AATCAGAGCA	CGCGGAGCAG	TCGGAAGAAC	4020
GGCCAGGAAT	GCATCAAGGA	ACCCAGCGAG	TTGATCTACG	CTCCGGAAG	CGTGGCCAGC	4080
GAACGGAGCC	TCCTCAGCAA	CTCGGGTAGC	GGCACCAGCA	GCCAGCCAGC	TGGCCACAAT	4140
GTCTGA						4146

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1381 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Gly Glu Asn Pro Arg Ile Ile Glu His Pro Met Asp Thr Thr Val Pro
1 5 10 15
Lys Asn Asp Pro Phe Thr Phe Asn Cys Gln Ala Glu Gly Asn Pro Thr
20 25 30
Pro Thr Ile Gln Trp Phe Lys Asp Gly Arg Glu Leu Lys Thr Asp Thr
35 40 45
Gly Ser His Arg Ile Met Leu Pro Ala Gly Gly Leu Phe Phe Leu Lys
50 55 60
Val Ile His Ser Arg Arg Glu Ser Asp Ala Gly Thr Tyr Trp Cys Glu
65 70 75 80
Ala Lys Asn Glu Phe Gly Val Ala Arg Ser Arg Asn Ala Thr Leu Gln
85 90 95
Val Ala Val Leu Arg Asp Glu Phe Arg Leu Glu Pro Ala Asn Thr Arg
100 105 110
Val Ala Gln Gly Glu Val Ala Leu Met Glu Cys Gly Ala Pro Arg Gly
115 120 125
Ser Pro Glu Pro Gln Ile Ser Trp Arg Lys Asn Gly Gln Thr Leu Asn
130 135 140
Leu Val Gly Asn Lys Arg Ile Arg Ile Val Asp Gly Gly Asn Leu Ala
145 150 155 160
Ile Gln Glu Ala Arg Gln Ser Asp Asp Gly Arg Tyr Gln Cys Val Val
165 170 175
Lys Asn Val Val Gly Thr Arg Glu Ser Ala Thr Ala Phe Leu Lys Val
180 185 190
His Val Arg Pro Phe Leu Ile Arg Gly Pro Gln Asn Gln Thr Ala Val
195 200 205
Val Gly Ser Ser Val Val Phe Gln Cys Arg Ile Gly Gly Asp Pro Leu
210 215 220
Pro Asp Val Leu Trp Arg Arg Thr Ala Ser Gly Gly Asn Met Pro Leu
225 230 235 240
Arg Lys Phe Ser Trp Leu His Ser Ala Ser Gly Arg Val His Val Leu
245 250 255
Glu Asp Arg Ser Leu Lys Leu Asp Asp Val Thr Leu Glu Asp Met Gly
260 265 270

Glu Tyr Thr Cys Glu Ala Asp Asn Ala Val Gly Gly Ile Thr Ala Thr
275 280 285
Gly Ile Leu Thr Val His Ala Pro Pro Lys Phe Val Ile Arg Pro Lys
290 295 300
Asn Gln Leu Val Glu Ile Gly Asp Glu Val Leu Phe Glu Cys Gln Ala
305 310 315 320
Asn Gly His Pro Arg Pro Thr Leu Tyr Trp Ser Val Glu Gly Asn Ser
325 330 335
Ser Leu Leu Leu Pro Gly Tyr Arg Asp Gly Arg Met Glu Val Thr Leu
340 345 350
Thr Pro Glu Gly Arg Ser Val Leu Ser Ile Ala Arg Phe Ala Arg Glu
355 360 365
Asp Ser Gly Lys Val Val Thr Cys Asn Ala Leu Asn Ala Val Gly Ser
370 375 380
Val Ser Ser Arg Thr Val Val Ser Val Asp Thr Gln Phe Glu Leu Pro
385 390 395 400
Pro Pro Ile Ile Glu Gln Gly Pro Val Asn Gln Thr Leu Pro Val Lys
405 410 415
Ser Ile Val Val Leu Pro Cys Arg Thr Leu Gly Thr Pro Val Pro Gln
420 425 430
Val Ser Trp Tyr Leu Asp Gly Ile Pro Ile Asp Val Gln Glu His Glu
435 440 445
Arg Arg Asn Leu Ser Asp Ala Gly Ala Leu Thr Ile Ser Asp Leu Gln
450 455 460
Arg His Glu Asp Glu Gly Leu Tyr Thr Cys Val Ala Ser Asn Arg Asn
465 470 475 480
Gly Lys Ser Ser Trp Ser Gly Tyr Leu Arg Leu Asp Thr Pro Thr Asn
485 490 495
Pro Asn Ile Lys Phe Phe Arg Ala Pro Glu Leu Ser Thr Tyr Pro Gly
500 505 510
Pro Pro Gly Lys Pro Gln Met Val Glu Lys Gly Glu Asn Ser Val Thr
515 520 525
Leu Ser Trp Thr Arg Ser Asn Lys Val Gly Gly Ser Ser Leu Val Gly
530 535 540
Tyr Val Ile Glu Met Phe Gly Lys Asn Glu Thr Asp Gly Trp Val Ala
545 550 555 560
Val Gly Thr Arg Val Gln Asn Thr Thr Phe Thr Gln Thr Gly Leu Leu
565 570 575

Pro Gly Val Asn Tyr Phe Phe Leu Ile Arg Ala Glu Asn Ser His Gly
580 585 590

Leu Ser Leu Pro Ser Pro Met Ser Glu Pro Ile Thr Val Gly Thr Arg
595 600 605

Tyr Phe Asn Ser Gly Leu Asp Leu Ser Glu Ala Arg Ala Ser Leu Leu
610 615 620

Ser Gly Asp Val Val Glu Leu Ser Asn Ala Ser Val Val Asp Ser Thr
625 630 635 640

Ser Met Lys Leu Thr Trp Gln Ile Ile Asn Gly Lys Tyr Val Glu Gly
645 650 655

Phe Tyr Val Tyr Ala Arg Gln Leu Pro Asn Pro Ile Val Asn Asn Pro
660 665 670

Ala Pro Val Thr Ser Asn Thr Asn Pro Leu Leu Gly Ser Thr Ser Thr
675 680 685

Ser Ala Ser Ala Ser Ala Ser Ala Ser Ala Leu Ile Ser Thr Lys Pro
690 695 700

Asn Ile Ala Ala Ala Gly Lys Arg Asp Gly Glu Thr Asn Gln Ser Gly
705 710 715 720

Gly Gly Ala Pro Thr Pro Leu Asn Thr Lys Tyr Arg Met Leu Thr Ile
725 730 735

Leu Asn Gly Gly Gly Ala Ser Ser Cys Thr Ile Thr Gly Leu Val Gln
740 745 750

Tyr Thr Leu Tyr Glu Phe Phe Ile Val Pro Phe Tyr Lys Ser Val Glu
755 760 765

Gly Lys Pro Ser Asn Ser Arg Ile Ala Arg Thr Leu Glu Asp Val Pro
770 775 780

Ser Glu Ala Pro Tyr Gly Met Glu Ala Leu Leu Leu Asn Ser Ser Ala
785 790 795 800

Val Phe Leu Lys Trp Lys Ala Pro Glu Leu Lys Asp Arg His Gly Val
805 810 815

Leu Leu Asn Tyr His Val Ile Val Arg Gly Ile Asp Thr Ala His Asn
820 825 830

Phe Ser Arg Ile Leu Thr Asn Val Thr Ile Asp Ala Ala Ser Pro Thr
835 840 845

Leu Val Leu Ala Asn Leu Thr Glu Gly Val Met Tyr Thr Val Gly Val
850 855 860

Ala Ala Gly Asn Asn Ala Gly Val Gly Pro Tyr Cys Val Pro Ala Thr
865 870 875 880

Leu Arg Leu Asp Pro Ile Thr Lys Arg Leu Asp Pro Phe Ile Asn Gln
 885 890 895
 Arg Asp His Val Asn Asp Val Leu Thr Gln Pro Trp Phe Ile Ile Leu
 900 905 910
 Leu Gly Ala Ile Leu Ala Val Leu Met Leu Ser Phe Gly Ala Met Val
 915 920 925
 Phe Val Lys Arg Lys His Met Met Met Lys Gln Ser Ala Leu Asn Thr
 930 935 940
 Met Arg Gly Asn His Thr Ser Asp Val Leu Lys Met Pro Ser Leu Ser
 945 950 955 960
 Ala Arg Asn Gly Asn Gly Tyr Trp Leu Asp Ser Ser Thr Gly Gly Met
 965 970 975
 Val Trp Arg Pro Ser Pro Gly Gly Asp Ser Leu Glu Met Gln Lys Asp
 980 985 990
 His Ile Ala Asp Tyr Ala Pro Val Cys Gly Ala Pro Gly Ser Pro Ala
 995 1000 1005
 Gly Gly Gly Thr Ser Ser Gly Gly Ser Gly Gly Ala Gly Ser Gly Ala
 1010 1015 1020
 Ser Gly Gly Asp Asp Ile His Gly Gly His Gly Ser Glu Arg Asn Gln
 1025 1030 1035 1040
 Gln Arg Tyr Val Gly Glu Tyr Ser Asn Ile Pro Thr Asp Tyr Ala Glu
 1045 1050 1055
 Val Ser Ser Phe Gly Lys Ala Pro Ser Glu Tyr Gly Arg His Gly Asn
 1060 1065 1070
 Ala Ser Pro Ala Pro Tyr Ala Thr Ser Ser Ile Leu Ser Pro His Gln
 1075 1080 1085
 Gln Gln Gln Gln Gln Gln Pro Arg Tyr Gln Gln Arg Pro Val Pro Gly
 1090 1095 1100
 Tyr Gly Leu Gln Arg Pro Met His Pro His Tyr Gln Gln Gln Gln His
 1105 1110 1115 1120
 Gln Gln Gln Gln Ala Gln Gln Thr His Gln Gln His Gln Ala Leu Gln
 1125 1130 1135
 Gln His Gln Gln Leu Pro Pro Ser Asn Ile Tyr Gln Gln Met Ser Thr
 1140 1145 1150
 Thr Ser Glu Ile Tyr Pro Thr Asn Thr Gly Pro Ser Arg Ser Val Tyr
 1155 1160 1165
 Ser Glu Gln Tyr Tyr Tyr Pro Lys Asp Lys Gln Arg His Ile His Ile
 1170 1175 1180

Thr Glu Asn Lys Leu Ser Asn Cys His Thr Tyr Glu Ala Ala Pro Gly
 1185 1190 1195 1200
 Ala Lys Gln Ser Ser Pro Ile Ser Ser Gln Phe Ala Ser Val Arg Arg
 1205 1210 1215
 Gln Gln Leu Pro Pro Asn Cys Ser Ile Gly Arg Glu Ser Ala Arg Phe
 1220 1225 1230
 Lys Val Leu Asn Thr Asp Gln Gly Lys Asn Gln Gln Asn Leu Leu Asp
 1235 1240 1245
 Leu Asp Gly Ser Ser Met Cys Tyr Asn Gly Leu Ala Asp Ser Gly Cys
 1250 1255 1260
 Gly Gly Ser Pro Ser Pro Met Ala Met Leu Met Ser His Glu Asp Glu
 1265 1270 1275 1280
 His Ala Leu Tyr His Thr Ala Asp Gly Asp Leu Asp Asp Met Glu Arg
 1285 1290 1295
 Leu Tyr Val Lys Val Asp Glu Gln Gln Pro Pro Gln Gln Gln Gln Gln
 1300 1305 1310
 Leu Ile Pro Leu Val Pro Gln His Pro Ala Glu Gly His Leu Gln Ser
 1315 1320 1325
 Trp Arg Asn Gln Ser Thr Arg Ser Ser Arg Lys Asn Gly Gln Glu Cys
 1330 1335 1340
 Ile Lys Glu Pro Ser Glu Leu Ile Tyr Ala Pro Gly Ser Val Ala Ser
 1345 1350 1355 1360
 Glu Arg Ser Leu Leu Ser Asn Ser Gly Ser Gly Thr Ser Ser Gln Pro
 1365 1370 1375
 Ala Gly His Asn Val
 1380

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 3894 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

ATGTACTATC TAGGTTTTTA CCACACTCAC ACACACACAC ACACATACAT AAATTTTGAT	60
AAAATTCCTA ATGCCTCAAA TCTCGCTCCC GTGATAATCG AACATCCCAT CGATGTGGTG	120
GTATCTAGGG GATCGCCAGC AACCCTCAAC TGTGGTGCAA AGCCATCTAC CGCCAAAATC	180

ACATGGTACA	AGGATGGACA	GCCCCGTAATC	ACGAATAAGG	AGCAAGTGAA	CAGCCACCGG	240
ATTGTTCTCG	ACACGGGATC	CCTGTTTCTT	CTGAAAGTGA	ATAGTGGAAA	AAACGGAAAA	300
GACAGCGATG	CGGGAGCGTA	CTATTGTGTG	GCCAGCAACG	AGCACGGAGA	AGTGAAGTCG	360
AACGAAGGAT	CGTTAAAAATT	GGCGATGCTT	CGCGAAGACT	TTCGAGTTCG	GCCAAGAACA	420
GTTCAGGCTC	TTGGTGGAGA	GATGGCCGTT	CTGGAATGCA	GTCCGCCACG	TGGATTCCCCG	480
GAGCCGGTTG	TGAGCTGGCG	GAAAGACGAC	AAAGAGCTCC	GAATTCAAGA	CATGCCACGA	540
TACTACTCTAC	ACTCTGACGG	AAACCTCATC	ATTGATCCGG	TCGATCGAAG	CGATTCTGGT	600
ACTTATCAGT	GTGTTGCCAA	CAACATGGTC	GGAGAACGGG	TGTCCAATCC	CGCAAGATTG	660
AGTGCTTTTG	AGAAACCAAA	GTTTGAGCAA	GAACCCAAGG	ACATGACGGT	CGACGTCGGA	720
GCCGCAGTGC	TGTTTGATTG	TCGTGTGACT	GGAGATCCTC	AACCACAAAT	TACGTGGAAA	780
CGCAAAAATG	AGCCGATGCC	AGTTACACGT	GCATACATTG	CCAAGGATAA	TCGGGGGTTG	840
AGAATCGAAA	GAGTTCAACC	ATCAGACGAA	GGTGAATACG	TTTGCTATGC	ACGAAATCCA	900
GCGGGAACTC	TTGAAGCATC	TGCACATCTT	CGTGTCCAGG	CACCTCCATC	CTTCCAGACA	960
AAACCAGCAG	ACCAGTCAGT	TCCAGCTGGA	GGCACGGCAA	CTTTTGAAATG	CACCTTGGTC	1020
GGTCAACCGA	GTCCCGCCTA	TTTTTGGAGC	AAGGAAGGCC	AACAGGATCT	TCTTTTCCCA	1080
AGTTATGTGT	CCGCTGATGG	TAGAACGAAA	GTTTCACCAA	CTGGAACATT	GACAATTGAG	1140
GAAGTTCGTC	AAGTTGATGA	GGGAGCTTAT	GTGTGCGCTG	GAATGAACTC	GGCAGGAAGC	1200
TCGTTGAGCA	AGGCAGCTTT	GAAAGCAACA	TTTGAAACCA	AAGGCCGTGT	CCAAAAAATA	1260
AAGAGCAAAA	TGGGCAAACA	GAAACAAAAA	AATGTTCAAT	CAATTATCAA	ATATTTAATT	1320
TCAGCCGTGA	CCGGAAACAC	ACCCGCCAAA	CCACCACCAA	CAATCGAGCA	TGGTCATCAA	1380
AATCAGACCC	TTATGGTTGG	ATCATCAGCC	ATCCTTCCAT	GTCAGGCTAG	CGGAAAACCA	1440
ACTCCAGGAA	TATCATGGCT	CAGGGATGGG	CTACCTATTG	ACATTACAGA	TAGTCGTATC	1500
AGTCAACATT	CAACGGGAAG	TCTACATATT	GCCGATTTAA	AGAAACCTGA	CACCGGAGTT	1560
TACTACTTGA	TTGCGAAGAA	CGAGGATGGA	GAGTCAACAT	GGTCGGCATC	TCTGACTGTT	1620
GAAGATCACA	CTAGCAATGC	ACAATTTGTT	CGGATGCCGG	ATCCATCGAA	CTTCCCGTCT	1680
TCTCCAACGC	AACCCATTAT	TGTCAATGTC	ACTGATACCG	AAGTAGAGCT	CCACTGGAAT	1740
GCTCCCTCCA	CATCTGGCGC	AGGACCAATC	ACTGGTTATA	TCATTAGTA	CTACAGTCCA	1800
GACCTCGGAC	AGACGTGTTT	TAACATTCCA	GACTACGTGG	CATCTACTGA	ATATAGAATA	1860
AAGGGTCTGA	AACCATCTCA	CTCGTATATG	TTTGTGATTG	GAGCAGAAAA	TGAGAAAGGT	1920
ATTGGAACGC	CGAGTGTGTC	GTCGGCTCTC	GTTACCACTA	GCAAGCCAGC	AGCTCAAGTT	1980
GCGCTTTCTG	ACAAGAACAA	AATGGACATG	GCCATCGCTG	AGAAGAGACT	CACCTTCGGAA	2040
CAACTCATAA	AACTCGAGGA	AGTGAAGACT	ATTAATTCTA	CGGCCGTTTCG	TTTGTCTCTGG	2100
AAGAAGAGGA	AACTTGAAGA	GCTGATTGAT	GGTTACTACA	TCAAGTGGAG	AGGGCCTCCA	2160
AGAACCAATG	ATAATCAATA	CGTGAATGTG	ACCAGCCCTA	GCACCGAAAA	CTATGTTGTT	2220
TCAAATTTAA	TGCCATTACAC	CAACTATGAG	TTTTTCGTGA	TTCCCTTATCA	TTCCGGAGTT	2280
CATAGTATTC	ATGGAGCACC	GAGTAATTCC	ATGGACGTGT	TGACCGCCGA	AGCTCCACCT	2340
TCATTGCCAC	CAGAGGATGT	GCGAATCCGT	ATGCTCAACC	TGACCACTCT	TCGTATCTCT	2400
TGAAAAGCAC	CAAAAGCCGA	CGGCATCAAC	GGAATTCTCA	AAGGATTCCA	AATTGTTATT	2460

GTTGGTCAAG CGCCCAACAA CAATCGGAAC ATCACTACAA ACGAGAGAGC TGCCAGTGT 2520
 ACTCTGTTCC ATTTAGTGAC TGAATGACG TATAAAATTC GTGTAGCGGC TAGAAGCAAT 2580
 GGTGGAGTTG GAGTCTCACA TGAACGAGT GAAGTCATCA TGAATCAAGA CACGCTGGAA 2640
 AAACACCTTG CTGCTCAACA AGAAAACGAA TCATTTTTGT ATGGGCTGAT CAATAAATCT 2700
 CATGTTCCCTG TGATTGTCAT TGTGCAATT CTGATTATTT TCGTAGTCAT CATTATAGCC 2760
 TATTGTTACT GGAGGAATAG CAGAAACAGT GATGGAAAGG ATCGAAGTTT TATAAAGATC 2820
 AATGATGGAA GTGTTCATAT GGCTTCGAAT AATCTTTGGG ATGTTGCACA AAATCCGAAT 2880
 CAGAATCCAA TGTACAACAC TGCTGGAAGA ATGACTATGA ACAATAGAAA TGGCCAGGCT 2940
 CTCTATTGCG TGACACCAAA TCGCAAGAC TTTTTCACAA ATTGTGATGA CTACAGTGGA 3000
 ACGATGCACA GACCAGGATC CGAGCATCAC TATCATTATG CTCAACTGAC TGGCGGACCT 3060
 GGTAATGCGA TGTCTACTTT TTATGGAAAC CAATATCACG ATGATCCATC TCCATATGCC 3120
 ACCACAACAC TGGTCCTGTC GAACCAACAA CCAGCTTGGC TCAATGACAA AATGCTTCGC 3180
 GCGCCAGCAA TGCCAACAAA TCCCGTGCCA CCAGAGCCAC CGGCGCGATA TGCAGATCAT 3240
 ACCGCTGGAA GACGATCTCG ATCGAGCCGT GCATCCGATG GGAGAGGAAC TCTGAATGGC 3300
 GGACTCCATC ACCGGACTAG CGGAAGTCAA CGGTCCGATA GTCCACCTCA CACAGATGTG 3360
 AGCTATGTTT AGCTTCACTC ATCCGATGGA ACTGGTAGTA GTAAGGAAAG AACTGGGGAG 3420
 CGGAGAACAC CACCGAATAA GACTCTGATG GACTTTATTC CGCCACCACC TTCCAATCCA 3480
 CCACCACCTG GAGGGCACGT TTATGACACA GCAACTAGGC GTCAGTTGAA TCGTGAAGT 3540
 ACTCCACGAG AAGACACCTA CGATTCCGTC AGTGACGGAG CTTTTGCTCG GGTGATGTG 3600
 AATGCAAGGC CAACGAGTCG GAATCGGAAT TTGGGAGGAA GGCCGCTGAA AGGGAAACGA 3660
 GACGACGATA GTCAGCGGTC TTCGTTGATG ATGGACGATG ATGGTGGATC TTCTGAAGCT 3720
 GACGGGGAGA ACTCTGAAGG AGACGTTCCG CGTGGAGGTG TTAGAAAAGC AGTTCCTCGA 3780
 ATGGGTATCT CTGCAAGTAC GCTGGCTCAT AGTTGTTACG GGACAAACGG CACTGCTCAA 3840
 CGATTCCGGT CAATTCCACG TAACAATGGA ATCGTCACAC AAGAACAAAC TTGA 3894

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1297 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Tyr Tyr Leu Gly Phe Tyr His Thr His Thr His Thr Tyr
 1 5 10 15
 Ile Asn Phe Asp Lys Ile Pro Asn Ala Ser Asn Leu Ala Pro Val Ile
 20 25 30
 Ile Glu His Pro Ile Asp Val Val Val Ser Arg Gly Ser Pro Ala Thr

35	40	45
Leu Asn Cys Gly Ala Lys Pro Ser Thr Ala Lys Ile Thr Trp Tyr Lys		
50	55	60
Asp Gly Gln Pro Val Ile Thr Asn Lys Glu Gln Val Asn Ser His Arg		
65	70	75
Ile Val Leu Asp Thr Gly Ser Leu Phe Leu Leu Lys Val Asn Ser Gly		
85	90	95
Lys Asn Gly Lys Asp Ser Asp Ala Gly Ala Tyr Tyr Cys Val Ala Ser		
100	105	110
Asn Glu His Gly Glu Val Lys Ser Asn Glu Gly Ser Leu Lys Leu Ala		
115	120	125
Met Leu Arg Glu Asp Phe Arg Val Arg Pro Arg Thr Val Gln Ala Leu		
130	135	140
Gly Gly Glu Met Ala Val Leu Glu Cys Ser Pro Pro Arg Gly Phe Pro		
145	150	155
Glu Pro Val Val Ser Trp Arg Lys Asp Asp Lys Glu Leu Arg Ile Gln		
165	170	175
Asp Met Pro Arg Tyr Thr Leu His Ser Asp Gly Asn Leu Ile Ile Asp		
180	185	190
Pro Val Asp Arg Ser Asp Ser Gly Thr Tyr Gln Cys Val Ala Asn Asn		
195	200	205
Met Val Gly Glu Arg Val Ser Asn Pro Ala Arg Leu Ser Val Phe Glu		
210	215	220
Lys Pro Lys Phe Glu Gln Glu Pro Lys Asp Met Thr Val Asp Val Gly		
225	230	235
Ala Ala Val Leu Phe Asp Cys Arg Val Thr Gly Asp Pro Gln Pro Gln		
245	250	255
Ile Thr Trp Lys Arg Lys Asn Glu Pro Met Pro Val Thr Arg Ala Tyr		
260	265	270
Ile Ala Lys Asp Asn Arg Gly Leu Arg Ile Glu Arg Val Gln Pro Ser		
275	280	285
Asp Glu Gly Glu Tyr Val Cys Tyr Ala Arg Asn Pro Ala Gly Thr Leu		
290	295	300
Glu Ala Ser Ala His Leu Arg Val Gln Ala Pro Pro Ser Phe Gln Thr		
305	310	315
Lys Pro Ala Asp Gln Ser Val Pro Ala Gly Gly Thr Ala Thr Phe Glu		
325	330	335
Cys Thr Leu Val Gly Gln Pro Ser Pro Ala Tyr Phe Trp Ser Lys Glu		

	340		345		350
Gly	Gln	Gln	Asp	Leu	Leu
	355		360		365
Thr	Lys	Val	Ser	Pro	Thr
	370		375		380
Val	Asp	Glu	Gly	Ala	Tyr
385			390		395
Ser	Leu	Ser	Lys	Ala	Ala
	405		410		415
Val	Gln	Lys	Lys	Lys	Ser
	420		425		430
Gln	Ser	Ile	Ile	Lys	Tyr
	435		440		445
Ala	Lys	Pro	Pro	Pro	Thr
	450		455		460
Met	Val	Gly	Ser	Ser	Ala
465			470		475
Thr	Pro	Gly	Ile	Ser	Trp
	485		490		495
Asp	Ser	Arg	Ile	Ser	Gln
	500		505		510
Leu	Lys	Lys	Pro	Asp	Thr
	515		520		525
Asp	Gly	Glu	Ser	Thr	Trp
	530		535		540
Ser	Asn	Ala	Gln	Phe	Val
545			550		555
Ser	Pro	Thr	Gln	Pro	Ile
	565		570		575
Leu	His	Trp	Asn	Ala	Pro
	580		585		590
Tyr	Ile	Ile	Gln	Tyr	Tyr
	595		600		605
Ile	Pro	Asp	Tyr	Val	Ala
	610		615		620
Pro	Ser	His	Ser	Tyr	Met
625			630		635
Ile	Gly	Thr	Pro	Ser	Val

	645	650	655
Ala Ala Gln Val	Ala Leu Ser Asp Lys Asn Lys Met Asp Met Ala Ile		
660	665	670	
Ala Glu Lys Arg Leu Thr Ser Glu Gln Leu Ile Lys Leu Glu Glu Val			
675	680	685	
Lys Thr Ile Asn Ser Thr Ala Val Arg Leu Phe Trp Lys Lys Arg Lys			
690	695	700	
Leu Glu Glu Leu Ile Asp Gly Tyr Tyr Ile Lys Trp Arg Gly Pro Pro			
705	710	715	720
Arg Thr Asn Asp Asn Gln Tyr Val Asn Val Thr Ser Pro Ser Thr Glu			
725	730	735	
Asn Tyr Val Val Ser Asn Leu Met Pro Phe Thr Asn Tyr Glu Phe Phe			
740	745	750	
Val Ile Pro Tyr His Ser Gly Val His Ser Ile His Gly Ala Pro Ser			
755	760	765	
Asn Ser Met Asp Val Leu Thr Ala Glu Ala Pro Pro Ser Leu Pro Pro			
770	775	780	
Glu Asp Val Arg Ile Arg Met Leu Asn Leu Thr Thr Leu Arg Ile Ser			
785	790	795	800
Trp Lys Ala Pro Lys Ala Asp Gly Ile Asn Gly Ile Leu Lys Gly Phe			
805	810	815	
Gln Ile Val Ile Val Gly Gln Ala Pro Asn Asn Asn Arg Asn Ile Thr			
820	825	830	
Thr Asn Glu Arg Ala Ala Ser Val Thr Leu Phe His Leu Val Thr Gly			
835	840	845	
Met Thr Tyr Lys Ile Arg Val Ala Ala Arg Ser Asn Gly Gly Val Gly			
850	855	860	
Val Ser His Gly Thr Ser Glu Val Ile Met Asn Gln Asp Thr Leu Glu			
865	870	875	880
Lys His Leu Ala Ala Gln Gln Glu Asn Glu Ser Phe Leu Tyr Gly Leu			
885	890	895	
Ile Asn Lys Ser His Val Pro Val Ile Val Ile Val Ala Ile Leu Ile			
900	905	910	
Ile Phe Val Val Ile Ile Ile Ala Tyr Cys Tyr Trp Arg Asn Ser Arg			
915	920	925	
Asn Ser Asp Gly Lys Asp Arg Ser Phe Ile Lys Ile Asn Asp Gly Ser			
930	935	940	
Val His Met Ala Ser Asn Asn Leu Trp Asp Val Ala Gln Asn Pro Asn			

1250	1255	1260
Ala Ser Thr Leu Ala His Ser Cys Tyr Gly Thr Asn Gly Thr Ala Gln		
1265	1270	1275
Arg Phe Arg Ser Ile Pro Arg Asn Asn Gly Ile Val Thr Gln Glu Gln		
1285	1290	1295
Thr		

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 4956 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

ATGAAATGGA AACATGTTCC TTTTGTGGTC ATGATATCAC TCCTCAGCTT ATCCCCAAAT	60
CACCTGTTTTC TGGCCCAGCT TATTCCAGAC CCTGAAGATG TAGAGAGGGG GAACGACCAC	120
GGGACGCCAA TCCCCACCTC TGATAACGAT GACAATTCGC TGGGCTATAC AGGCTCCCGT	180
CTTCGTCAGG AAGATTTTCC ACCTCGCATT GTTGAACACC CTTCAGACCT GATTGTCTCA	240
AAAGGAGAAC CTGCAACTTT GAACTGCAAA GCTGAAGGCC GCCCCACACC CACTATTGAA	300
TGGTACAAAG GGGGAGAGAG AGTGGAGACA GACAAAGATG ACCCTCGCTC ACACCGAATG	360
TTGCTGCCGA GTGGATCTTT ATTTTCTTA CGTATAGTAC ATGGACGGAA AAGTAGACCT	420
GATGAAGGAG TCTATGTCTG TGTAGCAAGG AATTACCTTG GAGAGGCTGT GAGCCACAAT	480
GCATCGCTGG AAGTAGCCAT ACTTCGGGAT GACTTCAGAC AAAACCCTTC GGATGTCATG	540
GTTGCAGTAG GAGAGCCTGC AGTAATGGAA TGCCAACCTC CACGAGGCCA TCCTGAGCCC	600
ACCATTTTCAT GGAAGAAAGA TGGCTCTCCA CTGGATGATA AAGATGAAAG AATAACTATA	660
CGAGGAGGAA AGCTCATGAT CACTTACACC CGTAAAAGTG ACGCTGGCAA ATATGTTTGT	720
GTTGGTACCA ATATGGTTGG GGAACGTGAG AGTGAAGTAG CCGAGCTGAC TGTCTTAGAG	780
AGACCATCAT TTGTGAAGAG ACCCAGTAAC TTGGCAGTAA CTGTGGATGA CAGTGCAGAA	840
TTTAAATGTG AGGCCCGAGG TGACCCTGTA CCTACAGTAC GATGGAGGAA AGATGATGGA	900
GAGCTGCCCA AATCCAGATA TGAAATCCGA GATGATCATA CCTTGAAAAT TAGGAAGGTG	960
ACAGCTGGTG ACATGGGTTC ATACACTTGT GTTGCAGAAA ATATGGTGGG CAAAGCTGAA	1020
GCATCTGCTA CTCTGACTGT TCAAGAACCT CCACATTTTG TTGTGAAACC CCGTGACCAG	1080
GTTGTTGCTT TGGGACGGAC TGTAACCTTT CAGTGTGAAG CAACCGGAAA TCCTCAACCA	1140
GCTATTTTCT GGAGGAGAGA AGGGAGTCAG AATCTACTTT TCTCATATCA ACCACCACAG	1200
TCATCCAGCC GATTTTTCAGT CTCCCAGACT GGCGACCTCA CAATTACTAA TGTCCAGCGA	1260
TCTGATGTTG GTTATTACAT CTGCCAGACT TTAAATGTTG CTGGAAGCAT CATCACAAAG	1320
GCATATTTGG AAGTTACAGA TGTGATTGCA GATCGGCCTC CCCCAGTTAT TCGACAAGGT	1380

0897172.1.497

CCTGTGAATC	AGACTGTAGC	CGTGGATGGC	ACTTTCGTCC	TCAGCTGTGT	GGCCACAGGC	1440
AGTCCAGTGC	CCACCATTCT	GTGGAGAAAG	GATGGAGTCC	TCGTTTCAAC	CCAAGACTCT	1500
CGAATCAAAC	AGTTGGAGAA	TGGAGTACTG	CAGATCCGAT	ATGCTAAGCT	GGGTGATACT	1560
GGTCGGTACA	CCTGCATTGC	ATCAACCCCC	AGTGGTGAAG	CAACATGGAG	TGCTTACATT	1620
GAAGTTCAAG	AATTTGGAGT	TCCAGTTCAG	CCTCCAAGAC	CTACTGACCC	AAATTTAATC	1680
CCTAGTGCCC	CATCAAAACC	TGAAGTGACA	GATGTCAGCA	GAAATACAGT	CACATTATCG	1740
TGGCAACCAA	ATTTGAATTC	AGGAGCAACT	CCAACATCTT	ATATTATAGA	AGCCTTCAGC	1800
CATGCATCTG	GTAGCAGCTG	GCAGACCGTA	GCAGAGAATG	TGAAAACAGA	AACATCTGCC	1860
ATTAAAGGAC	TCAAACCTAA	TGCAATTTAC	CTTTTCCTTG	TGAGGGCAGC	TAATGCATAT	1920
GGAATTAGTG	ATCCAAGCCA	AATATCAGAT	CCAGTGAAAA	CACAAGATGT	CCTACCAACA	1980
AGTCAGGGGG	TGGACCACAA	GCAGGTCCAG	AGAGAGCTGG	GAAATGCTGT	TCTGCACCTC	2040
CACAACCCCA	CCGTCCTTTC	TTCTCTTCC	ATCGAAGTGC	ACTGGACAGT	AGATCAACAG	2100
TCTCAGTATA	TACAAGGATA	TAAAATTCTC	TATCGGCCAT	CTGGAGCCAA	CCACGGAGAA	2160
TCAGACTGGT	TAGTTTTTGA	AGTGAGGACG	CCAGCCAAAA	ACAGTGTGGT	AATCCCTGAT	2220
CTCAGAAAGG	GAGTCAACTA	TGAAATTAAG	GCTCGCCCTT	TTTTTAATGA	ATTTCAAGGA	2280
GCAGATAGTG	AAATCAAGTT	TGCCAAAACC	CTGGAAGAAG	CACCCAGTGC	CCCACCCCAA	2340
GGTGTAAC TG	TATCCAAGAA	TGATGGAAAC	GGAAGTGCAA	TTCTAGTTAG	TTGGCAGCCA	2400
CCTCCAGAAG	ACACTCAAAA	TGGAATGGTC	CAAGAGTATA	AGGTTTGGTG	TCTGGGCAAT	2460
GAAACTCGAT	ACCACATCAA	CAAAACAGTG	GATGGTTCCA	CCTTTTCCGT	GGTCATTCCC	2520
TTTCTTGTTT	CTGGAATCCG	ATACAGTGTG	GAAGTGGCAG	CCAGCACTGG	GGCTGGGTCT	2580
GGGGTAAAGA	GTGAGCCTCA	GTTTCATCCAG	CTGGATGCCC	ATGGAAACCC	TGTGTCACCT	2640
GAGGACCAAG	TCAGCCTCGC	TCAGCAGATT	TCAGATGTGG	TGAAGCAGCC	GGCCTTCATA	2700
GCAGGTATTG	GAGCAGCCTG	TTGGATCATC	CTCATGGTCT	TCAGCATCTG	GCTTTATCGA	2760
CACCGCAAGA	AGAGAAAACG	ACTTACTAGT	ACCTACGCGG	GTATCAGAAA	AGTCCCGTCT	2820
TTTACCTTCA	CACCAACAGT	AACTTACCAG	AGAGGAGGCG	AAGCTGTCAG	CAGTGGAGGG	2880
AGGCCTGGAC	TTCTCAACAT	CAGTGAACCT	GCCGCGCAGC	CATGGCTGGC	AGACACGTGG	2940
CCTAATACTG	GCAACAACCA	CAATGACTGC	TCCATCAGCT	GCTGCACGGC	AGGCAATGGA	3000
AACAGCGACA	GCAACCTCAC	TACCTACAGT	CGCCCAGCTG	ATTGTATAGC	AAATTATAAC	3060
AACCAACTGG	ATAACAAACA	AACAAATCTG	ATGCTCCCTG	AGTCAACTGT	TTATGGTGAT	3120
GTGGACCTTA	GTAACAAAAT	CAATGAGATG	AAAACCTTCA	ATAGCCCAAA	TCTGAAGGAT	3180
GGGCGTTTTG	TCAATCCATC	AGGGCAGCCT	ACTCCTTACG	CCACCACTCA	GCTCATCCAG	3240
TCAAACCTCA	GCAACAACAT	GAACAATGGC	AGCGGGGACT	CTGGCGAGAA	GCACTGGAAA	3300
CCACTGGGAC	AGCAGAAACA	AGAAGTGGCA	CCAGTTCAGT	ACAACATCGT	GGAGCAAAAC	3360
AAGCTGAACA	AAGATTATCG	AGCAAATGAC	ACAGTTCCTC	CAACTATCCC	ATACAACCAA	3420
TCATACGACC	AGAACACAGG	AGGATCCTAC	AACAGCTCAG	ACCGGGGCAG	TAGTACATCT	3480
GGGAGTCAGG	GGCACAAGAA	AGGGGCAAGA	ACACCCAAGG	TACCAAAACA	GGGTGGCATG	3540
AACTGGGCAG	ACCTGCTTCC	TCCTCCCCCA	GCACATCCTC	CTCCACACAG	CAATAGCGAA	3600
GAGTACAACA	TTTCTGTAGA	TGAAAGCTAT	GACCAAGAAA	TGCCATGTCC	CGTGCCACCA	3660

DEFEAT

(i) SEQUENCE CHARACTERISTICS:

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

1 5 10 15

20 25 30

35 40 45

B98-006

355	360	365
Thr Phe Gln Cys Glu Ala Thr Gly Asn Pro Gln Pro Ala Ile Phe Trp		
370	375	380
Arg Arg Glu Gly Ser Gln Asn Leu Leu Phe Ser Tyr Gln Pro Pro Gln		
385	390	395
Ser Ser Ser Arg Phe Ser Val Ser Gln Thr Gly Asp Leu Thr Ile Thr		
405	410	415
Asn Val Gln Arg Ser Asp Val Gly Tyr Tyr Ile Cys Gln Thr Leu Asn		
420	425	430
Val Ala Gly Ser Ile Ile Thr Lys Ala Tyr Leu Glu Val Thr Asp Val		
435	440	445
Ile Ala Asp Arg Pro Pro Pro Val Ile Arg Gln Gly Pro Val Asn Gln		
450	455	460
Thr Val Ala Val Asp Gly Thr Phe Val Leu Ser Cys Val Ala Thr Gly		
465	470	475
Ser Pro Val Pro Thr Ile Leu Trp Arg Lys Asp Gly Val Leu Val Ser		
485	490	495
Thr Gln Asp Ser Arg Ile Lys Gln Leu Glu Asn Gly Val Leu Gln Ile		
500	505	510
Arg Tyr Ala Lys Leu Gly Asp Thr Gly Arg Tyr Thr Cys Ile Ala Ser		
515	520	525
Thr Pro Ser Gly Glu Ala Thr Trp Ser Ala Tyr Ile Glu Val Gln Glu		
530	535	540
Phe Gly Val Pro Val Gln Pro Pro Arg Pro Thr Asp Pro Asn Leu Ile		
545	550	555
Pro Ser Ala Pro Ser Lys Pro Glu Val Thr Asp Val Ser Arg Asn Thr		
565	570	575
Val Thr Leu Ser Trp Gln Pro Asn Leu Asn Ser Gly Ala Thr Pro Thr		
580	585	590
Ser Tyr Ile Ile Glu Ala Phe Ser His Ala Ser Gly Ser Ser Trp Gln		
595	600	605
Thr Val Ala Glu Asn Val Lys Thr Glu Thr Ser Ala Ile Lys Gly Leu		
610	615	620
Lys Pro Asn Ala Ile Tyr Leu Phe Leu Val Arg Ala Ala Asn Ala Tyr		
625	630	635
Gly Ile Ser Asp Pro Ser Gln Ile Ser Asp Pro Val Lys Thr Gln Asp		
645	650	655
Val Leu Pro Thr Ser Gln Gly Val Asp His Lys Gln Val Gln Arg Glu		

009117211497680

660	665	670
Leu Gly Asn Ala Val Leu His Leu His Asn Pro Thr Val Leu Ser Ser		
675	680	685
Ser Ser Ile Glu Val His Trp Thr Val Asp Gln Gln Ser Gln Tyr Ile		
690	695	700
Gln Gly Tyr Lys Ile Leu Tyr Arg Pro Ser Gly Ala Asn His Gly Glu		
705	710	715
Ser Asp Trp Leu Val Phe Glu Val Arg Thr Pro Ala Lys Asn Ser Val		
725	730	735
Val Ile Pro Asp Leu Arg Lys Gly Val Asn Tyr Glu Ile Lys Ala Arg		
740	745	750
Pro Phe Phe Asn Glu Phe Gln Gly Ala Asp Ser Glu Ile Lys Phe Ala		
755	760	765
Lys Thr Leu Glu Glu Ala Pro Ser Ala Pro Pro Gln Gly Val Thr Val		
770	775	780
Ser Lys Asn Asp Gly Asn Gly Thr Ala Ile Leu Val Ser Trp Gln Pro		
785	790	795
Pro Pro Glu Asp Thr Gln Asn Gly Met Val Gln Glu Tyr Lys Val Trp		
805	810	815
Cys Leu Gly Asn Glu Thr Arg Tyr His Ile Asn Lys Thr Val Asp Gly		
820	825	830
Ser Thr Phe Ser Val Val Ile Pro Phe Leu Val Pro Gly Ile Arg Tyr		
835	840	845
Ser Val Glu Val Ala Ala Ser Thr Gly Ala Gly Ser Gly Val Lys Ser		
850	855	860
Glu Pro Gln Phe Ile Gln Leu Asp Ala His Gly Asn Pro Val Ser Pro		
865	870	875
Glu Asp Gln Val Ser Leu Ala Gln Gln Ile Ser Asp Val Val Lys Gln		
885	890	895
Pro Ala Phe Ile Ala Gly Ile Gly Ala Ala Cys Trp Ile Ile Leu Met		
900	905	910
Val Phe Ser Ile Trp Leu Tyr Arg His Arg Lys Lys Arg Asn Gly Leu		
915	920	925
Thr Ser Thr Tyr Ala Gly Ile Arg Lys Val Pro Ser Phe Thr Phe Thr		
930	935	940
Pro Thr Val Thr Tyr Gln Arg Gly Gly Glu Ala Val Ser Ser Gly Gly		
945	950	955
Arg Pro Gly Leu Leu Asn Ile Ser Glu Pro Ala Ala Gln Pro Trp Leu		

	965		970		975
Ala Asp Thr Trp Pro Asn Thr Gly Asn Asn His Asn Asp Cys Ser Ile					
	980		985		990
Ser Cys Cys Thr Ala Gly Asn Gly Asn Ser Asp Ser Asn Leu Thr Thr					
	995		1000		1005
Tyr Ser Arg Pro Ala Asp Cys Ile Ala Asn Tyr Asn Asn Gln Leu Asp					
	1010		1015		1020
Asn Lys Gln Thr Asn Leu Met Leu Pro Glu Ser Thr Val Tyr Gly Asp					
	1025		1030		1035
Val Asp Leu Ser Asn Lys Ile Asn Glu Met Lys Thr Phe Asn Ser Pro					
	1045		1050		1055
Asn Leu Lys Asp Gly Arg Phe Val Asn Pro Ser Gly Gln Pro Thr Pro					
	1060		1065		1070
Tyr Ala Thr Thr Gln Leu Ile Gln Ser Asn Leu Ser Asn Asn Met Asn					
	1075		1080		1085
Asn Gly Ser Gly Asp Ser Gly Glu Lys His Trp Lys Pro Leu Gly Gln					
	1090		1095		1100
Gln Lys Gln Glu Val Ala Pro Val Gln Tyr Asn Ile Val Glu Gln Asn					
	1105		1110		1115
Lys Leu Asn Lys Asp Tyr Arg Ala Asn Asp Thr Val Pro Pro Thr Ile					
	1125		1130		1135
Pro Tyr Asn Gln Ser Tyr Asp Gln Asn Thr Gly Gly Ser Tyr Asn Ser					
	1140		1145		1150
Ser Asp Arg Gly Ser Ser Thr Ser Gly Ser Gln Gly His Lys Lys Gly					
	1155		1160		1165
Ala Arg Thr Pro Lys Val Pro Lys Gln Gly Gly Met Asn Trp Ala Asp					
	1170		1175		1180
Leu Leu Pro Pro Pro Pro Ala His Pro Pro Pro His Ser Asn Ser Glu					
	1185		1190		1195
Glu Tyr Asn Ile Ser Val Asp Glu Ser Tyr Asp Gln Glu Met Pro Cys					
	1205		1210		1215
Pro Val Pro Pro Ala Arg Met Tyr Leu Gln Gln Asp Glu Leu Glu Glu					
	1220		1225		1230
Glu Glu Asp Glu Arg Gly Pro Thr Pro Pro Val Arg Gly Ala Ala Ser					
	1235		1240		1245
Ser Pro Ala Ala Val Ser Tyr Ser His Gln Ser Thr Ala Thr Leu Thr					
	1250		1255		1260
Pro Ser Pro Gln Glu Glu Leu Gln Pro Met Leu Gln Asp Cys Pro Glu					

1265	1270	1275	1280
Glu Thr Gly His Met Gln His Gln Pro Asp Arg Arg Arg Gln Pro Val			
	1285	1290	1295
Ser Pro Pro Pro Pro Pro Arg Pro Ile Ser Pro Pro His Thr Tyr Gly			
	1300	1305	1310
Tyr Ile Ser Gly Pro Leu Val Ser Asp Met Asp Thr Asp Ala Pro Glu			
	1315	1320	1325
Glu Glu Glu Asp Glu Ala Asp Met Glu Val Ala Lys Met Gln Thr Arg			
	1330	1335	1340
Arg Leu Leu Leu Arg Gly Leu Glu Gln Thr Pro Ala Ser Ser Val Gly			
1345	1350	1355	1360
Asp Leu Glu Ser Ser Val Thr Gly Ser Met Ile Asn Gly Trp Gly Ser			
	1365	1370	1375
Ala Ser Glu Glu Asp Asn Ile Ser Ser Gly Arg Ser Ser Val Ser Ser			
	1380	1385	1390
Ser Asp Gly Ser Phe Phe Thr Asp Ala Asp Phe Ala Gln Ala Val Ala			
	1395	1400	1405
Ala Ala Ala Glu Tyr Ala Gly Leu Lys Val Ala Arg Arg Gln Met Gln			
	1410	1415	1420
Asp Ala Ala Gly Arg Arg His Phe His Ala Ser Gln Cys Pro Arg Pro			
1425	1430	1435	1440
Thr Ser Pro Val Ser Thr Asp Ser Asn Met Ser Ala Ala Val Met Gln			
	1445	1450	1455
Lys Thr Arg Pro Ala Lys Lys Leu Lys His Gln Pro Gly His Leu Arg			
	1460	1465	1470
Arg Glu Thr Tyr Thr Asp Asp Leu Pro Pro Pro Pro Val Pro Pro Pro			
	1475	1480	1485
Ala Ile Lys Ser Pro Thr Ala Gln Ser Lys Thr Gln Leu Glu Val Arg			
	1490	1495	1500
Pro Val Val Val Pro Lys Leu Pro Ser Met Asp Ala Arg Thr Asp Arg			
1505	1510	1515	1520
Ser Ser Asp Arg Lys Gly Ser Ser Tyr Lys Gly Arg Glu Val Leu Asp			
	1525	1530	1535
Gly Arg Gln Val Val Asp Met Arg Thr Asn Pro Gly Asp Pro Arg Glu			
	1540	1545	1550
Ala Gln Glu Gln Gln Asn Asp Gly Lys Gly Arg Gly Asn Lys Ala Ala			
	1555	1560	1565
Lys Arg Asp Leu Pro Pro Ala Lys Thr His Leu Ile Gln Glu Asp Ile			

0897117211497

1570 1575 1580
 Leu Pro Tyr Cys Arg Pro Thr Phe Pro Thr Ser Asn Asn Pro Arg Asp
 1585 1590 1595 1600
 Pro Ser Ser Ser Ser Ser Met Ser Ser Arg Gly Ser Gly Ser Arg Gln
 1605 1610 1615
 Arg Glu Gln Ala Asn Val Gly Arg Arg Asn Ile Ala Glu Met Gln Val
 1620 1625 1630
 Leu Gly Gly Tyr Glu Arg Gly Glu Asp Asn Asn Glu Glu Leu Glu Glu
 1635 1640 1645
 Thr Glu Ser
 1650

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1300 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

- (A) NAME/KEY: misc_feature
- (B) LOCATION: 855..1187
- (D) OTHER INFORMATION: /note= "N signifies gap in sequence"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

CAGATTGTTG CTCAAGGTCG AACAGTGACA TTTCCTGTG AACTAAAGG AAACCCACAG	60
CCAGCTGTTT TTTGGCAGAA AGAAGGCAGC CAGAACCTAC TTTTCCCAA CCAACCCAG	120
CAGCCCAACA GTAGATGCTC AGTGTACCA ACTGGAGACC TCACAATCAC CAACATTCAA	180
CGTTCCGACG CGGGTTACTA CATCTGCCAG GCTTTAACTG TGGCAGGAAG CATTTTAGCA	240
AAAGCTCAAC TGGAGGTTAC TGATGTTTTG ACAGATAGAC CTCCACCTAT AATTCTACAA	300
GGCCCAGCCA ACCAAACGCT GGCAGTGGAT GGTACAGCGT TACTGAAATG TAAAGCCACT	360
GGTGATCCTC TTCCTGTAAT TAGCTGGTTA AAGGAGGGAT TTACTTTTCC GGGTAGAGAT	420
CCAAGAGCAA CAATTCAAGA GCAAGGCACA CTGCAGATTA AGAATTTACG GATTTCTGAT	480
ACTGGCACTT ATACTTGTGT GGCTACAAGT TCAAGTGGAG AGGCTTCCTG GAGTGCAGTG	540
CTGGATGTGA CAGAGTCTGG AGCAACAATC AGTAAAACT ATGATTTAAG TGACCTGCCA	600
GGGCCACCAT CCAAACCGCA AGTCACTGAT GTTACTAAGA ACAGTGTAC CTTGTCCTGG	660
CAGCCAGGTA CCCCTGGAAC CCTTCCAGCA AGTGCATATA TCATTGAGGC TTTCAGCCAA	720
TCAGTGAGCA ACAGCTGGCA GACCGTGGCA AACCATGTAA AGACCACCCT CTATACTGTA	780
AGAGGACTGC GGCCAATAC AATCTACTTA TTCATGGTCA GAGCGATCAA CCCCAAGGTY	840

TCAGTGACCC AAGTNAAACC ACAGAAAAAC AATGGATCCA CTTGGGCCAA TGTCCCTCTA 900
 CCTCCCCCCC CAGTCCAGCC CCTTCCTGGC ACGGAGCTGG AACACTATGC AGTGGAAACAA 960
 CAAGAAAATG GCTATGACAG TGATAGCTGG TGCCCACCAT TGCCAGTACA AACTTACTTA 1020
 CACCAAGGTC TGGAAGATGA ACTGGAAGAA GATGATGATA GGGTCCCAAC ACCTCCTGTT 1080
 CGAGGCGTGG CTTCTTCTCC TGCTATCTCC TTTGGACAGC AGTCCACTGC AACTCTTACT 1140
 CCATCCCCAC GGGAAGAGAT GCAACCCATG CTGCAGGCTT CACCTNTTTA CCTCCTCTCA 1200
 AAGACCTCGA CCTACCAGCC CATTTTCTAC TGACAGTAAC ACCAGTGCAG CCCTGAGTCA 1260
 AAGTCAGAGG CCTCGGCCCA CTAAAAACA CAAGGGAGGG 1300

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 434 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(ix) FEATURE:

- (A) NAME/KEY: Modified-site
- (B) LOCATION: 285..396
- (D) OTHER INFORMATION: /note= "Xaa signifies gap in sequence"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Gln Ile Val Ala Gln Gly Arg Thr Val Thr Phe Pro Cys Glu Thr Lys
 1 5 10 15
 Gly Asn Pro Gln Pro Ala Val Phe Trp Gln Lys Glu Gly Ser Gln Asn
 20 25 30
 Leu Leu Phe Pro Asn Gln Pro Gln Gln Pro Asn Ser Arg Cys Ser Val
 35 40 45
 Ser Pro Thr Gly Asp Leu Thr Ile Thr Asn Ile Gln Arg Ser Asp Ala
 50 55 60
 Gly Tyr Tyr Ile Cys Gln Ala Leu Thr Val Ala Gly Ser Ile Leu Ala
 65 70 75 80
 Lys Ala Gln Leu Glu Val Thr Asp Val Leu Thr Asp Arg Pro Pro Pro
 85 90 95
 Ile Ile Leu Gln Gly Pro Ala Asn Gln Thr Leu Ala Val Asp Gly Thr
 100 105 110
 Ala Leu Leu Lys Cys Lys Ala Thr Gly Asp Pro Leu Pro Val Ile Ser
 115 120 125
 Trp Leu Lys Glu Gly Phe Thr Phe Pro Gly Arg Asp Pro Arg Ala Thr

130						135						140					
Ile	Gln	Glu	Gln	Gly	Thr	Leu	Gln	Ile	Lys	Asn	Leu	Arg	Ile	Ser	Asp		
145						150						155					
Thr	Gly	Thr	Tyr	Thr	Cys	Val	Ala	Thr	Ser	Ser	Ser	Gly	Glu	Ala	Ser		
					165						170						
Trp	Ser	Ala	Val	Leu	Asp	Val	Thr	Glu	Ser	Gly	Ala	Thr	Ile	Ser	Lys		
					180						185						
Asn	Tyr	Asp	Leu	Ser	Asp	Leu	Pro	Gly	Pro	Pro	Ser	Lys	Pro	Gln	Val		
					195						200						
Thr	Asp	Val	Thr	Lys	Asn	Ser	Val	Thr	Leu	Ser	Trp	Gln	Pro	Gly	Thr		
					210						215						
Pro	Gly	Thr	Leu	Pro	Ala	Ser	Ala	Tyr	Ile	Ile	Glu	Ala	Phe	Ser	Gln		
225						230						235					
Ser	Val	Ser	Asn	Ser	Trp	Gln	Thr	Val	Ala	Asn	His	Val	Lys	Thr	Thr		
					245						250						
Leu	Tyr	Thr	Val	Arg	Gly	Leu	Arg	Pro	Asn	Thr	Ile	Tyr	Leu	Phe	Met		
					260						265						
Val	Arg	Ala	Ile	Asn	Pro	Lys	Val	Ser	Val	Thr	Gln	Xaa	Lys	Pro	Gln		
					275						280						
Lys	Asn	Asn	Gly	Ser	Thr	Trp	Ala	Asn	Val	Pro	Leu	Pro	Pro	Pro	Pro		
					290						295						
Val	Gln	Pro	Leu	Pro	Gly	Thr	Glu	Leu	Glu	His	Tyr	Ala	Val	Glu	Gln		
305						310						315					
Gln	Glu	Asn	Gly	Tyr	Asp	Ser	Asp	Ser	Trp	Cys	Pro	Pro	Leu	Pro	Val		
					325						330						
Gln	Thr	Tyr	Leu	His	Gln	Gly	Leu	Glu	Asp	Glu	Leu	Glu	Glu	Asp	Asp		
					340						345						
Asp	Arg	Val	Pro	Thr	Pro	Pro	Val	Arg	Gly	Val	Ala	Ser	Ser	Pro	Ala		
					355						360						
Ile	Ser	Phe	Gly	Gln	Gln	Ser	Thr	Ala	Thr	Leu	Thr	Pro	Ser	Pro	Arg		
					370						375						
Glu	Glu	Met	Gln	Pro	Met	Leu	Gln	Ala	Ser	Pro	Xaa	Phe	Thr	Ser	Ser		
385						390						395					
Gln	Arg	Pro	Arg	Pro	Thr	Ser	Pro	Phe	Ser	Thr	Asp	Ser	Asn	Thr	Ser		
					405						410						
Ala	Ala	Leu	Ser	Gln	Ser	Gln	Arg	Pro	Arg	Pro	Thr	Lys	Lys	His	Lys		
					420						425						
Gly	Gly																

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 444 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

GCCCAGGCAG	TTGCTGCAGC	TGCGGAGTAT	GCGGGCCTGA	AAGTGGCTCG	CCGCCAAATG	60
CAAGATGCTG	CTGGCCGCCG	CCACTTCCAT	GCCTCTCAGT	GCCCAAGGCC	CACGAGTCCT	120
GTGTCCACAG	ACAGCAACAT	GAGTGCTGTT	GTGATCCAGA	AAGCCAGACC	CGCCAAGAAG	180
CAGAAACACC	AGCCAGGACA	TCTGCGCAGG	GAAGCCTACG	CAGATGATCT	TCCACCCCCT	240
CCAGTGCCAC	CACCTGCTAT	AAAATCGCCC	ACTGTCCAGT	CCAAGGCACA	GCTGGAGGTA	300
CGGCCTGTCA	TGGTGCCAAA	ACTCGCGTCT	ATAGAAGCAA	GGACAGATAG	ATCGTCAGAC	360
AGAAAAGGAG	GCAGTTACAA	GGGGAGAGAA	GCTCTGGATG	GAAGACAAGT	CACTGACCTG	420
CGAACAAATC	CAAGTGACCC	CAGA				444

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 148 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Ala	Gln	Ala	Val	Ala	Ala	Ala	Glu	Tyr	Ala	Gly	Leu	Lys	Val	Ala	
1				5					10				15		
Arg	Arg	Gln	Met	Gln	Asp	Ala	Ala	Gly	Arg	Arg	His	Phe	His	Ala	Ser
				20					25				30		
Gln	Cys	Pro	Arg	Pro	Thr	Ser	Pro	Val	Ser	Thr	Asp	Ser	Asn	Met	Ser
				35					40				45		
Ala	Val	Val	Ile	Gln	Lys	Ala	Arg	Pro	Ala	Lys	Lys	Gln	Lys	His	Gln
				50				55				60			
Pro	Gly	His	Leu	Arg	Arg	Glu	Ala	Tyr	Ala	Asp	Asp	Leu	Pro	Pro	Pro
				65				70				75		80	
Pro	Val	Pro	Pro	Pro	Ala	Ile	Lys	Ser	Pro	Thr	Val	Gln	Ser	Lys	Ala
				85					90					95	

Gln	Leu	Glu	Val	Arg	Pro	Val	Met	Val	Pro	Lys	Leu	Ala	Ser	Ile	Glu		
							100					105					110
Ala	Arg	Thr	Asp	Arg	Ser	Ser	Asp	Arg	Lys	Gly	Gly	Ser	Tyr	Lys	Gly		
						115						120					125
Arg	Glu	Ala	Leu	Asp	Gly	Arg	Gln	Val	Thr	Asp	Leu	Arg	Thr	Asn	Pro		
					130					135						140	
Ser	Asp	Pro	Arg														
				145													